



Shield Fall Protection

Be Safe, Shield Yourself

RP210 Professional Hand Ascender- Left Handed

Data Sheet



Coned Cam Profile for minimal rope wear.


climb. work. rescue.

I|S|C

SOLUTIONS IN METAL

ISC Hand Ascenders are fitted with Stainless Steel cams with cones (rather than spikes), to minimise rope wear. All ISC Hand Ascenders have both primary and secondary attachment holes.

ISC Hand Ascenders have moulded comfort-grip handles. Right-hand version also available (see RP220).



Weight	364g (13oz)
Body Material	Aluminium
Finish	Anodised
Rope Size	9-13mm (5/16-1/2")
MBS	Dependant on Rope Type.



Shield Fall Protection
Be Safe, Shield Yourself

RP220 Professional Hand Ascender- Right Handed

Data Sheet



Coned Cam Profile for minimal rope wear.


climb. work. rescue.

I|S|C

SOLUTIONS IN METAL

ISC Hand Ascenders are fitted with Stainless Steel cams with cones (rather than spikes), to minimise rope wear. All ISC Hand Ascenders have both primary and secondary attachment holes.

ISC Hand Ascenders have moulded comfort-grip handles. Left-hand version also available (see RP210).



Weight	364g (13oz)
Body Material	Aluminium
Finish	Anodised
Rope Size	9-13mm (5/16-1/2")
MBS	Dependant on Rope Type.



Shield Fall Protection

Be Safe, Shield Yourself

RP230 Ultrasafe Hand Ascender- Left Handed

Data Sheet



Ultrasafe Cam Pin for improved rope retention, safety and control.


climb. work. rescue.

I|S|C

SOLUTIONS IN METAL

ISC Hand Ascenders are fitted with Stainless Steel cams with cones (rather than spikes), to minimise rope wear. All ISC Hand Ascenders have both primary and secondary attachment holes.

ISC Hand Ascenders have moulded comfort-grip handles. Right-hand version also available (see RP240).



Weight	367g (13oz)
Body Material	Aluminium
Finish	Anodised
Rope Size	9-13mm (5/16-1/2")
MBS	Dependant on Rope Type.



Shield Fall Protection
Be Safe, Shield Yourself

RP240 Ultrasafe Hand Ascender- Right Handed

Data Sheet



Ultrasafe Cam Pin for improved rope retention, safety and control.


www.shieldfallprotection.com

climb. work. rescue.

I|S|C
SOLUTIONS IN METAL

ISC Hand Ascenders are fitted with Stainless Steel cams with cones (rather than spikes), to minimise rope wear. All ISC Hand Ascenders have both primary and secondary attachment holes.

ISC Hand Ascenders have moulded comfort-grip handles. Left-hand version also available (see RP230).



Weight	367g (13oz)
Body Material	Aluminium
Finish	Anodised
Rope Size	9-13mm (5/16-1/2")
MBS	Dependant on Rope Type.