# STATE DISTRIBUTOR Nottingham Archery Shop J R NOTTINGHAM 375 ALMA SCHOOL RD MESA, ARIZONA WO 4-9275

IF IN'S A Wing IT'S THE VERY BEST



Pictured above is a section of the reception room at Wing. When in Houston, we invite you to drop in for a visit and see the many advances made in modern bow making

#### A business with a sound growth in mind.

Wing is proved of the growth that has been theirs in the last ten years. Bob Lee has been interested in archery since early childhood and was active in the sport during this time. He and a long close friend. Fred Hurd, It,, engaged in making equipment for themselves and their friends, This interest grew and in 1950 they decided to form WING ARCHERY and manufacture this equipment for national distribution. During this time their aim was to produce the finest equipment available and for this reason they have outgrown two locations and presently in the location on the inside back cover with more expansion planned in the near future. The newest member to the Wing family is Crawford Booth, who in 1958 realized the potential of the company and entered the firm as partner. His interest and enthusiasm since this time has greatly contributed to the success of Wing in the last three years.



CATALOG COVERS: FRONT AND BACK Alaska was the scene for Bob Lee of Wing Archery and his record class Cambou downed with a \$32 Red Wing Hunter. One of many fine trophy's taken in the past

> National Champions 1960 - Dr. Fred A. Simmons and James "Skip" Palmer displayed more than the ability to be champions, but also to be a sport. Doc. pulled ahead to capture the crown, 1960 National Field Instructive Championship with Skip just a few points behind, to place third. Then immediately following this tournament, Skip went on to place first in the \$10,000,00 invitational tournament with Doc bringing up a close second.

> These men captivated the crowd from the start with their sportsmanship and received a hearty applause when they shook hands just after shooting their last arrow. Both were shooting the WING PRESENTATION.

#### PRESENTATION

"The Professional's Bow"

The All New 1962 PRESENTATION continues to lead the field of fine custom bows ... with emphasis on stability Continued research and advances in design have enabled the engineers at Wing to greatly increase stability without sucrificing speed. Yes, "ALL NEW FOR '62" is the PRESENTATION, yet some of the finest advances cannot be seen. They must be felt and experienced. Incredibly fast, smooth and stable is the PRESENTATION'S performance ... new shooting ease that is the result of improved design. Craftsmanship that is so precise the PRESENTATION is a marvel of the bowyer's art.


The PRESENTATION is the finest precision shooting instrument ever made. The combination of its Multi-Stress Limbs, new graceful lines throughout and the rare exotic beauty of its rosewood riser, make it a bow desired by all discriminating archers ... amateur and professional alike.

The design of the riser section, when first introduced, presented a new concept in handle design that has inspired other manufacturers in designing their new models. This handle is so sculptured to fit the hand that when the how is drawn, the hand positions itself the same every time - allowing a comfortable grip that maintains perfect control of the bow,

> The PRESENTATION is available in two lengths - 66" and 69" Weights from 25 to 60 lbs. When ordering specify bow length, right or left hand and draw weight. White glass Bows weighed at 28" draw.


#### 8100

For maximum performance from the PRESEN-TATION we suggest these bow lengths: 66" Most efficient to 28" draw length 69" Most efficient from 28" to 31" draw length No draw limit Recommended Fistmele 9" to 10"



Hand sculptured tips of ivory white with contrasting reseweed add an essence of ele-gance to the beauty of the PRESENTATION.





Dr. Fred Simmons, Jr .- Three times Texus State Instinctive field Champion, Texas State Instinctive Target Champion, National Instinctive Field Champion, 1960.

"I think a beginning archer has three vitally important things to concentrate on: (1) A steady, relaxed bow hand: (2) a consistent point of anchor: (3) a smooth release."



Jane Waite- Pennsylvania State Instinctive Field

"Buy the best equipment possible, loin an archery club where you can get experienced instruction on the fundamentals of shooting. After that just lots and lots of practice."

Champion 1959 and Pennsylvania State free Style

Field Champion 1960.

CHAMPIONS CHOOSE WING

Shown here are a few champions from different sections of the country. They were asked to give some suggestions they felt would be helpful to beginning or novice archers to help improve their shooting.

These suggestions come from people who have experienced most of the pitfalls that all archers at one time or another must face. They have found some solutions to these problems and have taken their time to tell them to us, so we could relay them to you.

Wing Archery wishes to thank them, one and all, for the wonderful cooperation they have expressed . . . and . . . to wish them all the luck and success in their shooting for the years to come



James "Skip" Palmer- Three times Notional Hunters Field Champion, three times New York State Field Champion, New York State Target Champion 1960 and winner of the \$10,000 Bear-Easton Invitational 1960.

"Equipment is a prime factor in good shoot-Ing. The beginner should start with a light bow and increase the weight later. This makes it easier to concentrate on good shooting fundamentals."



Kitty Rote- The only woman to hold the Southern Championship four times Texas State Target Champion seven times and five times Texas Instinctive Field Champion.

"Outside of choosing good tackle, the most important thing is being related and having a comfortable posture. If your grip on the bow and your release are relaxed, the rest comes naturally.



Crawford Booth -- 3 times Texas State Tor get Champion, 1959, 1960 and 1961.

"Do not try to learn to shoot by yourself Find someone who is qualified to help you. Beginning by yourself develops bod hobits which get increasingly difficult to break I believe the beginner should get a moderately priced comparite how and inexpensive spined and weight matched wood arrows. Do not be over-bowed enjoy the sport on the range and in the field."



#### WHITE WING

"A Bowyer's Dream Come True"

The WHITE WING is ALL-NEW. A complete new design from nock to nock. This bow will add a new thrill in shooting for the archer trying it the first time.

The WHITE WING's New Limb Design, with a longer handle section has greatly increased the speed and stability over previous limb designs; The complete working action of this new limb design has not only added more thrust to the arrow but produces a velvet smoothness, until now found only in the PRESENTATION. This combination of technical improvements results in over-all performances that extend beyond the wildest dreams of the most precise archer.

Wing designers have sculptured a riser section for the WHITE WING with a PRESENTATION profile. Acclaimed by most archers to be the finest improvement in handle section design ever made in modern bows. To parallel this, the WHITE WING'S handle section combines rich, exotic Brazilian Rosewood with clean, flowing lines to make it a standout in appearance among all bows.

> The WHITE WING is available. in two lengths - 66" and 69", Weights from 25-60 lis. When ordering specify bow length, right or left hand and draw weight. White glass. Bows weighed at 28" draw.

> > 869.50

For maximum performance from the WHITE WING, we suggest these bow lengths for the following draw lengths:

66" Most efficient up to 28" draw length

69" Most efficient from 28" to 31" draw length No draw limit

Recommended Fistmele 9½" to 10½"



Grocefully designed tips of the WHITE WING accent the superior quality of this outstanding





The result of a successful hunt in Utah, by Bob Lee of Wing Archery and Walter Scott of Odosso, Texas. Both were using Wing Presentations.







This Waterback was killed by O. E. Scott of Odessa, Texas. A beautiful trophy taken in Moxambique, East Africa. Its horns measuring 335"—only 2" from being a world record. Mr. Scott was using an 88 lb. WHITE WING.

#### Success afield with WING

From all over the country, reports are coming in of fine kills being made with Wing Bows, Wing's new RED WING HUNTER has already had more than its share of these kills accredited to it.

In the selection of a hunting bow the experienced archer or bowhunter has found that the requirements are few but important. The hunting bow should be one not affected by weather changes, one that maintains its power in heat and cold alike, It should be fast and smooth, with an even draw, regardless of the draw length of the archer. Beauty is not to be overlooked, because hand in hand with beauty go the flowing graceful lines reflecting the fine craftsmanship that goes into making such a bow. This is a source of pleasure and admiration that goes on long after the hunt is over.

Wing Bows meet all of these requirements. You will want to see all the new models at your dealer today.

the Abernathy of Dallas, Texas bags a fine 7 point Whitetail. He was using a 52 lb. Red Wing Hunter and got complete penetration with the deer going only 30 yards after being hit.

Wing Hunter,

Bob Graham beams proudly as a result of this fine B point Whitetail taken after only two years at bawhunting. He was using a White Wing.



#### RED WING CUSTOM

"The Ladies' Bow"

New for '62... The RED WING CUSTOM 62, the tournament how Wing has designed especially for the LADY TOURNAMENT ARCHER. The RED WING CUSTOM adds tournament elegance and beauty to the already famous RED WING HUNTER, Wing designers have added lavish white laminations to the rare Brazilian Rosewood handle riser. Combined with the RED WING CUSTOM'S handle riser is its striking white glass facing and backing accented by the Rosewood and white laminated nocks.

Performance-wise, this musterpiece was especially designed for the lady archer. The RED WING CUSTOM offers the ultimate in cast and efficiency to the "SHORT DRAW" archer. The RED WING CUSTOM is the only TOURNAMENT LENGTH BOW with SHORT BOW PERFORMANCE to be found anywhere in the world!


The RED WING CUSTOM is available in the 62 length-Weights from 25-60 lbs. When ordering specify right or left hand and draw weight. White glass only. Bows weighed at 28" draw.

859.50


The 58° RED WING CUSTOM is also available on special order only.

No draw limit

Recommended Fistmele — 9" to 10"



Mand sculptured tips of livery white with contrasting resewood add an excense of elegance to the beauty of the RED WING CUSTOM.



# Proper care and handling of your WING BOW

This page is dedicated to the proper care and handling of your new Wing bow. Since most bow failures are a result of improper stringing, we cannot overemphasize the importance of this. Understanding what causes a twisted limb will help you appreciate the importance placed on these correct methods.

Composite bows are made of reinforced fiber glass and hard northern maple. The maple acts as a core to hold the glass apart, allowing a higher stressed, lighter weight limb to be constructed, making a unit of combined power. After a bow is glued it is TILLERED. This operation is one of the most important steps in making a bow. It means that the limbs are put in alignment and made to bend properly. If you twist the limb severally, it will rupture the maple and allow the limb to twist and eventually reach a stage when the string will jump off the bow when it is shot. The age of a bow has nothing to do with it. A new bow will twist just as easily as an old one.

#### Proper Bow Stringing

A. Improper bow-stringing may seriously damage any bow, therefore you are urged to study this chart carefully to learn the method which is used by most experts. All instructions are for right handed people. In the first illustration the right hand has grasped the bow at the handle and the abow is held in close to the body. The palm of the left hand is placed on the back of the bow with the thumb and forefinger free to slide the string up the bow when the bracing action takes place. The tip of the bow is placed against the instep as shown in the circle at the right. The main weight of the body is on the left leg. Do not allow the bow tip to touch the ground.

B. The bracing action starts by pulling with the right hand as the weight of your body shifts from the left to the right leg. This is the most important part to learn. Actually the hip muscles and the shifting of the weight do most of the work while the left hand acts as a brace.

C. Make sure that the right hand is pulling or the bow won't bend enough to allow the string to slide up the back. Pushing too hard with the left hand is a common mistake of bowstringing. Try this method with a lightweight bow first, and you'll develop the right knack.

D. The greatest danger in stringing a bow is failing to seat the strings properly. This is dangerous both to you and the bow. When stringing a bow as outlined, the string is away from you. If you think the loops are secure in the grooves inspect them by reversing the bow, still holding the handle securely, until the string is facing upward and well away from the face. It is possible for the string to be twisted causing the recurve to twist when drawn. To prevent this, place either tip of the bow on the top of the foot, grasp the bow limb about half way with one hand and the string about 6" below the end serving with the other hand. In the same motion pull the string back and push the limb away from you slightly. Do this with both recurves, this will cause the string to untwist and allow the string to seat itself in the string groove. This is particularly true with the Presentation. Due to the size of the recurve extreme care should be exercised in bracing this bow. We do not, under any circumstances recommend the step through style of stringing unless the No-Twist, Recurve Bow Stringer is used. (See page 13.) It is our belief that if you must use this method, you are overbowed. Many bows are permanently injured by this method and could void your guarantee.


WHILE YOUR BOW IS NOT IN USE, it should be unstrung and placed across two pegs with the recurves pointed down, so that both limbs support the weight evenly. Never leave it in a hot automobile as the glass reaches a pliable condition in heat and causes possible twisting of the limbs. Wax your bow to protect the finish and enhance its beauty. Never leave tape or camouflaging agents on your bow for a prolonged period of time, many bows have been impaired in this way. Always transport your bow in a bow case. This insures against knocks and bruises to the glass which could lead to more serious trouble.

FISTMELE, or height of the string while in strung position should be 9" to 10½", depending on the bow and the individual. It is measured from the back of the bow to the string. To determine the fistmele that works best, twist the string in its original direction, raising or lowering the fistmele until you find where your bow shoots the best. Once you have determined this, remember the height of the fistmele and check it often to make sure it stays there.



#### RED WING HUNTER

"The Bowhunter's Choice"



The RED WING HUNTER has a riser made of beautiful Brazillian Rosewood, combined with dark brown glass, giving it a rich beauty that goes with this gem of hunting bows.

The RED WING HUNTER is available in \$8" length. Weights from 25-70 lbs. Weights over 70 lbs. \$15.00 extra. When ordering, specify right or left hand and draw weight. Brown glass only. Bows weighed at 28" draw.


849.50


62" RED WING HUNTER is also available on special order only.

These bows are very fine performing tournament bows and are especially recommended for anyone with a short draw.


No draw limit

Recommended Fistmele 91/2" to 101/2"










.



A portion of Wing's bow department showing the well planned, orderly arrangement of equipment designed to produce the finest bows in the best and most efficient way.








## The Finest in Bows is the result of Craftsmanship

Every person working at Wing is a true craftsman—selected then trained in the Wing plant by master craftsmen. This combination of selected skills and training produces the very highest quality of workmanship possible. The quality found in all Wing Products.



Sawing out the handle of the PRESENTATION—one of the many precise operations in making this booutful bow.

A bowyer's art—this operation is called tillering. It requires precision and skill, mastered only by time and experience.





With all the production mechines, it is still impossible to achieve Custom quality without the individual touch. Here we see the custom hand shaping of the nocks and overdraw, and the finishing of a PRESENTATION on the





A Handle Contour—with this machine each handle is sanded to exactness that could not be obtained by any other process. Weight saving core laminations are sanded within .002 of an inch on this machine. Wing manufactures all of their laminations from hard northern straight grain maple cut in their awn plant. No maple veneer is used in a Wing bow.



SWIFT WING
"66 inches of Pleasure"


Every inch of this magnificent bow is another example of Wing's advanced engineering, progressive thinking and building of bows for today's modern archer. From its full working recurves, which give top performance, increased speed and greater accuracy—to the graceful lines of the handle section; with a contoured pistol grip, extra long sight window and full overdraw, the SWIFT WING fulfills all shooting requirements.


Along with these outstanding features the SWIFT WING has a magnificent, RARE, TROPICAL ZEBRA WOOD handle section, enhanced even more by a special jewel-like finish, the same as used in all Wing bows.

Wing has gone all out to make SWIFT WING a bow that compares with the very best on today's market, in performance and quality, at a reasonable price.


The SWIFT WING is available in the 66" length. Weights from 25 to 60 lbs, When ordering specify right or left hand and draw weight. White glass. Bows weighed at 28" draw.

\$49.50





Nothing is spared to make this bow rank with the very best. The sharp, clean cut lines of the SWIFT WING'S sculpture tips reflect the fine hand craftsmanship put into this







GULL
"The all purpose Custom"

All for one and one for all—is what Wing had in mind when they gave the GO AHEAD on the new GULL.


Whether it is target, field or that most important hunt, you'll be glad you chose the GULL. From the rugged, fast action, so necessary for hunting, to the extra long sight window—a must on the target range, your new GULL is the answer. The beautifully laminated nocks and elegance to the striking white glass that compliments the rich, colorful texture of the American Walnut handle section. The fully contoured grip gives every GULL that "MADE JUST FOR YOU" feel—an added feature that you would expect to find only in the more expensive bows.

Its 64" length will take a "long draw" but is especially efficient at shorter draws, making it a very fine bow for the ladies, as well as the economy-minded archer looking for an outstanding value. The GULL's long sight window gives unobstructed vision, making this bow an excellent indoor bow-

The GULL is available in 64 length. Weights 25 to 60 lbs. When ordering specify right or left hand, Bows weighed at 28 draw.

\$39.50

Recommended fistingle for the GULL is 9" to 10". No draw limit.



Quality workmanship and graceful lines are evident in every detail at this GULL





FALCON
"Quality Plus Economy"


WING DOES IT AGAIN! Over the past years, Wing has always outdistanced their competition in QUALITY, DESIGN, ECONOMY, AND VALUE. The year of 1962 is no different than the years past. Wing now introduces, with much pleasure and pride, the 1962 FALCON.

The FALCON features a modified recurve limb design, with a full center-shot handle riser of beautiful hard-grained maple. The handle riser is set off by the striking beauty of its rich red glass, bonded to a core of straight-grained northern hard maple.

The FALCON WILL BE your choice for the range or for your hunting pleasures. SMOOTHNESS, SPEED, and SILENCE are the by-words of the 1962 FALCON.

The FALCON is available in 62" length only and in weights of 20, 25, 30, 35, 40, 45, 50 and 55 lbs. Bows are weighed at 28", When ordering specify right or left hand.

\$24.50





Deep groove nach for easy, positive





#### CUSTOM MATCHED ARROWS

"The choice of Champion and Bowhunter alike"


In bowhunting or tournament shooting extreme care should be taken in selecting of your arrows. They are the most important part of your archery equipment and means the difference between a hit or a miss. Consistent shooting of close groups cannot be done without arrows perfectly matched for your bow. Whether you choose the finest, mirror-smooth cedar shafts, beautiful rugged glass or the highest grade aluminum arrows, WING gives you the very best. Thousands of the finest cedar, glass and aluminum shafts are kept on hand at all times enabling us to select perfectly matching arrows time after time. Highest quality is assured with the latest equipment. Each arrow is electronically matched, precision fletched and beautifully crested. The workers at WING are all skilled craftsmen that take great pride in their work. This quality craftsmanship is yours when you select WING arrows.


#### How to choose the correct arrow for you

There are several generally accepted methods of measuring the proper arrow length for an archer. Of these, we at WING feel there is only one reliable, accurate way that gives the correct arrow length every time - this is by DRAW-ING A MEASURING AR-ROW in a bow. Where the arrow comes in relation to the back of the bow determines the correct arrow length (see drawing).

Arrow lengths will vary depending on the type of point used. Refer to CHART at right to determine your correct arrow length.

When ordering arrows, specify bow weight, the type of arrow and your draw length.





#### WING-EASTON \$29.50 doz.

This is the very finest tournament arrow available. Made with Easton's famous superior-proven, precision-made tubing and beautifully crested with Wing's new color-matched crest, accented with contrasting silver pin-stripes. Spiral fletching with white or dyed-white feathers. Available in 22 sizes of 24SRTX standing wall or thin wall. Helical fletch available - no extra charge.

Wing Easton Arrows are available in the following: AA-1 Complete 24SRTX with insert target points.... \$29.50 doz. AA-1X Complete XX75 with target points 34.50 doz. AA-2 Full length, with target points unattached .... 28.50 doz. AA-3 Field points (interchangeable with broadheads)... 30.30 doz. AA-4 Blunt points (interchange-30.30 doz. able with broadheads) AA-5 Single-blade Bear Razorheads ..... 33.75 doz. AA-6 4-blade Bear Razorheads 34.95 doz. Available in half-dozen boxes -- extra ..... 1.00 EXTRAS: Custom crest-

ing other than our own

design ..... Four-fletch, extra....

#### WING-MICRO-FLITE

#### \$25.95 doz.

1.00 doz.

2.00 doz.

Wing Micro-Flite arrows (Laminex shafts) are the finest glass arrows made. Always straight, very light and durable - not affected by weather. Light yellow in color, attractively finished with Wing's color matched crest and accented by contrasting silver pin-stripes.

Helical fletch also available - no extra charge. Wing Micro-Flite Arrayes are available with:

AL UIR IN	HCF475C RUC ZWF49WN AIFC AVARRA	не мин:
GA-E	Target Points	\$25.95 doz.
GA-2	Full length - points sepa-	
	rate	25.00 doz.
GA-3	Tapered Field Points	26.75 doz.
GA-4	Blunts	26.75 doz.
GA-5	Single Blade Bear Razor-	
	head	30.20 doz.
GA-6	4-Blade Bear Razorhead	31.40 doz.
GA-7	3-Blade Hi-Precision	29.70 doz.
GA-8	6 4-Blade Bear Razorheads	
	and 6 tapered field points	28.85 doz.
GA-9	6 Single Blade Razorheads	
	and 6 tapered field points	28.25 doz.
GA-10	6 3-Blade Hi-Precision and	
	6 tapered field points	28.25 doz.
	Special Cresting, extra	1.00 doz
	Four-fletch, extra	2.00 doz.

#### EAGLE WING \$13.95 doz.

Top quality parallel Port Orford Cedar Shaft matched in spine and weight to your bow, 11" color dip with clear dipped shaft. Also available with 2 dyed white feathers and one white cock feather. Beautiful contrasting crest. Helical fletch only.

#### Available in following (lengths to 30"):

E-1	Full Length with no point	\$12.95 doz.
E-2	Target Points	13.95 doz.
E-3		13.95 doz.
E		14.95 doz.
E-5	Single Blade Bear Razorheads	17.30 doz.
E-6		18.50 doz.
15-7		16.70 doz.
E-8		
-	and 6 tapered field points	
E-9		CONTRACTOR IN CONTRACTOR
300	heads and 6 tapered field	
	points	16.10 doz.
E-1	0 6 3-Blade Hi-Precision and	20000
-	6 tapered field points.	15.85 doz.
	Special Cresting, extra	1.00 doz.
	Four-fletch, extra	2.00 doz.
	A SHIP THE CALL CALLED	2,00,002.

#### HAWK WING S11.95 doz.

Matched for spine to 5 lbs, and in weight to 25 grains per doz. Low priced High Quality parallel shaft is unequalled on today's market. Full length color shaft in Red, Yellow, and White contrasting colored crest. Fletched with two dyed barred feathers and one white or dved white cock feather. Helical fletch only.

#### Available in following (lengths to 30"):

	the second secon	7"
H-1	Full Length with no point	\$10.95 doz
H-2	Target Points	11.95 doz
11-3	Tapered Field Points	11.95 doz
H-4	Blunts	11.95 doz
H-5.	Single Blade Bear Razor-	
	heads	15.30 doz
H-6	4-Blade Bear Razorheads	16.50 doz
H-7	3-Blade Hi-Precision	14.70 doz
H-8	6 4-Blade Bear Razorheads	
	and 6 tapered field points	14.70 doz
H-9:	6 Single Blade Bear Razor-	
	heads and 6 tapered field	
	points	14.10 doz
H-10	3-Blade Hi-Precision and 6	(4) 24 4 (4) (4) 4 (4) (4)
	tapered field points	13.95 doz
	Four-fletch, extra	2.00 doz

#### OWL WING


#### \$8.95 dez.

Practice arrow of High Quality Port Orford Cedar matched in spine 30-39 lbs., 40-49 lbs., 50-59 lbs. Full length shaft color with smart contrasting crest. Red, Yellow, and White shaft colors. Fletched with two gray barred feathers and one dyed barred cock feather with a combination field and target point. Helical fletch only.

#### Available in the following:

O-1 Full length shafts points sepa-

installed at no extra charge. Not available in less than dozen lots. No Special Crest or fletching.







#### Index Nocks

Indexed for accurate installation. Shaft sizes 14"

"lo", No", Use", Colors: Red, Yellow, Blue, Green, Black and Orange,

X-10 \$1.50 fifty X-11 \$2.50 hundred Lot price, 1-color and 1-size only

#### **Custom Made Strings**

Made of the finest Dacron, This continuous fiber, Dacron thread insures longer string life. Packaged in lengths for 52" 54" 56 . 58 . 60" 63 63". 64", 66", 68", 69", 70" hows. Specify bow weight and how length when ordering X-20 - 8.50 ca.



#### String Server

Server and cotton thread or solt nylon serving thread. Colors: Red Green Blue, Yellow, White:

No. SS-1 Tool & cotton thread \$1.50 No. SS-2 Tool & nylon thread: \$1.70. No. ST-I Extra cotton thread .... 8.45 No. ST-2 Extra nylon thread ..... 8.65

#### Brush Buttons

Brush-proofs your bow and quiets the string noise. Made of soft rubber, easily attached and does not interfere with bracing or shooting.

Regular, X-30 ..... \$.60 pr. Super, X-31 \$.70 pr.

#### Type "B" Dacron

Pre-waxed daeron insures that you will make the finest and longest listing strings possible.

4-oz. spool, X 40 . \$2.50



#### Sightmaster Bow Sight

Stainless steel double bar with snap off head for pin and prism protection. Touch slide has spring tension.

Supreme, X-50 \$8.50 with pin sight Deluxe, X-51 ... \$6.50 with pin sight Standard, X-52 \$5.50 with pin sight



#### No Twist Recurve Bow Stringer

Makes stringing of recurve bows easy.

No more twisted limbs by using the "step-over" method, X-60 ..... \$2.00



## Bohnning

Use Ferr-T-Tite cement for attaching all points. It does not become brittle.



FERR-L-TITE

Such Liquid X-70 \$.50 ca. Stick X-71 8.35 ca. Bow String Wax will make your string last longer if used treemently

X-72 \$.35 ca. Protect your feathers by waterproofing them with Dri-Tite. A liquid when applied, when dry the whole feather is protected

#### Port Orford Cedar Shafts

Tapered Port Orford Cedar Shafts, matched for weight and spline. Diameters 21 and 22 Specify bow weight and draw length if possible. Length 31" matched, X-80 \$3.75 doz.



#### Wilson Tab

Sizes, Small, Medaim. Large Right or lett hand-



#### Powder Pouch

X-90 ..... \$1.50 ca.

X-91 = \$1.25

#### Kwikee-Kwiver

The lightweight how quiver that snaps on and off in seconds. X-100 \$3.50

Kwikee-Silencer

Eliminates bow string noise A must for hunting. X-110 \$.90 pr.

#### Buck Lure

Attracts deer and camouflages human scent at the same time. X-120 \$2.00



#### Accra Rest

Eliminates vertical arrow deflection. Easiest disappearing rest to install on market. Parts will

not wear - lasts indefinitely. X-130 .... \$3.50 ea.

#### **Fletching Cement**

The best coment for feathers and nocks Robin Hood fletching censent 134-oz tubes, X-130 \$.45 ca.



#### Feather Arrow Rest

Use for a smooth, quiet release, also protect your fletching X-140 ..... \$.50 ea.

#### Feathers

Full-length select ground-base turkey pointers in grey-barred or dyed-barred. White and dyed white when available, Specify colors: Red, Yellow, Orange, Green, Blue and Black tright or left

Grey-barred, X-150 ...... 8.65 doz. Dyed-barred, X-151 \$.80 doz. White, X-152 ..... \$1.15 doz. Dyed-white, X-153 ..... \$1.25 doz.



#### Young Feather Trimmer

Burns feathers: cleanly and accurately. Concave wire ribbon will not sag when hot.

Can be formed to any desired shape. 110-120 volt A.C. X-160 \$19.95 X-161, extra wire \$.25 ca.

#### Eastern Feather Burner

Nichronie 'V' wire for clean trim without sagging. Accommodates a 6" feather. Three wires included. X-170 Pkg. of 3 extra wires, X-171 .... 8.45



#### Nock-Rite

Insures fast accurate shooting with no slippage of the arrow on string. Set. X-180 ...\$1.00



#### Famous Laminex Micro-Flite® **GLASS SHAFTS**

When ordering specify bow weight and draw length. Complete MICRO-FLITE shafts, cut to length with nock inserts and target points installed \$18.95 doz. With broadhead adapter inserts, add .40 doz. 12.60 doz. MICRO-FLITE Full-length shafts (31") Nock inserts (magnesium) 1,60 doz. Insert target points (case hardened steel) 2.00 doz. Broadhead adapter inserts (magnesium) 2.40 doz. POINT-FAST® Adhesive (for inserts) 2 oz. kit 1.25 ca. P. Experience State payer St.

#### Famous Easton 24SRT-X ALUMINUM TUBING

All tubes are tapered for standard nocks. Specify target point or broadhead adapter and exact how weight and draw length, when ordering. 24SRT-X Full Length (31") \$20.80 24SRT-X Cut to length, with points installed \$22.00 Insert target points \$ 3.80 Broadhead adapter inserts only \$ 3,00

W Registered Jas D. Easten Inc.

BURLAP COVERED

Weight

10 lbs.

20 lbs

40 lbs.

70 lbs.

Size

167

2.4"

3850

48"

Saunders Marsh Grass Target Matts

Saunders Target Matts of self-healing, spiral machine-wound grass.

\$5.00 P16

10.00 P24

16.50 P30

27,00

No

P36

P48

#### Wing Bow Fishing Outfit

A STATE OF THE PARTY OF THE PAR	
YIU - Wing Bow Fishing Kit Complete with Double-	Sam
barbed Y16 casy off point \$4.95	
YII - Same as YIO but with YII easy off point 5.45	No
Y12 - Laylletched arrow with Y16 easy off point 2.25	P16B
Y13 - Layfletched arrow with Y17 easy off point 2.25	P24B P36B
Y14 ~ Layfletched acrow without point 1.50	P48B
Y15 - Wing Bow Reel and line: 2.95	3 3 4 6 12
Y16 - Double-barbed easy off	
harmon head 95	

Y15 - Wing Bow Reel and line	2.95
Y16 - Double-barbed easy off harpoon head	.85
Y17 - Double-barbed easy off harpoon head with cest hardened easy off tip	1.10

hardened easy off tep	1.10
Y18 - Extra Y16 Double-burbed	
casy off up	.40
Y19 - Extra Y17 Double barbed	

	C.151	1224	2111	harder	acd	
	H)	1000	na Sariana I			.65
Y 20 =	Extra	Sh.	ink ic	8 11h	OI	
	Y12	up				.50



4-75 105

#### Neer Bow-Sling

No holes, cement or tape required. Self adhesive. Does not harm finish. X-30 ...... \$1.25

#### Neet Peg-Rest

A metal peg with a soft fell cover. Installed in seconds, X-31 - 8,50 eac

#### Hi-Precision 3-Blade Broadhead

Y50 - 11/827 125 Grain \$3.75 doz. YS1 - % 100 Grain . 3.75 doz.

#### Tapered Field Point Blued Finish

Y52 - Bhy" 125 Grain . . \$ .90 doz. 

#### Tapered Blunt

Y54 = 0 20 125 Grain ... \$ .90 doz. 

#### Target Point Parallel Hole-Zine Plated Steel

YS6 - 11 of 55 Citain 9m t.D. 8 40 doz. YS7 - 12" 40 Grain 240 doz.

#### Rubber Bludgeon Point

Fits 11 to 16 shall New hollow 6 pointed Rubber Bludgeon Point Y58 = Bag of 10 \$1.98

#### Blunt Arrowhead for all small game

The tremendous impact of this 7pointed head kills game instantly by shock Parallel hold fits either "hi" or The shaft Bag of 10 - \$1.95 per bag

Multi-Fletcher

Fletches 6 shafts at a time.

Either straight or helical

Helical clamps tright or left

hand), X-41 ..... \$29.50

clamps

Model FA-50, with reversible nock receivers, 3-120, 4-90

Model FA 60, with reversible nock receivers 3-120 , 6:60 ,

Straight clamps.

### RAZORHEADS

Size

16"

24"

30"

36"

48"



Since its introduction, more trophy kills have been recorded with the Razorhead than any other broadhead

PEAIN

Weight

10 lbs.

20 lbs.

30 lbs.

40 lbs.

70 lbs.

84.25

8.00

9.50

15.00

25.00

Kit complete, X-60 ..... \$5.45 Kit less auxiliary blades, X-61 \$4.25 per doz.

Auxiliary Blades, X-62

#### \$1.25 per doz. Saunders



#### "Ranger" Arrow Stops The Ranger is a

laminated fiber box 30" square by 24" front to back. A

specially designed Saunders mat is built into the front end; in the other end is a resilient, free-supported, formed, composition unit. This unit is made up of several overlapping pieces. Will take more shots than any mat on the market. but any worn section may be easily replaced. Field points or Broadheads should not be shot into this arrow stop. X-70 \$29.50

#### Rohde Fletchers

Y80 - Rohde Junior Fletcher, Fletches three right or left wing feathers \$5.95 Y81 - 90 4 fletch indexer ... 1.00 Y90 - Rohde Helical Fletcher Specify right or left hand spiral. Fletches at a true 45 spiral Comes with 3 fletch indexer \$14.95

Y100 = "G" Indexer - 3 fletch 2.75 Y101 - "K" Indexer - 4 fletch 75 - 105 2.75 Y102 = "L" Indexer = 5 fletch 2.75

#### TARGET FACES



#### New Official **Animal Round** Faces

Faces on heavy TAG STOCK 40" x 28" bear, deer, moose; 28" x 22" antelope, mountain lien, ram; 22" x 14" raccoon, goose, javelina, coyote; 14" x 11" pheasant, prairie dog, jack rab-bit, duck.

Size	No.	Price	Set
40" x 28"	OARI	\$.70	(3)
28" x 22"	OAR2	.40	(3)
22" x 14"	OAR3	.30	(4)
14" x 11"	OAR4	.15	(8)
Sold only in	Sels of 18 f	aces:	
	OAR18	5.95	(18)

#### **Mounted Field Faces**

New "Tough-Hide" corrugated is water-proofed, then specially laminated with moisture resistant adhesive. All faces are regulation.

Order	Retail	QIIX.	
No.	Euch	Pkg	Wt.
CB 24	\$.30	10	5 lb.
CB 18	.20	20	5.lb.
CB 12	.15	30	4 lb.
CB 6	.08	50	2 lb.
DCB	15.50	110	16 lb.
	No. CB 24 CB 18 CB 12 CB 6	No. Euch CB 24 \$.30 CB 18 .20 CB 12 .15 CB 6 .08	No. Euch Pkg. CB 24 8.30 10 CB 18 .20 20 CB 12 .15 30 CB 6 .08 50

#### Hunter's Round Faces

Scoring lines are charcoal on black. No longer is it necessary to guess where the scoring lines are. Printed on Heavy Tag

Sheet	Scaring			
Size	Area	No.	Price	Set
25"	24"	H24	\$.35	(3)
25"	18"	H18	.35	(5)
25"	12"	H122	.35	(1)
13"	12"	H12	.15	(4)
7"	6"	H6	.05	(5)
Set of 18 faces		HFS	4.25	(18)

#### ARM GUARDS



Hunter's Model 3 elastic straps with quick fasten hooks, 1" spring steel AG122 Black

Cowhide ..... \$2.50



Cordovan .... \$2.25 AG 112 Black

Cowhide ..... 1.75

#### Hot Weather Field-Target Model

2 strap elastic bands with quick fasten hooks. Reinforced with spring steel stay. Covers less of arm, which gives cooler, hot-weather shooting. Fully lined. AG Black Cowhide \$1.00

Beginner's Model Elastic Bands with hooks. AG 10 Brown .... 8.75

#### Ladies White Model

White Cowhide, with elastic straps. Reinforced steel stay AG 100W ..... \$1.65









O 420 Large 2-Division Quiver. Holds 24 arrows and is 2012" long. Large 111/2"x51/2" pocket, Right or left hand. 

O 425 Center Back 3 Division Quiver. Pack harness type straps for better centering. Holds 24 arrows, is 21" long. Large 111/2" x 51/2" pocket with knife sheath.

BO 450 Arrabuk Quiver, 16%" long and holds 6 arrows. Turftan color with belt loop. 

BO 500 Carry-Ail Belt Quiver, Black leather with extra large zipper accesssory pocket. Holds 20 arrows in separated comparingents. Adjustable belt clamp for desired ht. Right or lett hand. 

BQ 405 New Targer Style Belt Quiver. Heavy duty belt strap with shaps. Accessory pocker, two division quiver. Length 19" right or lett handed. Colors: Black with cream trun. Brown with fant from and White

BQ-405 .....\$5.75 w/belt .... 6.75













PQ 490 Delaxa Hip Pocker Quiver: PO 495 Heavy saddle leather back, Heavy saddle leather back with extra-10" long, 4% wide. Ship on helt strap, elk pocket and flap. Heavy duty pocket Large accessory pocket. snap. Stitched in center to divide PQ 495 .... \$4.95 arrows. Belt loop that snaps under the

PQ 490 Brown or Black .... \$2.95

PO 492 Hip Pocket Quiver. Firm leather back. Slotted back for belt. Elk. arrow pocket and flap. Bradded at top corners for longer wear.





BQ 445 New Rover

Top Grain leather only, Holds 6-8 arrows with loop divider to separate arrows.

BQ 445 - Black only ...... 87.75 BQ 445 - Matching belt 2,25



#### Belt Ponch

White Elk with full length zipper and belt loops. BP 300W 84.50



#### Bow Cases

Canton Flannel with leather reinforced tip (shown); 41/2" wide and 7" long. BC 505 With leather tip. \$1.95

BC 100 Without tip ... \$1.25





G 240 Single-Seam Glove, Open-end Cordovan tip. Soft leather back with 

G 230 Double-Seam Glove. Closed end Cordovan tip. Soft leather back 



GLOVE SIZES: Men small, medium, farge and extra large. Women small, medium and large.



G 225 Double Seine Glove. Closed end Soft Leather up and back with clastic insert. Also in White ... \$2.25

Tab of genuine cordovan, shaped to lit without binding lineers

T.200 Sheared Calf \$1.25



These new modern buildings shown above were erected in 1957 to provide the facilities necessary to meet the requirements of producing WING BOWS. So great has been the acceptance of all WING Products by archers that new plans are already under way for further expansion.

The advance in technological research made in the design of WING hows and in the equipment necessary to produce them is the direct result of constant research and testing by qualified engineers at WING.

#### HOW TO ORDER:

Prices are F. O. B. Houston, Texas unless otherwise stated, and are subject to change without notice. All orders will be shipped C. O. D. unless satisfied credit references are furnished. Minimum order \$5.00. If check is sent with order, please allow for postage charges. Wing orders are filled with all care and speed possible. To avoid delays, please check your order carefully before mailing, making sure you have furnished needed information.

Your local WING DEALER takes pride in helping you select proper equipment,

If no Dealer is nearby, write us.

IMPORTANT — Restrictions on size and weight of Parcel Post packages do not apply on shipments to or from an R. F. D. address. If for any reason you return merchandise to WING Archery Company be sure that it is properly wrapped and covered by insurance, We will not be responsible for uninsured return orders

A \$2.50 charge will be made on all orders shipped to WING via bus line.

#### INDEX

Armguards	18	flock Lure	16	Pouches Belt 18
Arrows - Hunting Field Target 14	15	Coments and Adhesives:		Powder 11 16
Fishing Acrow Acrow Rests Acros Rest	17	Ferr L Title		Quivers - Bow Quiver 16
Feather Rest	16	Micro-Filte Point Fast Kit Robin Hood Cement		Leather, back, belt and pocket 18 Serving Tool 16
Neet Peg Rest	17	Dacron Ispe B		Serving Thread
Bows - Presentation	100	Feathers		Shafts Easton Aluminum 17
White Wing Red Wing Custom	7	Feather Trimmers		Micro Flite Glass
Red Wing Houses	9	Young		Port Ovlord Cedar 16
Swift Wing		Flatchers — Multi-Flatchers		Strings String Silencer Kwikee 16
Gull Fateon	1.3	Hode Fletchers	17	Tabs Wilson Was as a supply to the 16
Bow Cases	18	Gloves	18	Twin Cordovan  Twin Sheared Calf  18
Bow Fishing Kil	17	Nocks		Target Faces — Animal, Field and Hunter 18
Bow Fishing Reel Bow Quiver	16	Points - Blunts, robber points		Target Matts:
bow Sight Sightmaster	1.25	Blunt, field and target		Saunders Adjustable 17
Bow Sting - Shelt	1.4	Fish Point. Hi Precision three blade		Saunders Arrowstopper 17 Waterproofing for feathers 16
Bow Stringer Brush Buttons	16	Ratorheads		Wax String 11 16



#### BOW GUARANTEE

Every Wing Bow is numbered and accompanied by a registration card which must be filled out and mailed by the purchaser or his Wing dealer within 10 days after date of purchase. Should failure occur in a bow so registered within a period of 6 months after date of purchase, WING Archery Company will make free repair, or replacement if repair is not feasible, unless the bow shows evidence of mis-use or improper handling.

Claimant must be the original owner and bow serial number must be intact. After 6 months and up to 1 year after the purchase date, and provided the bow has not been mis-used or mis-handled, repair or replace-

ment will be made for 25% of the list purchase price. From 1 year to 11/2 years after purchase date, the charge will be 50% of the purchase price. From 11/2 years to 2 years the charge will be 75% of the purchase price. From 2 years to 3 years the charge will be 90% of the purchase price. No adjustment will be made until the damaged bow is returned to the factory for inspection. Replacement will be made with a bow of the same model and weight, as near as possible. This guarantee is valid only when purchase has been made through an authorized Wing dealer. Dealers are not authorized to make adjustments, but will be glad to handle shipping and correspondence.