

CUSTOM CABINETS & RACKS www.custcab.com AUXILIARY FRAMING AND ACCESSORIES



Auxiliary Framing and Accessories


Drawing shown for parts reference only. Consult installation procedures for proper installation. See hardware section for individual parts and accessories. Custom parts, kits and assemblies can be tailored to suit individual installation requirements. If the desired product is not found in this catalog, please call 888-744-2025 or email sales@customcabinetsandracks.com and we will be happy to assist you.



AUXILIARY FRAMING AND ACCESSORIES


Pipe Stanchion Assemblies (2" & 5" diameter pipe)

Stanchion assemblies support auxiliary framing from the floor. These stanchions are fabricated from steel DOM mechanical tubing. The stanchion base is a receiver design which allows for simple installation with set screws. Stanchion top is fabricated from 1/4" steel plate and is drilled and tapped to accommodate a variety of mounting configurations. Lengths shown for stanchions include the supported framing channel. (Example: 7' stanchion = 6'-10" pipe plus 2" framing channel.) Some trimming or shimming may be required due to irregularities in the floor surface. Finish is telco gray powder coat.



	2" STANCHION	2" STANCHION		5" STANCHION	5"STANCHION	
	WITH FRAMING	WITH CROSSOVER	2" STANCHION	WITH FRAMING	WITH CROSSOVER	5" STANCHION
HEIGHT	CLIP KIT	KIT	ONLY	CLIP KIT	KIT	ONLY
7'	CC013001-84	CC013002-84	CC013004-84	CC015001-84	CC015002-84	CC015004-84
7'-6"	CC013001-90	CC013002-90	CC013004-90	CC015001-90	CC015002-90	CC015004-90
8'	CC013001-96	CC013002-96	CC013004-96	CC015001-96	CC015002-96	CC015004-96
9'	CC013001-108	CC013002-108	CC013004-108	CC015001-108	CC015002-108	CC015004-108
11'-6"	CC013001-138	CC013002-138	CC013002-138	CC015001-138	CC015002-138	CC015004-138

Custom sizes, colors and kits can be built to order. Please contact Custom Cabinets & Racks at 888-744-2025 or email at sales@customcabinetsandracks.com for ordering information.




Page 65

AUXILIARY FRAMING AND ACCESSORIES

Heavy Duty Stanchions

These heavy duty stanchions are manufactured from 1/4" wall square steel structural tubing and feature a fully welded 1/2" thick base plate and top plate. These stanchions feature a 5/8"-11 threaded hole on the top and 1/2"-13 threaded holes on all four sides. Base mounting holes are 3/4" diameter. Heavy duty stanchions are built to order. Finish is telco gray powder paint Custom sizes available on request.




Custom sizes and kits can be built to order. Please contact Custom Cabinets & Racks at 785-862-2271 or email at sales@customcabinetsandracks.com for ordering information.

CC015138

CC013138

11'-6"


AUXILIARY FRAMING AND ACCESSORIES



Rigid Framing Splice Kit

Rigid framing splice kits join framing channel end to end in a secure manner. Approved for seismic use, these splices feature heavy 3/8" ASTM A36 steel plates and (8) grade 5 hex bolts (3/8" x 3/4"). Finish is yellow zinc dichromate


RIGID FRAMING SPLICE KIT			
DESCRIPTION	PART#		
SPLICE KIT	CC103128		



Clip-Type Framing Splice Kit

Clip type framing splice kits connect framing channel end to end using a pair of clips and 5/8" hardware. Clips are manufactured from 12 gage steel. All parts are finished in yellow zinc dichromate.


BRACE FROM AUX. FRAMING		
DESCRIPTION	PART#	
2-HOLE SPLICE	H-0043	
3-HOLE SPLICE	CC103029	



90° Framing Junction in the Same Plane ("X" Junction)

This framing channel junction forms an "X" connection of auxiliary framing channel in the same plane. Kit includes (10) framing clips, (2) junction bars, (5) 5/8" heavy hex nuts and (5) 5/8" x 4" bolts. Junction bars are finished in telco gray powder coat and hardware is plated in yellow zinc dichromate.


90° FRAMING "	C" JUNCTION	
DESCRIPTION	PART#	
SPLICE KIT	CC103253	




90° Framing Junction in the Same Plane ("T" Junction)

This framing channel junction forms a "T" connection of auxiliary framing channel in the same plane. Kit includes (6) framing clips, (2) junction bars, (3) 5/8" heavy hex nuts and (3) 5/8" x 4" bolts. Junction pars are finished in telco gray powder coat and hardware is plated in yellow zinc dichromate

90° FRAMING "	T" JUNCTION
DESCRIPTION	PART#
SPLICE KIT	CC103163



AUXILIARY FRAMING AND ACCESSORIES




CC103478

Auxiliary Framing Support Kits


These kits support auxiliary framing with threaded rod from channel or ceiling inserts. All hardware is plated in yellow zinc dichromate. Order threaded rod separately.

AUXILIARY FRAMING SUPPORT KITS		
DESCRIPTION	PART NUMBER	
CROSSOVER FROM CHANNEL	CC103478	
CROSSOVER FROM CHANNEL	CC103129	
CROSSOVER FROM CELING	CC103479	
SUPPORT FROM CEILING	CC103480	



CROSSOVER CC103479

CHANNEL SUPPORT FROM SUPPORT FROM CEILING INSERT CEILING INSERT CC103480





CC103129

Wall Angle Mounting Kit

Wall angle mounting kits secure 2" x 9/16' x 3/16" framing channel to a section of wall angle. Kit includes (2) framing clips, (1) 1/2" x 3" bolt, (1) flat washer and (1) 1/2" heavy hex nut. Angle is finished in telco gray powder coat. Hardware is finished in yellow zinc dichromate.

WALL ANGLE MOUNTING KIT		
DESCRIPTION	PART#	
MOUNTING KIT	CC103177	
WALL ANGLE	CC103464	






Wall Mount Channel Support Kit

This kit supports auxiliary framing on a concrete load bearing wall or column in high seismic areas. Kit includes wall brackets, drop-in

anchors with anchor studs, nuts, washers and 3/8" x 3/4" bolts to secure framing channel to wall brackets. Brackets are formed from 1/4" x 1-1/4" steel and are finished in telco gray powder coat and can be ordered separately if desired.




WALL MOUNT **BRACKET**

WALL MOUNT CHANNEL	WALL MOUNT
SUPPORT KIT	BRACKET ONLY (ea.)
CC103495	CC103078


Ceiling Hanger Bracket Kit

Ceiling hanger brackets support 5/8" threaded rod from the ceiling. Hanger bracket is fabricated from 1/4" steel, is finished in telco gray powder coat and is also available separately. Kit includes (1) hanger bracket and (2) 5/8" heavy hex nuts. All hardware is finished in yellow zinc dichromate.



CEILING HANGER	CEILING HANGER
BRACKET KIT	BRACKET ONLY
CC103543	CC103508





Brace Angle


These steel angles brace auxiliary framing via bar braces and threaded rod. Brace angles are fabricated from 2" x 2" x 1/4" steel angle and holes are pre-drilled in one end to accommodate


Brace feet attach brace angles to threaded rod and framing channel. Brace feet are fabricated from 3/8" x 2" steel bar and are bent to a

installation. The other end of the angle is to be cut to length and drilled by the installer. Finish is telco gray powder coat.


Brace Feet

BRACE ANGLES (2" X 2" X 1/4" \$			4" STEEL)	
	LENGTH	PART NUMBER	LENGTH	PART NUMBER
	23"	CC103064-23	74"	CC103064-74
	32"	CC103064-32	80"	CC103064-80
	40"	CC103064-40	89"	CC103064-89
	49"	CC103064-49	91"	CC103064-91
	57"	CC103064-57	120"	CC103064-120
	66"	CC103064-66	CUSTOM	CALL






BRACE FEET			
STYLE	PART NUMBER		
1-HOLE	CC103074		
1 HOLE W/ SLOT	CC103074-S		
3-HOLE	CC103072		
3 HOLE W/ SLOT	CC103072-S		



Angle Brace From Ceiling Insert Kit

This kit braces auxiliary framing channel from a ceiling insert. All steel construction. Brace feet are finished in telco gray powder coat. All hardware is finished in yellow zinc dichromate. Order brace angle separately.

> **ANGLE BRACE FROM CEILING INSERT KIT** BRACE KIT | CC103120



1/2" HEAVY

HEX NUT

Angle Brace from 3" - 5 lb. Channel

This kit is used to install a brace angle from a perpendicular section of 3" - 5 lb. channel to auxiliary framing (provided by the installer). Brace feet are fabricated from 3/8" x 2" steel bar and are finished in telco gray powder coat. All hardware is plated in yellow zinc dichromate.

> ANGLE BRACE FROM 3" - 5 LB CHANNEL BRACE KIT | CC103124


BRACE FOOT

FRAMING CHANNEL

FRAMING CLIP

3-HOLE BRACE FOOT


AUXILIARY FRAMING AND ACCESSORIES



Brace Angle Kit-Upper to Lower Level

This kit is provides support between 2 different parallel levels of auxiliary framing. Kit includes (2) brace feet, framing clips, mounting hardware and a 6' section of framing angle that is to be cut and drilled by the installer. Framing angle and brace feet are finished in telco gray powder coat. All hardware is plated in yellow zinc dichromate.

BRACE ANGLE KIT
UPPER TO LOWER LEVEL
BRACE KIT | CC103285




Angle Brace from Framing Channel

This kit braces auxiliary framing channel from another level of perpendicular framing channel. Kit includes brace feet, framing clips and mounting hardware. Brace feet are formed from 3/8" x 2" steel bar and are finished in telco gray powder coat. All hardware is plated in yellow zinc dichromate. Order brace angle separately (see page 72).

ANGLE BRACE KIT FROM FRAMING CHANNEL


BRACE KIT | CC103488



Angle Brace from Parallel Channel

This kit attaches a brace angle to auxiliary framing from a parallel framing strut channel. Brace feet are formed from 3/8" x 2" steel bar and are finished in telco gray powder coat. All hardware is plated in yellow zinc dichromate. Order brace angle separately (see page 72).

ANGLE BRACE KIT FROM
PARALLEL CHANNEL
BRACE KIT CC103490




Angle Brace from Strut Channel

This kit attaches a brace angle to auxiliary framing from parallel framing strut channel. Brace feet are formed from 3/8" x 2" steel bar and are finished in telco gray powder coat. All hardware is plated in yellow zinc dichromate. Order brace angle separately (see page 72).

ANGLE BRACE KIT FROM STRUT CHANNEL

BRACE KIT CC103491




Angle Brace from Ceiling Insert Kit (from Threaded Rod that Cannot be Removed)

This kit braces auxiliary framing channel from a ceiling insert from which threaded rod cannot be removed by using a slotted brace foot with a retaining clip. Kit includes brace feet, framing clips and hardware. Order brace angle separately (see page 72).

ANGLE BRACE KIT FROM **CEILING INSERT**

BRACE KIT CC103492






Threaded Rod Brace From Ceiling Insert

This kit supports auxiliary framing from a threaded rod or ceiling insert. Kit includes (4) threaded rod brackets, (2) framing clips, (1) 5/8" x 3-1/2" bolt, (6) 5/8" heavy hex nuts, (2) 1/2" x 1" hex bolts and (2) 1/2" heavy hex nuts. All parts are plated in yellow zinc dichromate. Order threaded rod separately.

THREADED ROD BRACE FROM CEILING INSERT


BRACE KIT CC103482



Threaded Rod Brace from Auxiliary Framing

This kit provides a means to brace lower level auxiliary framing from upper level with 5/8" threaded rod. Kit includes (4) threaded rod brackets, (4) framing clips (7) 5/8" heavy hex nuts, (2) 1/2" x 1" bolts, (2) 1/2" heavy hex nuts, and (1) 5/8" x 3-1/2" bolt. All parts are plated in yellow zinc dichromate. Order threaded rod separately.

THREADED ROD BRACE **FROM AUX CHANNEL** BRACE KIT CC103484




Threaded Rod Bracket Kit

This kit is used to secure a threaded rod to a variety of locations. Kit includes (2) threaded rod brackets, (1) 1/2" x 1" bolt and (1) 1/2" heavy hex nut. All parts are plated in yellow zinc dichromate.

THREADED ROD BRACK-**ET KIT** BRACKET KIT CC103186

AUXILIARY FRAMING AND ACCESSORIES



Framing Strut

Framing strut is available in 1-5/8" x 1-5/8" x 12 gage x 10' sections. Strut has 1-1/8" x 9/16" slots for attaching hardware. Finish is yellow zinc dichromate. Custom lengths and colors available upon request.

1-5/8" X 1-5/8" FRAMIN STRUT W/SLOTS			
STRUT	CC104001-120		



Channel Nuts

These nuts are used to secure various pieces to framing strut. Nuts have serrated "teeth" to provide a non-slip grip on the strut. Nuts are available with or without spring.

STRUT CHANNEL NUTS		
	WITH	WITHOUT
SIZE	SPRING	SPRING
1/4"	.250-20CNS	.250-20CN
3/8"	H-0318	.375-16CN
1/2"	H-0108	.500-13CN
5/8"	H-0076	.625-11CN

Other styles available upon special request. Please call for details.



INLINE JUNCTION PLATE

Framing Junction Plates

These plates are used to splice or connect framing strut on the same plane with channel nuts. All mounting holes accept 1/2" hardware. Plate material is 1/4" steel. Plates are zinc plated.



"X" JUNCTION PLATE

FRAMING STRUT JUNCTION PLATES

STYLE PART #

INLINE G2023

"T" G2042

"X" G2047

Other styles available upon special request. Please call for details.



RUBBER END CAP

Framing Strut End Caps

Both rubber and steel end caps are available to finish the ends of framing strut. Rubber caps slip over the outside of the strut and steel caps snap into the inside of the strut. Rubber caps are available in white, steel caps are zinc plated.

FRAMING STRUT END CAPS		
STYLE	PART #	
RUBBER	B822	
STEEL	P1280	



STEEL END CAP (SHOWN INSTALLED ON STRUT)
CAN BE PAINTED UPON REQUEST. PLEASE CALL FOR DETAILS.