

Catalog for 1965




A Complete line . . .

FOR THE BEGINNER FOR THE BOWHUNTER FOR THE TOURNAMENT ARCHER

By the nation's oldest manufacturer of quality archery equipment





the ultimate in beauty and performance!

Constellation

A classic combination of symmetrical beauty and functional design, the Constellation is introduced for the tournament archer who places a high value on perfect balance-in addition to maximum stability, cast and smooth shooting. This is the PRO BOW that "has everything."

The Constellation's oversize handle section, entirely of beautiful Brazilian Rosewood, adds extra weight to provide the utmost in smooth shooting. And the careful balance between deflex for stability and reflex for cast gives this bow the inherent characteristics necessary for consistent ac-

curacy and flat trajectory.

All of these features have added importance and value because the individual archer can balance the Constellation exactly to suit his particular style and to compensate for the brace height which produces his best results. The forward-placed projections have capped ports for insertion of from I to 8 lead discs, so the precise combination of weights can be used to realize perfect balance.

Finally, the Constellation is made of the finest glass backing and facing, the most select woods and is finished in a satin gloss obtained through hand buffing. It is available for both right and left

handed archers.

Cat. No. TBW-1 Length 68 in.......\$129.50 Pulling weights to 50 lbs. For arrows to 32 in.
Weighed at 28 in. draw

Recommended brace height: Approx. 8 in.

Cat. No. TBW-2 Length 64 in......\$129.50 Pulling weights to 50 lbs. For arrows to 30 in. Weighed at 28 in. draw Recommended brace height: Approx. 71/2 in.

The YORK Imperial for 1964 is a tournament bow of unusual beauty that will measure up to the high standards of the most critical archer.

In designing and building the Imperial, YORK engineering and know-how has developed a bow with the highest degree of stability consistent with maximum limb efficiency. The oversize, all Brazilian Rosewood handle section adds that extra weight for silky smoothness. And, through precise design, the forward projections have been placed so as to provide exceptional built-in balance. This is truly a bow that will deliver.


IMPERIAL BOW FEATURES

The Imperial is made of the finest glass backing and facing, the most select woods, and is finished in a satin gloss obtained through hand buffing. It is available for both right and left handed archers. Cat. No. SWR-1 Length 68 in.....\$89.50

Pulling weights to 50 lbs. For arrows to 32 in. Weighed at 28 in. draw.

Recommended brace height: Approx. 8 in. Cat. No. SWR-2 Length 64 in.....\$89.50 Pulling weights to 50 lbs. For arrows to 30 in. Weighed at 28 in. draw.

Recommended brace height: Approx. 71/2 in.





matchless beauty teamed with superb performance!

Thunderbolt

This short, smooth shooting, hard-hitting bow has become known the country over as the favorite weapon among bowhunters. Designed and built to provide exceptional limb efficiency as well as dependability, the Thunderbolt has a handle section of rich American Walnut that is carefully contoured for a natural, comfortable feel. This is the most impressive hunting bow you'll ever

THUNDERBOLT BOW FEATURES

The Thunderbolt is a full working recurved composite bow, made of finest glass backing and facing and the most select woods. It is finished in a satin gloss obtained through hand buffing. Extreme stability is provided by forward placement of the deflexed, saddle-type handle. Available for both right and left handed archers.

Cat. No. RRH Length 54 in.....\$49.50 Pulling weights to 70 lbs. For arrows to 30 in. Weighed at 28 in. draw Recommended brace height: Approx. 71/2 in.


Thunderbolt IV

For those archers who want a longer, all purpose bow-extremely fast, light in the hand and ideal for field and target shooting as well as huntingthe Thunderbolt IV is first choice. A companion bow to the always popular Thunderbolt, the "IV" has that same comfortable feel with a lot of stability and cast for consistent, hard-hitting accuracy. You'll like the way it fits.

THUNDERBOLT IV BOW FEATURES

The Thunderbolt IV is a full working recurved composite bow, made of the finest glass backing and facing, and the most select woods. It is finished in a satin gloss obtained through hand buffing. Available for both right and left handed archers.

Cat. No. FTH Length 64 in........\$49.50 Pulling weights to 60 lbs. For arrows to 30 in. Weighed at 28 in. draw Recommended brace height: Approx. 71/2 in.



For real shooting satisfaction!

Super Crest

The Super Crest combines outstanding features of design with striking and harmonious laminations of White Holly and American Walnut to provide a remarkable bow of exceptional value. With longer limbs, extra weight in the handle section and the forward placed balance projections, it has particular appeal for the target and field archer. The Super Crest has shooting qualities, beauty and value that make it a real "winner."

SUPER CREST BOW FEATURES

A modified recurved, reflexed composite bow with wood core, backed and faced with finest fiber glass. Center shot, vertically and horizontally with full length sight window. Available for both right and left handed archers.

Cat. No. WRZ Length 66 in.............\$49.50

Pulling weights to 60 lbs. For arrows to 30 in.

Weighed at 28 in. draw

Recommended brace height: Approx. 7½ in.

Crest

A companion bow to the Super Crest, the Crest is a moderately priced bow with a real feel for hunting or target shooting. Combining YORK custom quality with lightness and speed gives you uniform performance from the Crest, day in and day out. Offered in two lengths, this bow has rugged stamina and the fine shooting qualities demanded by the experienced archer.

CREST BOW FEATURES

A modified recurved, reflexed composite bow with wood core, backed and faced with finest fiber glass. Center shot, vertically and horizontally with full length sight window. Available for both right and left handed archers.

Cat. No. RRS-1 Length 64 in............\$39.50

Pulling weights to 60 lbs. For arrows to 30 in.

Weighed at 28 in. draw

Recommended brace height: Approx. 7½ in.

Cat. No. RRS-2 Length 60 in............\$39.50

Pulling Weights to 55 lbs. For arrows to 28 in.
Weighed at 28 in. draw.
Recommended brace height: Approx. 7 in.

Crescent

Here's a value-packed, budget-priced composite bow that is rugged and dependable, and gives real shooting satisfaction, too. The Crescent is an excellent first bow for the adult beginner or the new bowhunter. A reflexed, modified recurve with smoothness, accuracy, and graceful beauty far beyond its modest price. Available in right and left handed models.

CRESCENT BOW FEATURES

Modified recurved, reflexed, fiber glass backed and faced. Medium length sight window, saddle-type contoured handle. Double looped Dacron bowstring, served at ends and at nocking point. Satin smooth finish.

Cat. No. GBF-1 Length 64 in............\$29.50

Pulling weights to 55 lbs. For arrows to 28 in.

Weighed at 28 in. draw

Recommended brace height: Approx. 7 in.

Cadet

A quality composite bow at a remarkably low price. With the Cadet, you have a handsome, hardhitting bow that is light in the hand and a pleasure to shoot. It's perfect for beginners.

CADET BOW FEATURES

Modified recurved, reflexed composite, backed and faced with fiber glass. Sight window and contoured handle. Double looped Dacron bowstring, served at ends and at nocking point Available in right and left handed models.


Cat. No. BFB Length 60 in.....\$22.50

Pulling weights to 40 lbs. For arrows to 28 in.

Weighed at 28 in. draw

Recommended brace height: Approx. 6½ in.

Quality Craftsmanship in Fiber Glass



SATELLITE SERIES

Perfect choice for beginning archers, school Archery classes! Bows in YORK's Satellite Series are made of tough, durable fiber glass with recurved ends, flat contoured limbs, molded saddle-type handles and built-in arrow rests. Each streamlined beauty is built to precision for perfection in detail, finished in rich, glowing colors. Weather conditions will not affect the performance nor mar the beauty of these hard-shooting bows. Dollar for dollar, feature for feature, you won't find a better bow anywhere!

Cat. No. RG-56 "Polaris" 5 ft. 6 in. Recurved.

Dual arrow rest. 30, 35, 40, 45, 50, 55 lb.

pulling weights at 28 in. draw. ea. \$15.50

Cat. No. RG-50 "Titan" 5 ft. Recurved.

Dual arrow rest. 20, 25, 30, 35, 40, 45, 50, 55 lb.

pulling weights at 28 in. draw. ea. \$13.50

Cat. No. RG-46 "Jupiter" 4 ft. 6 in. Recurved. With sight window. Approximately 25 lb. pulling weight at 24 in. draw. . . ea. \$7.50

Cat. No. RG-40 "Atlas" 4 ft. Recurved.
With sight window.

Approximately 20 lbs. at 22 in. draw.ea. \$6.50

YORK

Special Process, Pre-Tensioned, Tillered Straight-Limbed Fiber Glass Bows by YORK


As a serious art and as a sport, Archery has a long, colorful history. The very nature of Archery is such that breakage has been a factor throughout that history. But now there are YORK special process, pre-tensioned and tillered, solid fiber glass bows, each carrying an unconditional guarantee against breakage!

Fiber glass bows are composed of thermo-setting resin and countless filaments of fiber glass. The resin alone is useless for an archery bow, the limp glass is obviously useless. Unsupported, the glass is brittle, with no strength. Embodied in and surrounded by resin, it takes on tensile and compression strengths that are tremendous.

The fundamental goal in Archery is to obtain the flattest trajectory possible with the accompanying maximum striking power. The proper ratio of glass fibers to resin content, the uniform distribution of glass fibers within the resin and the organization of the fibers as the resin is heat-cured around them is of utmost importance. The perfection with which these requirements are met by the YORK process can not be approached by any other method.

Being unbreakable, it is obvious that there could be no better bows for boys and girls. Schools and institutional groups can do no better than to choose these bows. They are ideal for use in public ranges. In heavier weights, they serve the bow hunter at a very moderate investment.

Choose from the solid flat style SG group or the unbelievably low priced JG group. All carry the same YORK unconditional guarantee. All pack the same "bonus pounds per ounce" which only pre-tensioning can provide.



Solid Fiber Glass Bows With Wide Contoured Straight Limbs

Dual purpose . . . tremendous cast for hunting,—fatigue-free smoothness in longer lengths for continuous shooting. Flat style, with extended narrow section above handle for sighting. Finest saddle-type, molded, contoured, handle Dual arrow rests, for right or left hand Archers. Double looped Dacron string, served at ends and at nocking point. Perfectly tillered. Will not take a set . . . can be left strung without bow damage. Both bow and handle unaffected by normal heat or cold, or moisture.

Cat. No. SG-54 5 ft. 4 in. Straight bow. Weights to 65 lbs. at 28 in. draw....ea. \$11.50

Cat. No. SG-50 5 ft. Straight bow. Weights to 60 lbs. at 26 in. draw. ea. \$9.50

UNCONDITIONALLY GUARANTEED


Straight Limb Series Solid Fiber Glass Bows—Extra Value

These fiber glass bows by YORK are made especially for the beginner. Here are bows of unusual cast and power, practically indestructible, yet offered at unbelievably low prices. Every one of these bows is unconditionally guaranteed against breakage.


JG BOW FEATURES

Narrow, power-packed, anti-inertia limbs. Finest saddle type, molded, contoured handle. Dual arrow rests, for right or left hand Archers. Hemp string. Both bow and handle unaffected by normal heat or cold, or moisture.

These bows may be used with longer arrows than those specified, each additional one inch of arrow length will add three pounds of pulling weight.



Best Beginners' Arrows by YORK





NOTE: The gross and half-gross cartons of the 39FA, JA and 25A arrows are packed in cartons of one length or in standard pack assortments. The standard assortment is 1 doz. 24", 2 doz. 26", 3 doz. 28" for the half-gross and 2 doz. 24", 4 doz. 26", 6 doz. 28" for the gross pack. For any other assortment add 50 cents extra per carton. The standard assortment will be shipped unless otherwise specified.

All of the above YORK Arrows are available in one gross and one-half gross display cartons, as illustrated at left. The PA, BA, and JA Arrows are also available in display boxes containing one dozen. The 39FA and 25A Arrows are available in bulk cartons only. Bulk packs of these high quality Arrows permit the YORK dealer to merchandise to beginners by selling one, two, or more Arrows at a minimal

YORK Quality Arrows BLISTER PACKAGED


- Genuine Port Orford Cedar.
- Brightly colored shafts.
 Beautifully crested.
- Beautifully crested.
- Bullet points, replaceable index nocks.
- Accurate fletching with odd cock feather.

Packaged on attractive display card under heavy, clear and protective blister. Available in 26" and 28" lengths.

When your order is for less than one dozen of one kind of arrow, the price per arrow is 1/10th of the regular price per dozen.



Finest Quality Target Arrows by YORK



CAT. NO. CQAA CHAMPION-SHIP PROFESSIONAL QUALITY 24SRT-X ALUMINUM — THE VERY BEST. These highest quality arrows by YORK are made from 24SRT-X aluminum shafting, a material which is produced to such extremely close tolerances that no other product for arrow shafts compares with it for accuracy. A dozen matched shafts will be exactly the same in both weight and spine. Using this material as basic shafts, YORK applies points, nocks, select feathers, and dignified, attractive crests, with extreme care and accuracy. The result is the ultimate in high grade arrows. Supplied in 24, 25, 26, 27, 28, 29 and 30 inch lengths. State arrow length and weight of bow when ordering. .,.....doz. **\$30.00**


CAT. NO. GTF FIBER GLASS TAR-GET AND FIELD ARROWS. The finest, lightweight fiber glass shafting, matched to very close tolerance in both weight and spine. These exceptionally durable arrows are beautifully crested and precision fletched. Supplied in 24, 25, 26, 27, 28, 29 and 30 inch lengths. State arrow length and weight of bow in ordering. doz. \$24.50

CAT. NO. SA TOURNAMENT SELF TARGET ARROWS. These select arrows are for the Archer who prefers the lightness of a self shaft. The Port Orford Cedar shafts are tapered from 5/16 inch diameter at point to 9/32 inch diameter at nock. Matched within less than five grains in weight and less than one ounce in spine. Fitted with knurled-on parallel target points and replaceable index nocks. Precision fletched with firm select feathers. Odd cock feathers. Best cresting. Supplied by dozens in 24, 25, 26, 27, and 28 inch lengths. State arrow length and weight of bow in ordering. doz. **\$13.95**

CAT. NO. RA DELUXE FOOTED TARGET ARROWS. Port Orford Cedar shafts with 4-point Beefwood footings, precision tapered from 5/16 inch diameter at point to 9/32 inch diameter at nock. Matched in weight and spine, equipped with parallel target points and replaceable index nocks. Carefully fletched and crested. Supplied in dozens in 24, 25, 26, 27, and 28 inch lengths. State arrow length and weight of bow in ordering.

CAT. NO. CA DELUXE SELF TARGET ARROWS. Choice Port Orford Cedar shafts, 5/16 inch diameter and matched in weight and spine. Equipped with parallel target points and replaceable index nocks. Accurately fletched with odd cock feathers and crested in individual dozens. Supplied in 24, 25, 26, 27, and 28 inch lengths. State arrow length and weight of bow in ordering. doz. \$9.95

Quality Hunting and Field



Arrows by YORK

A. CHAMPIONSHIP QUALITY HUNTING AND FIELD ARROWS. These highest quality hunting and field arrows by YORK are made from 24SRT-X aluminum shafting, exactly matched in weight and spine.

Cat. No. CQFA Aluminum Arrows with 4-inch feather and target point for field archers. Lengths 24, 25, 26, 27, 28, 29, 30 inches.... doz. \$30.75

Cat. No. CQHA Aluminum Hunting Arrows with HP-4, HP-3 or HP-2 hunting points. Lengths 24, 25, 26, 27, 28, 29 and 30 inches. Specify point in ordering.

doz. \$33.50

Be sure to specify arrow length and pulling weight of bow.

B. FIBER GLASS HUNTING ARROWS. Highest quality, most durable fiber glass shafting, matched to very close tolerance in both weight and spine. Superbly crested and precision fletched. Available with HP-4, HP-3 or HP-2 points. Lengths 24, 25, 26, 27, 28, 29 or 30 inches.

Cat. No. GHA......doz. \$29.00 Specify point, arrow length and bow weight in ordering.

C. FINEST QUALITY MATCHED HUNTING AND FIELD ARROWS. Carefully selected Port Orford Cedar shafts are precision machined to 11/32 in. diameter and matched to minimum variance in weight and spine. Accurately fletched with long, low feathers to reduce planing and add accuracy to long range shots. Replaceable plastic nocks with flared opening for rapid field shooting. Extra long brilliant cresting to aid in recovery. Supplied in 26, 27 and 28 inch lengths.

Cat. No. HA-4 Hunting Arrow with HP-4 point doz. \$16.95
Cat. No. HA-3 Hunting Arrow with HP-3 point. doz. \$16.50
Cat. No. HA-2 Hunting arrow with HP-2 point. doz. \$16.50
Cat. No. AR-N Field Arrow with SNS-35 point. doz. \$13.50
Cat. No. HSO Same arrow as above with end tapered 5° but less point. doz. \$12.50

State catalog number and length of arrow as well as bow weight

D. GOOD HUNTING AND FIELD ARROWS OF STRAIGHT GRAINED PORT ORFORD CEDAR. Bearing many of the quality features of YORK's finest hunting and field arrows these 11/32 inch shafts are matched to reasonable tolerance in weight and spine. Supplied in 26, 27 and 28 inch lengths.

Cat. No. PHA-4 Hunting Arrow with HP-4 point. doz. \$14.50

Cat. No. PHA-3 Hunting Arrow with HP-3 point. doz. \$13.95

Cat. No. PHA-2 Hunting arrow with HP-2 point. doz. \$13.95

E. SPECIAL HUNTING ARROW.

A budget priced hunting arrow of 11/32 in. diam. straight grained Port Orford Cedar. Matched to reasonable tolerance in spine. Available only in 28 inch length with HP-2 point.

Cat. No. HA......doz. \$12.50
State catalog number and bow weight in ordering.

F. PRACTICE FIELD ARROWS.

A budget priced field arrow of 11/32 inch diameter, straight grained Port Orford Cedar. Matched to reasonable tolerance in spine. Available in 28 inch length only.

Cat. No. BFA With SNS-35 non-skid field point.doz \$8.50
Cat. No. BRB With RP-35 blunt point.doz. \$8.50

Specify catalog number, length of arrow and bow weight in ordering.





HP-4 Four Blade Broadhead of mill tempered spring steel.



HP-3 Three Blade Broadhead.



HP-2 Two Blade Broadhead of mill tempered spring steel.



SNS-35 Special Nonskid Point.



RP-35 Round nosed blunt point.




SB Special Blunt Point.

Now . . . Five Blister Packaged Archery Sets To Build Sales

CAT. NO. SGS-36-BP YORK'S new "Play Safe" Archery Set for the very young "warrior." He can shoot a whistling arrow, shoot at rubber balloons, or shoot at a 16" five-color target face with suction-cup tipped arrows. Set contains: a 31/2 ft. solid fiber glass bow with molded handle; two Port Orford Cedar arrows with three feather fletching and plastic nocks; two high quality rubber vacuum cups; whistling point to put on arrow; 5 rubber balloons; and 16 in. paper target face in 5 colors. Beautifully packaged under clear heavy plastic blister. Packed 12 to a master carton.

ea. \$3.98 Minimum order of 12 or multiples of 12







CAT. NO. RGS-40-BP. Same Specifications as RGS-40 on

CAT. NO. RGS-46-BP. Same Specifications as RGS-46 on

Minimum order of 6 or multiples of 6

adjoining page.

BP. Same Specifications as SGS-40 on ea. \$5.50

All Blister Packaged Sets are packed 6 to a master carton, except the small "Play Safe" Set, which is packed 12 to a master carton.



Archery Sets by YORK






LOCKSLEY HALL

CAT. NO. RGS-46 A COMPLETE SET WITH RECURVED BOW FOR THE YOUNG BEGINNER. Contains a YORK RG-46, 4½ ft. RECURVED solid fiber glass bow with molded handle; four 24 inch Port Orford Cedar arrows with three feather fletching, replaceable. plastic nocks and bullet-type points; an arm guard; a leather shooting tab; a 16 inch paper target in 5 colors; and an Archery instruction booklet. Completely packaged in an attractive display carton.ea. **\$9.98**




Archery Sets by YORK

Containing Solid Fiber Glass Bows




COLLEGIATE



COLUMBIA

CAT. NO. RGS-50 ADULT SET WITH RECURVED SOLID FIBER GLASS BOW. Contains a YORK RG-50, 5 ft. RECURVED solid fiber glass bow with molded, form-fitting handle; six Port Orford Cedar arrows with replaceable plastic nocks, bullet-type metal points and accurate fletching; a genuine leather arm guard; a leather shooting tab; a 16 inch paper target in 5 colors; and an Archery instruction booklet. Completely packaged in a display carton.



DELUXE


Now . . . YORK's Line of Fully Blister Packaged Archery Sets Has Been EXPANDED To Include These FIVE SETS!

SGS-36-BP set with 3½ foot straight fiber glass bow. SGS-40-BP set with 4 foot straight fiber glass bow. SGS-46-BP set with 4½ foot straight fiber glass bow.

RGS-40-BP set with 4 foot recurved fiber glass bow. RGS-46-BP set with $4\frac{1}{2}$ foot recurved fiber glass bow.

Hunting Sets by YORK

Containing Power-Packed Solid Fiber Glass Bows



fine grade 28 in. 11/32 in diameter roving (blunt) arrows, top grade leather arm guard, shooting tab, bow guarantee and display card.ea. \$19.95

Artistry in Fine Leather Hunting Quivers by YORK

HQ-88

This beautifully hand crafted center-back, quiver of topgrain, elk-tanned cowhide is as beautiful as it is practical! The exclusive YORK harness (with no dangling straps), can be worn either straight pack-style or "YORK-STYLE" through a simple snap and ring arrangement (see illustration). Unique, YORK-designed, internal provision for separating arrow compartment into 1, 2 or 3 sections.

The culmination of years of field trial, this quiver is designed for the hunter who demands BOTH quality and versatility. Equipped with large zippered pocket 6x12½ inches. Length 22 inches. Top opening $8x3\frac{1}{2}$ inches tapering to 61/2x31/4 inches at bottom. Available in two-tone tan and brown or in solid turf-tan. Specify color desired. ea. \$19.95

HQ-88S. Same design as HQ-88, but made of genuine Scotch grain leather.ea. \$15.50 HQ-66

YORK's finest shoulder-style hunting quiver of top-grain elk-tanned cowhide. Designed with secondary strap (see illustration) extending from lower back of quiver around side opposite shoulder strap to a snap ring at chest. Ample adjust-

Unique, YORK-designed, internal provision for separating arrow compartment into 1, 2 or 3 sections. Equipped with large zippered pocket 6x121/2 inches. Quiver length 22 inches. Top opening 8x3½ inches tapering to 6½x3¼ inches at bottom. Available in two-tone tan and brown or in solid

HQ-66S. Same design as HQ-66; but made of genuine



A large, 22 inch should-

er-style quiver of heavy

signed for carrying 8 to

12 arrows. Length 19

inches, top opening 6 x

31/2 inches, bottom 31/2

x 2 inches. Available in

two-tone tan and brown.

..... ea. **\$7.50**

Same as above except

made of durable Wal-

rus grain Ser V Lon.

Harness of top-grain

..... ea. \$4.00

smooth cowhide.

HQ-21


weight Walrus grain Ser V Lon. Handsome harness of top-grain smooth cowhide. Sturdy buckle adjustment in the shoulder strap. A rugged and budget priced quiver. Top opening of 8x31/2 inches, bottom of 6x31/2 inches. ea. \$5.00


Serviceable, beginners, shoulder-style quiver of Walrus grain Ser V Lon. Top-grain smooth cowhide strap with ample adjustment. Length 18 inches, top 31/2 inches in diameter,

bottom 31/2x2 inches.

..... ea. \$3.00

JHQ-10 Same as above except 15 inches in length designed for younger archers.....ea. \$2.50





Illustrates centerback style of HQ-88, HO-88S and HQ-20.



2 Illustrates pack-harness style of the HQ-88, HQ-88S and HQ-



3 Illustrates the center snap extra feature of the versatile HQ-88 and HQ-88S.

The famous YORK harness has no dangling straps, is versatile so that it can be worn either straight packstyle or "YORK-STYLE," through a simple snap and ring arrangement. Each quiver is distinctively styled by fine craftsmen in beautiful, supple



HQ-66S

4 Illustrates the 2strap harness featured on the HQ-66 and HQ-66S.




5 Illustrates shoulderstyle position of the HQ-66, HQ-66S, HQ-22, HQ-40, HQ-21,



Pack-style, center-back quiver of genuine Scotch grain leather for carrying 8 to 12 arrows. Permanently attached straps with ample length adjustment. 19 inches in length with top opening of 6 x 31/2 inches and bottom 3½ x 2 inches. Available in two-tone tan and brown. ea. **\$7.50**


Target Quivers by YORK





PQ-10 Pocket Quiver A firmly riveted and sewn quiver of strap leather and elk-grained cowhide for fitting onto the belt

and inserting into the hip pocket. Preferred by men for target Archery because of minimum encumbrance...ea. \$2.00




For target shooting. Made of 1/4 inch diameter steel. Cadmium plated. Solid welded construction with a loop for the arrows and a rack for holding the bow when it is not in use. The headpiece is detachable to facilitate carrying the quiver in a tackle case. ea. \$3.00

Accessories by YORK




Deluxe Bow Case. Made of brown mahogany, leather grained vinyl, heavily padded with foam backing. Soft tan flannel lining. Extra long, heavy duty zipper with locking ring and web zipper guard. For recurved bows up to 5'8" in length. Cat. No. PBC.

..... ea. \$ 9.95





No. AG-26 - Same fine Archer's glove as shown above, except this model features an elastic back. Sizes: extra large, large, medium, medium small, and small. State Size.. ea. \$2.95

No. AG-24 — Archer's Glove. Back is of garment cowhide, with heavy cowhide fingertips. Adjustable wrist strap. Sizes: extra large, large, medium, medium small, small. State Size.ea. \$1.50











No. AG-19 — Die Cut Shooting Tab. Made of genuine Cordovan with smooth leather lining. Comfortably fits middle finger. Small, medium and large size.

.....ea.**\$.75**



Cat. No. AG-30 - Hook and Lace Type Arm Guard — Made of firm strap leather completely lined with thin felt. De-signed with new offset front which permits greater comfort and free move-ment of the wrist. Held in place by hooks and lace. ea. \$1.50



Cat. No. HG-40-Hunting Arm Guard - Made of top grain cowhide lined with thin suede sheepskin. Held in place by three straps and buckles. Two steel center stays for ample wrist protection.

.....ea. **\$2.95**




Cat. No. AG-10 - Skeleton Type Elastic Strap Arm Guard — Made of lightweight strap leather, lined with thin suede sheepskin. Spring steel center stay for adequate wrist protection. Held in place by two elastic straps.

..... ea. \$1.95



Cat. No. AG-15—Elastic Strap, Single Hook Arm Guard—Made of natural strap leather, lined with imitation leather. Steel center stay for added wrist protection.....ea. \$1.00

targets--faces--stands



Cat. No. MG-48 Cat. No. MG-36 Cat. No. MG-24

YORK TARGET BUTTS

Tournament Approved

These targets are machine-made of very long length marsh grass. They are not attractive to vermin and thus do not constitute a warehousing problem in that respect. They are 4 inches thick, are firmly stitched with tarred sisal twine and will render long, satisfactory service. Being spirally-wound, they should not be confused with machine-made targets which are made by stuffing and quilting between two layers of burlap because these spirally-wound targets will render far longer and more satisfactory service.

Cat. No. MG-48 — 48 in., wt. approx. 65 lbs. .ea. \$25.00 Cat. No. MG-36 — 36 in., wt. approx. 37 lbs .ea. \$15.00 Cat. No. MG-24 — 24 in., wt. approx. 18 lbs. .ea. \$8.00

IMPORTANT NOTICE:

MG targets are shipped direct from the factory in Columbus, Nebraska. If your location is served by rail, shipments of 100 pounds or more are prepaid. Orders less than 100 pounds can be prepaid by rail but the transportation charges will be added to the invoice without the benefit of a freight allowance.

When shipment by truck is specified, orders weighing 250 pounds or more will be charged \$.80 additional per cwt. Truck shipments less than 250 pounds but more than 100 pounds will be given an allowance of \$4.50 per cwt. against the truck charges. There will be no freight allowance on shipments less than 100 pounds.

DRAWSTRING TARGET FACES

Drawstring faces which can be applied to the target in ten minutes—no tools required. Made of dull oilcloth with heavy cloth drawstring bands. Non-glaring, standard colors; in most appropriate shades.

Cat. No. TF-48—48 inch.	ea. \$6.00
Cat. No. TF-36-36 inch.	ea. \$4.50
Cat. No. TF-24 -24 inch.	ea. \$3,25

PLAIN TARGET FACES

These oilcloth faces are the same as the TF faces listed above but are supplied flat to be sewn direct to the straw boss.

Cat. No. SF-4	8-48 inch.	e	a. \$4.25
Cat. No. SF-3	6—36 inch.	e	a. \$3.25
Cat. No. SF-2	4—24 inch.	e	a. \$2.00

HEAVY PAPER TARGET FACES

Standard five color target faces on heavy white paper. Accurately graduated rings, with dull, non-glaring colors. Supplied rolled—no folds!

no roras.		
Cat. No. PF-48-48 inch	ea.	\$1.75
Cat. No. PF-36-36 inch	ea.	\$.95
Cat. No. PF-24-24 inch	ea.	\$.50
Cat. No. PF-16—16 inch	ea.	\$.25

FIELD ARCHERY TARGET FACES

Black and White

Roving

Field Faces

Printed board.	on heavy white tag	
C NT	EE 2/ 2/: 1	

Cat.	No.	FF-24 – 24 inch.	ea.\$.25
Cat.	No.	FF-18-18 inch.	ea. \$.15
Cat.	No.	FF-12-12 inch.	ea.\$.10
Cat.	No.	FF-6-6 inch.	ea.\$.05



by YORK



LOW PRICED CORRUGATED BOX TARGETS

Cat. No. CT-16F As above, but set-up and filled with tightly rolled corrugated filler. Sold only in multiples of two.
.....ea. \$2.95

TARGET STANDS

Made of soft wood so as not to damage arrows. Brackets on outside legs on which to place targets.

Cat. No. T-60—6 ft. for 48 in. targets.ea. **\$6.50** Cat. No. T-50—5 ft. for 36 inch or ea. **\$6.25** 24 inch targets.

Cat. No. T-60 Cat. No. T-50



BOW FISHING EQUIPMENT

CAT. NO. GFA SPECIAL BOWFISHING ARROW. Shaft is solid fiber glass, 5/16" in diameter. Special fishing point has double barbed, tempered tip which is removable for easy extraction of arrow from fish. Waterproof, rubber, 3-vane fletching. Brilliantly crested. Drilled holes provided for line at point and at nock. Lengths 28", 30".*.....ea. \$3.00

CAT. NO. GFA-2 SPECIAL BOWFISHING ARROW. Same as No. GFA except point is not tempered, does not have removable, barbed tip. Lengths 28", 30".*....ea. \$2.50 *Individuals customarily use fish arrows up to 2 inches longer than their properly fitted target or field arrows.





FP-35 Solid Double Barbed Fishing Point. 5/16 inch parallel bore.ea. \$.75



M-55 Fishing Reel., Made of aluminum with flange mounting bracket. Easily taped to bow and it offers snag proof uncoiling. Complete with 60 feet of 72 lb. test line. ea. \$3.50

YORK BOWSTRINGS



CAT. NO. DS BEST QUALITY DOUBLE LOOP DACRON BOWSTRINGS. Served at the loops and at the arrow nocking area. Available for these bow lengths.

ow Length			Boy	v Len	gth
r 5′9″ bow	No.	DS-52	for	5'2"	bow
r 5'8" bow	No.	DS-50	for	5'	bow
r 5'6" bow					
г 5′4″ bow	No.	DS-46	for	4'6"	bow
r 5'3" bow	cost			ea \$1	.25
	r 5'8" bow r 5'6" bow r 5'4" bow	r 5'9" bow No. r 5'8" bow No. r 5'6" bow No. r 5'4" bow No.	r 5'9" bow No. DS-52 r 5'8" bow No. DS-50 r 5'6" bow No. DS-48 r 5'4" bow No. DS-46	r 5'9" bow No. DS-52 for r 5'8" bow No. DS-50 for No. DS-48 for r 5'4" bow No. DS-46 for	r 5'9" bow No. DS-52 for 5'2" No. DS-50 for 5' No. DS-48 for 4'8" No. DS-46 for 4'6"


NOTE ON BOWSTRINGS: Bowstrings should be ordered by specifying the nock-to-nock length and weight of the bow. DO NOT ORDER BY STRING LENGTH. Nock-to-nock length of straight bows is easily measured, if not marked on the bow. If recurve bow length is not known, measure with limp tape held tightly against back of bow—tightly following all curves—from nock to nock.

CAT. NO. RS BEST QUALITY SINGLE LOOP DACRON BOWSTRINGS. Served at the arrow nocking area. When the nock-to-nock bow length cannot be accurately determined, it is sometimes better to order single loop strings because the one plain end permits adjustment. Packaged in plastic box.

Available in four lengths:

Cat. No. RS-48 for bows 4'8" to 5'
Cat. No. RS-52 for bows 5' to 5'4"
Cat. No. RS-56 for bows 5'4" to 5'8"
Cat. No. RS-60 for bows 5'8" to 6'.........ea. \$1.00

CAT. NO. DBS DOUBLE LOOPED BRAIDED DA-CRON BOWSTRINGS. Available in two lengths for bows not exceeding 35 lb. Packed in plastic box.



CS —Selected Cedar arrow shafts 5/16 in. x 29 in. doz. \$2.00

FS —Footed arrow shafts, Cedar-Beefwood, tapered 5/16 in. to 9/32 in. x 29 in. doz. \$6.50

HS —Selected Cedar hunting shafts, 11/32 in. x 29 in. doz. \$2.25

FAS—Footed Arrow Set, consisting of 12 Beefwood footed shafts, matched within 10 grains in weight and 2 ounces in spine; shafts tapered 5/16 in, at points to 9/32 in, at nocks; fitted with parallel points and replaceable plastic nocks; 12 long ground base feathers; package waterproof glue. Lengths: 28, 26, and 24 inch... set \$8.50

Miscellaneous by YORK



HP-4 Four Blade Broadhead Hunting Point. Blade of mill tempered spring steel, can be hand honed to razor sharpness. Barbless. For 11/32 inch shaft.




HP-3 "Hi Precision" Three Blade Broadhead with fused on point reinforcement of hammer steel. Barbless. For 11/32" shafts. doz. **\$4.00**



HP-2 Two Blade Broadhead Hunting Point. Blade of mill tempered spring steel, can be hand honed to razor sharpness. Barbless. For 11/32 inch shaft.

· · · · · doz. **\$4.00**





AR Arrow Rest. A horizontal feather rest that is ready to apply in seconds with pressure sensitive tape..ea.\$.75



MPT Graceful Bow-Molded to simulate traditional horn tips. 3/8 inch diameter tapered bore pr. \$.60


M-20 String Serving Tool. .. ea. \$1.50



BBS BRUSH BUT-TONS. Small size. Slipped onto bowstring ends, they prevent bowstring and bow limb intersection from hanging on brush in hunting. pr. **\$.60**

BBL Same as above but larger size.

No. BW — Bowstring wax. 1 oz, cake. . ea. \$.25







NS-35 Special Non-Skid field points, 11/32 inch bore. . doz. \$.80

NS-30 Same as above

SNS-35 Special Nonskid blunt nosed field points, 11/32" dia., 5° taper bore.. doz. \$.80 SNS-30 Same as above but 5/16" dia., 5° taper bore.. doz. \$.80




PP-50 Brass Parallel Arrow Point. 5/16 inch diameterdoz.**\$.60**

> BP-30 Bullet · Type Arrow Points. 5/16 inch diameter.doz. **\$.45**




RP-35 Round nosed blunt small-game or Field Roving points.

temperature compensated rubbery plastic that is unaffected by cold weather. With 6 pointed, 1/8" head it has tremendous shocking power. Fits 5/16" or 11/32" shafts....pkg of 10 \$2.00




M-10 Calibrated Bowsight with windage and elevation adjustment. ea. \$1.25

				- 2000 B	
PN-11 diameter				doz. \$.50
PN-16 diameter	Plastic	arrow	nocks,	5/16 doz. \$.50
PN-32 diameter				doz. \$.50
PN-14 diameter.	Plastic	arrow	nocks,	doz. \$	inch . 50



M-40 Adj. Tenon Cutter, for shouldering 5/16 in. or 11/32 shafts for target points. ea. \$4.50

No. GB - Selected Barred Full-Length Feathers — Ground doz. **\$.80**



M-35 Feathering Tool. Sets 3 feathers at once. Handles feathers up to 5 in. long.....ea. \$3.00



A Guide for Selecting Proper Equipment

CHOOSING PROPER ARROWS



Determining Arrow Length

If the beginner in Archery is to experience the progress which makes for lasting interest and maximum enjoyment of the Sport of Archery, he must begin with properly fitted equipment. Skilled and accurate shooting is dependent upon the consistency with which each successive arrow is shot. Consistency is dependent upon the degree of accuracy with which arrows are matched in weight and spine (stiffness)

and upon the accuracy with which arrows are fletched (feathered). For consistent shooting it is also very essential that the pounds of force or thrust behind each arrow shot must be exactly the same. The "pounds of pull" of a bow is an expression of the pulling force required to "draw" that bow (pull the bowstring back) to a fixed distance. If the pulling weight of the bow (and the resulting thrust behind the arrow) is to be consistent, it will be readily understood that the length to which the bow is pulled must be the same for each shot.

In Archery the arrow is the gauge which regulates this pulling distance. For each shot the arrow should be pulled back to where the point is flush with the back




Fig. 2

of the bow (the bow surface farthest from the eye). When the point of the arrow is flush with the back of the bow, the length of the arrow should be such as to enable the Archer to "anchor" on his chin with the bowstring in front of his eye. When these requirements are met, the Archer is accomplishing a "full draw" (See Figs. 3 & 4). Any amount of length in an arrow which ex-Arrow Length Is Measured from Bottom of Nock to Point Indicated by Dotted Line. but also tends to eliminate any

possibility of accurately gauging the length to which the bow is being drawn.

From the above, it will be observed that the selection of proper equipment begins with the choice of arrows. To correctly measure the length of arrows suitable for your use, place the nock of an arrow in the center of your chest about six inches below the chin. Hold the point end between the palms of your hands. With the arms extended to their full reach, straight out in front of you, the point of the arrow should extend to the tips of the fingers (See Fig. 1). This is the proper method of equipping the individual with "target" arrows.

For selecting the proper arrows of other types, refer to Fig. 2. Select each type of arrow so that the tips of the fingers extend to that point on the arrows indicated by the dotted line.

CHOOSING PROPER BOWS

YORK Solid Fiber Glass Bows

YORK pre-tensioned and tillered solid fiber glass bows are absolutely unbreakable when pulled by the bowstring as an Archery bow should be pulled. Because they are unbreakable, tradition is not so much involved in the selection of a YORK solid glass bow. This choice depends

upon the type of Archery in which the individual is most interested. A very short solid fiber glass bow (in its relationship to the length of the arrow with which it is used) will provide maximum cast and striking power. This can be ideal for the occasional shot experienced in bow hunting but, for continuous shooting in target Archery or in practicing the field rounds in training for bow

hunting, a longer solid fiber glass bow will be appreciated for its smoother action and for the elimination of the kick and iar which causes fatigue when many arrows are being shot in succession. The specifications in the YORK catalog in connection with solid fiber glass bows are flexible but tend to provide smoothness in shooting. Therefore, the individual's choice of bow length, in relation to the length of the arrows which he has determined



Full-Draw. Target Style.

to be proper for his use, will depend upon whether he prefers the "smoothness" provided in the specifications or whether he would prefer the "hard hitting" power of a bow as much as six inches shorter.

YORK Custom Quality Composite Bows

This group of bows make up the YORK supreme quality line and provide the modern day archer with shooting performance, dependability and pleasure far beyond the dreams of archers ten years ago. Each of these bows is a unique and classic example of the bowyer's art, offering the utmost in value and individual design in every model.

Almost four decades of designing experience and production know-how, as well as modern materials and technology, are behind the YORK Custom Composite bows. The result is a group of dignified bows which are "light in the hand" for easy handling and smooth shooting, are loaded with power for hard impact and flat trajectory, and will discharge equal "loads" of power, shot after shot, whether in August or December.



Regardless of the choice, from the superb YORK IM-PERIAL to the budget priced CADET, there is real pride of ownership in the possession of any of the YORK Custom Composite bows. You'll want to say to your friends, "this is my bow.'

IN CHOOSING a BOW

If you are new in Archery first know your arrow length - give careful thought to the type of Archery in which you are going to be most interested-then carefully


observe the specifications for each bow. Let your bow choice be a little long for target shooting or lots of field practice-a little short for maximum cast and striking power in hunting.

In choosing any bow—do not make the mistake of becoming "over-bowed." Choose one that you can pull without straining. You will be able to develop more proper shooting habits and progress more rapidly than if your bow is too strong for you. 35 to 40 pounds pull is about right for a man's target shooting bow. For bunting 45 to 55 pounds. Women's bows should be 15 pounds lighter. Bows for boys and girls still lighter. The stronger bow should come later when you have developed the pulling strength and when your judgment is supported by shooting experience.



Merchandising at its best...See YORK'S FULLY BLISTER PACKAGED

ARCHERY SETS AND ARROWS




YORK product quality and YORK merchandising quality combine to give you YORK's exclusive blister packaging which builds interest and sales in your archery department. Sparkling clean, pilferproof, break-resistant packaging provides all items under clean clear plastic and sells more archery sets for you.

The York Guarantee

Every YORK product is guaranteed to be free from defects in workmanship or materials. The experience of 42 years has developed a team of designing skill and production at team of designing skill and production who were at YORK that is unsurpassed in the Archery Industry. It is this team that makes the YORK Guarantee possible. Any YORK item which appears defective, and shows no evidence of mishandling or misuse, should be sent prepaid direct to YORK Archery, Independence, Missouri, for replacement or repair.

merchandise in this catalog subject to change or withdrawor

YORK'S 43 YEAR TRADITION OF QUALITY PROVES THERE'S MORE BEHIND THE BOW THAN THE ARCHER



nation's
oldest
manufacturer
of quality
archery
equipment

WOODCRAFT EQUIPMENT COMPANY

P. O. BOX 367 - Phone 816 - CL - 2-9612

Independence · Missouri