Toll free (877) 646-6382 Local (865) 379-7777 Fax (865) 982-4222

Metro Tile[™]-II Timeless Mediterranean Style with today's advanced materials

Metro Tile[™]-II is a unique state-of-the-art batten-less design that is changing the re-roofing industry. Each panel is pressformed with the graceful scalloped curves that simulate low-profile tile and create an exceptionally lightweight (1.5lbs/Sq ft.), strong and secure steel roof covering to suit any property.

The advanced coating technology and interlocking batten-less design of the Metro Tile[™]-II panels eliminates costly wood battens allowing for faster install times.

Metro Tile[™]-II delivers proven heavy-duty wind and weather performance. And our attractive color palette lets you choose just the right touch for a look that can transform your home – Metro Tile[™]-II.



Address: 1178 Topside Road Louisville, TN 37777





COLOR RANGE

BIRCH-II (Black Accent)

CHARCOAL (Solid Color)

MISSION RED (Solid Color)





TERRA

COTTA

(Light Tan Accent)

WALNUT

(Black Accent)

Above chart shows STANDARD STOCK COLORS for Metro Tile-II[™] panels. Always select colors from ACTUAL samples. PREMIUM, SPECIAL, and CUSTOM COLORS and Flashings are available.



Metro Tile[™]-II Lightweight roofs delivering heavy-duty performance.

Metro Tile[™]-II is finished with an attractive stone coating embedded in a UV resistant acrylic polymer for a lasting bond to the 26-gauge *Galvalume® steel covered with 100% acrylic over-glaze.

Purchase with Confidence

All Metro products provide heavy-duty warranty performance, from 120-mph winds to hail impact and fire resistance. Take a look at today's steel roofing and select from a wide range of earth-tone colors to suit your home. For years we've been a leader in the design and production of quality stone coated steel roofing, producing a roofing product that is of high quality and affordable.

- 50-Year Limited Warranty (Prorated & Fully Transferable)
- Walkable (26-ga., 55% Al-Zn coated sheet steel)
- Lightweight (1.5 lbs/sq. ft.)
- Class-A Fire Rated (Non-combustible roof covering)
- 120-mph Wind Warranty (Engineered for FL & TX High Wind Coastal regions to withstand 150-mph)
- Hail Impact Warranty (UL 2218 Class-4 rated)

Testing Credentials ICC Evaluation Report 5218 UL Listed R19204 UL Class-4 Impact Rating

FLORIDA State Approval Appl.#FL-698 Exp.1-1-2099

*Galvalume® is a registered trademarkof BIEC International, Inc. ©2005 Copyright Metro Roof Products 051105-50M


Toll free (877) 646-6382 Local (865) 379-7777 Fax (865) 982-4222



Address: 1178 Topside Road Louisville, TN 37777



MetroTile



7" 'W' Valley