

REFERENCES

RESEARCH BASE SUPPORTING THE ADVANTAGE LIST

- Acharya, S.D., Elci, O.U., Sereika, S.M., Styn, M.A., Burke, L.E. (2011). Using a personal digital assistant for self-monitoring influences diet quality in comparison to a standard paper record among overweight/obese adults. *J Am Diet Assoc*, 111(4):583-8.
- Andreyeva T, Long M, Henderson, Kathryn, Grode, G. (2010). Trying to Lose Weight: Diet Strategies among Americans with Overweight or Obesity in 1996 and 2003. *J Am Diet Assoc*, 110:535-542.
- Brunstrom, J.M., Mithcell, G.L. (2006). Effects of distraction on the development of satiety. *Br J Nutr*, 96(4):761-9.
- Byrd-Bredbenner, C., Abbot, J.M., Cussler, E. (2011). Relationship of social cognitive theory concepts to mothers' dietary intake and BMI. *Matern Child Nutr*, 7(3):241-52.
- Boden, .G, Sargrad, K., Homko, C., Mozzoli, M., Stein, T.P. (2005). Effect of a low-carbohydrate diet on appetite, blood glucose levels, and insulin resistance in obese patients with type 2 diabetes. *Ann Intern Med*, 15;142(6):403-11.
- Centers for Disease Control. (2015). Physical Activity for Healthy Pregnant or Postpartum Women. Retrieved Nov. 3, 2015 from:
<http://www.cdc.gov/physicalactivity/basics/pregnancy/index.htm>
- Chaput, J., (2010). Short sleep duration promoting overconsumption of food: A reward-driven eating behavior. *Sleep*;33(9):1135-6.
- Chaput, J., Klingenberg, L., Sjödin, A. (2010). Do all sedentary activities lead to weight gain: sleep does not. *Curr Opin Clin Nutr Metab Care*;13(6):601-7. doi:
10.1097/MCO.0b013e32833ef30e.
- Coughlin, S., Whitehead, M., Sheats, J., Mastromonico, J., Hardy, D., Smith, S., Jacobs, J. (2015). Smartphone Applications for Promoting Healthy Diet and Nutrition: A Literature Review. *Food Nutr*;2(3):021.
- de Jong, E, Visscher, T.L., HiraSing, R.A., Seidell, J.C., Renders, C.M. (2015). Home environmental determinants of children's fruit and vegetable consumption across different SES backgrounds. *Pediatr Obes*. 10(2):134-40.

- Ello-Martin JA, Ledikwe JH, Rolls BJ. The influence of food portion size and energy density on energy intake: implications for weight management. *Am J Clin Nutr*. 2005;82(1 Suppl):236S-241S.
- Fitzpatrick, E., Edmunds, L.S., Dennison, B.A. (2007). Positive effects of family dinner are undone by television viewing. *J Am Diet Assoc*, 107(4):666-71.
- Foster, G.D., Wadden, T.A., LaGrotte, C.A., Vander Veur, S.S., Hesson, L.A., Homko, C.J., Maschak-Carey, B.J., Barbor N.R., Bailer, B., Diewald, L., Komaroff, E., Herring, S.J., Vetter, M.L. (2013). A randomized comparison of a commercially available portion-controlled weight loss intervention with a diabetes self-management education program. *Nutrition & Diabetes*, 3, e63.
- Funk, K., Stevens, V., Appel, L., Bauck, A., Brantley P., Champagne, C., Coughlin, J., Dalcin, A., Harvey-Berino, J., Hollis, J., Jerone, G., Kennedy, B., Lien, L., Myers, V., Samuel-Hodge, C., Svetkey, L., Vollmer, W. (2010). Associations of Internet Website Use With Weight Change in a Long-term Weight Loss Maintenance Program. *J Med Internet Res*. 2010 Jul-Sep; 12(3): e29. doi: [10.2196/jmir.1504](https://doi.org/10.2196/jmir.1504)
- Gudzune, K.A., Doshi, R.S., Mehta, A.K., Chaudhry, Z.W., Jacobs, D.K., Vakil, R.M., Lee, C.J., Bleich, S.N., Clark, J.M.. (2015). Efficacy of commercial weight-loss programs: an updated systematic review. *Ann Intern Med*. 7;162(7):501-12.
- Hammons, A.J., Fiese, B.H. (2011). Is frequency of shared family meals related to the nutritional health of children and adolescents? *Pediatrics*, 127(6):e1565-74.
- Horan, M.K., McGowan, C.A., Gibney, E.R., Donnelly, J.M., McAuliffe, F.M. (2014). Maternal diet and weight at 3 months postpartum following a pregnancy intervention with a low glycaemic index diet: results from the ROLO randomized control trial. *Nutrients*, 23;6(7):2946-55.
- Jacobs, D.R. (2006). Fast food and sedentary lifestyle: a combination that leads to obesity. *Am H Clin Nutr*, 83:189-90.
- Jain, A.P., Gavard, J.A., Rice, J.J., Catanzaro, R.B., Artal, R., Hopkins, S.A. (2013). The impact of interpregnancy weight change on birthweight in obese women. *Am J Obstet Gynecol*, 208(3):205.
- Joyner, M. (2014). Which diets work? A side order of perspective. *Medscape*. Retrieved from www.medscape.com/viewarticle/832964 [print](#)
- Juanola-Falgarona, M, Salas-Salvado, J, Ibarrola-Jurado, N, Rabassa-Soler, A, Diaz-Lopez, A, Guasch-Ferr, M, Hernandez-Alonso, P, Balanza, R, Bullo, M. (2014). Effect of the glycemic index of the diet on weight loss, modulation of satiety, inflammation, and other metabolic risk factors: a randomized controlled trial. *Am J Clin Nutr*: 100:27-35.

Kumar GS, Pan L, Park S, Lee-Kwan SH, Onufrak S, Blanck HM; Epidemic Intelligence Service, Office of Surveillance, Epidemiology, and Laboratory Services, CDC. Sugar-sweetened beverage consumption among adults—18 states, 2012. *MMWR Morb Mortal Wkly Rep.* 2014;63:686-690.

<http://www.cdc.gov/mmwr/preview/mmwrhtml/mm6332a2.htm> Accessed September 17 2014.

López-Olmedo, N., Hernández-Cordero, S., Neufeld, L., García-Guerra, A., Meijia-Rodriguez, F., Méndez Gómez-Humarán, I. (2016). The Associations of Maternal Weight Change with Breastfeeding, Diet and Physical Activity During the Postpartum Period. *Matern Child Health J*;20(2):270-80. doi: 10.1007/s10995-015-1826-7.

Malik VS, Schulze MB, Hu FB. Intake of sugar-sweetened beverages and weight gain: a systematic review. *Am J Clin Nutr* 2006;84(2):274-88.

McCarthy, M. (2015). High fibre diet may be good alternative to complex weight loss regimen, US study finds. *BMJ*;350:h965. doi: 10.1136/bmj.h965.

McGowan CA, McAuliffe FM. (2010). The influence of maternal glycaemia and dietary glycaemic index on pregnancy outcome in healthy mothers. *Br J Nutr*;104(2):153-9. doi: 10.1017/S0007114510000425.

Milsom, V.A., Middleton, K.M., Perri, M.G. (2011) Successful long-term weight loss maintenance in a rural population. *Clin Interv Aging*, 6:303-9.

Nehring, I., Schmoll, S., Beyerlein, A., Hauner, H., von Kries, R. (2011). Gestational weight gain and long-term postpartum weight retention: a meta-analysis. *Am J Clin Nutr*, 94(5): 1225-31.

Patel, S. R. (2009); Chaput, J. P., Klingenberg I., Sjodin, A. M. (2010)

Reedy J, Krebs-Smith SM. Dietary sources of energy, solid fats, and added sugars among children and adolescents in the United States. *J Am Diet Assoc.* 2010;110:1477-1484. <http://appliedresearch.cancer.gov/diet/foodsources/article/> Accessed August 6, 2014.

Rezende LF, Rodrigues Lopes M, Rey-López JP, Matsudo VK, Luiz Odo C. Sedentary behavior and health outcomes: an overview of systematic reviews. *PLoS One.* 2014;9:e105620. <http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0105620> Accessed September 23, 2014.

Rose, S.A., Poynter, P.S., Anderson, J.W., Noar, S.M., Conigliaro, J. (2013). Physician weight loss advice and patient weight loss behavior change: a literature review and meta-analysis of survey data. *Int. J. Obes. (Lond.)* 37, 118-128.

- Ruiz, J.R., Perales, M., Pelaez, M., Lopez, C., Lucia, A., Barakat, R. (2013). Supervised exercise-based intervention to prevent excessive gestational weight gain: a randomized controlled trial. *Mayo Clin Proc*, 88(12):1388-97.
- Schulze, M.B., Manson, J.E., Ludwig, D.S., et al. (2004) Sugar-sweetened beverages, weight gain and incidence of type 2 diabetes in young and middle-aged women. *JAMA*, 292(8); 927-34.
- Steinberg, D., Tate, D., Bennett, G., Ennett, S., Samuel-Hodge, C., Ward, D. (2013). The Efficacy of a daily self-weighing weight loss intervention using smart scales and email. *Obesity*; 21(9):1789-97. doi: 10.1002/oby.20396
- Taveras, E.M., McDonald, J., O'Brien, A., Haines, J., Sherry, B., Bottino, C.J., Troncoso, K., Schmidt, M.E., Koziol, R. (2012). Healthy Habits, Happy Homes: methods and baseline data of a randomized controlled trial to improve household routines for obesity prevention. *Prev Med*, 55(5):418-26.
- Teixeira PJ, Going SB, Houtkooper LB, et al. Exercise motivation, eating, and body image variables as predictors of weight control. *Med Sci Sports Exerc*. 2006;38:179-188.
- Tobias, D.K., Chen, M., Manson, J.E., Ludwig, D.S., Willett, W., Hu, F.B. (2015). Effect of low-fat diet interventions versus other diet interventions on long-term weight change in adults: a systematic review and meta-analysis. *Lancet Diabetes Endocrinol*, 3(12):968-79.
- Turner, T., Nance, L., Strickland, W., Malcolm, R., Pechon, S., O'Neil, P. (2013). Dietary adherence and satisfaction with a bean-based high-fiber weight loss diet: a pilot study. *ISRN Obes*; 2013:915415. doi: 10.1155/2013/915415.
- Vesco, K., Karanja, N., King, J., Gillman, M., Leo, M., Perrin, N., McEvoy, C., Eckhardt, C., Smith, K., Stevens, V. (2014). Efficacy of a group-based dietary intervention for limiting gestational weight gain among women: a randomized trial. *Obesity*, 22(9):1989-96.
- Wansink, B., van Kleef, E. (2014). Dinner rituals that correlate with child and adult BMI. *Obesity*, 22:E91-95.
- Waring, M.E., Moore Simas, T.A., Liao, X. (2013). Gestational weight gain within recommended ranges in consecutive pregnancies: a retrospective cohort study. *Midwifery*, 29(5):550-6.
- Weiss, E.P., Albert, S.G., Reeds, D.N., Kress, K.S., Ezekiel, U.R., McDaniel, J.L., Patterson, B.W., Klein, S., Villareal, D.T. (2015) Calorie Restriction and Matched Weight Loss From Exercise: Independent and Additive Effects on Glucoregulation and the Incretin System in Overweight Women and Men. *Diabetes Care*, 38(7):1253-62.
- Zoumas-Morse, C., Rock, C.L., Sobo, E.J., Neuhauser, M.L. (2001). Children's patterns of Macronutrient intake and associations with restaurant eating and home eating. *J Am Diet*

Assoc, 101(8):923-5.