

West Virginia Department of Health & Human
Resources
Morgan County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Widmyer Elementary School	Facility Type Food Service Establishment	
Licensee Name (Owner Not Set)	Facility Telephone #	
Facility Address 10 Myers Road Berkeley Springs, WV	Licensee Address	
Inspection Information		
Inspection Type Routine	Inspection Date April 24, 2019	Total Time Spent 1.00

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Milk Cooler (Right)	40
Milk Cooler (Left)	41
Walk-In Cooler	37
Walk-In Freezer	2
Freezer	16

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 0

Observed Non-Critical Violations
Total # 2
Repeated # 0
<p>6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS Observation: 3 bay sink wall needs cleaned. Corrective Action(s): Clean the physical facilities at a frequency necessary to keep them clean.</p> <p>6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS Observation: Ceiling vent above 3 bay sink needs cleaned. Corrective Action(s): Clean the physical facilities at a frequency necessary to keep them clean.</p>

Inspection Outcome

Comments

Disclaimer

Person in Charge

Leis Armstrong

Sanitarian

Tim Zeigler