



Rotatable Arm LED Street Lamps



Extended cable	1.5M, 2.0M & 3.0M	Black Housing		Beam Angle	30*70° / 60*90° 60*120° / 70*140°
----------------	-------------------	---------------	--	------------	--------------------------------------

Product #

R = Rotatable, N = Non-rotatable
A stands for Meanwell ELG driver
B stands for Meanell HLG driver series
 Only difference between **A & B** style is Meanwell driver

Model NO.	Wattage	Input Voltage	Driver	LED Brand	Lumen	Color Temperature	Replacing	Certificates	Size:
LSRSL-100W-A	100Watt	180-277VAC	Meanwell ELG-100-48A	Philips SMD 3030	12700Lm	3000K 4000K 5000K 5700K 6500K	250W MH HPS	CE RoHS	20.91*13.19*6.69"
LSRSL-150W-A	150Watt	180-277VAC	Meanwell ELG-150-48A	Philips SMD 3030	19000Lm	3000K 4000K 5000K 5700K 6500K	400W MH HPS	CE RoHS	24.21*13.19*6.69"
LSRSL-200W-A	200Watt	180-277VAC	Meanwell ELG-150-48A	Philips SMD 3030	25400Lm	3000K 4000K 5000K 5700K 6500K	600W MH HPS	CE RoHS	27.56*13.19*6.69"
LSRSL-240W-A	240Watt	180-277VAC	Meanwell ELG-150-48A	Philips SMD 3030	25400Lm	3000K 4000K 500K 5700K 6500K	750W MH HPS	CE RoHS	30.83*13.19*6.69"
LSRSL-100W-B	100Watt	100-277VAC	Meanwell HLG-100-48A	Phillips SMD 3030	12700Lm	3000K 4000K 5000K 5700K 6500K	250W MH HPS	CE RoHS	20.91*13.19*6.69"

LSRSL-150W-B	150Watt	100-277VAC	Meanwell HLG-150H-48A	Philips SMD 3030	19000Lm	3000K 4000K 5000K 5700K 6500K	400W MH HPS	CE RoHS	24.21*13.19*6.69"
LSRSL-200W-B	200Watt	100-277VAC	Meanwell HLG-240H-48A	Philips SMD 3030	25400Lm	3000K 4000K 5000K 5700K 6500K	600W MH HPS	CE RoHS	27.56*13.19*6.69"
LSRSL-240W-B	240Watt	100-277VAC	Meanwell HLG-240H-48A	Philips SMD 3030	30500Lm	3000K 4000K 5000K 5700K 6500K	750W MH HPS	CE RoHS	30.83*13.19*6.69"
LSRSL-300W-B	300Watt	100-277VAC	Meanwell HLG-320H-48A	Philips SMD 3030	38000Lm	3000K 4000K 5000K 5700K 6500K	1000W MH HPS	CE RoHS	34.13*13.19*6.69"

page 2- rotatable arm streetlights



40W 50W



100W



150W



200W



240W



300W

PHILIPS 5 years warranty



Extended cable

1.5M,2.0M & 3.0M cable

Black Housing

Beam Angle

30*70° / 60*90°
60*120° / 70*140°

Non-Rotatable Arm LED Street Lamps

Product #

R = Rotatable, N = Non-rotatable
A stands for **Meanwell ELG** driver, **B** stands for **Meanell HLG** driver series
 The only difference between **A** to **B** style is driver model

Model NO.	Wattage	Input Voltage	Driver	LED Brand	Lumen	Color Temperature	Replacement	Certificates	Size:
LSNSL-40W-A	40Watt	<u>100-277VAC</u>	UL TUV Driver	Philips SMD 3030	4800Lm	3000K 4000K 5000K 5700K 6500K	150W HPS	CE RoHS	
LSNSL-50W-A	50Watt	<u>100-277VAC</u>	UL TUV Driver	Philips SMD 3030	6000Lm	3000K 4000K 5000K 5700K 6500K	150W HPS	CE RoHS	
LSNSL-100W-A	100Watt	<u>180-277VAC</u>	Meanwell ELG-100-48A	Philips SMD 3030	12700Lm	3000K 4000K 5000K 5700K 6500K	250W MH HPS	CE RoHS	14.17*13.19*6.69"
LSNSL-150W-A	150Watt	<u>180-277VAC</u>	Meanwell ELG-150-48A	Philips SMD 3030	19000Lm	3000K 4000K 5000K 5700K 6500K	400W MH HPS	CE RoHS	18.5*13.19*6.69"
LSNSL-200W-A	200Watt	<u>180-277VAC</u>	Meanwell ELG-240-48A	Philips SMD 3030	25400Lm	3000K 4000K 5000K 5700K 6500K	600W MH HPS	CE RoHS	21.26*13.19*6.69"

LSNSL-240W-A	240Watt	<u>180-277VAC</u>	Meanwell ELG-240-48A	Philips SMD 3030	25400Lm	3000K 4000K 5000K 5700K 6500K	750W MH HPS	CE RoHS	24.21*13.19*6.69"
LSNSL-100W-B	100Watt	100-277VAC	Meanwell HLG-100H-48A	Philips SMD 3030	12700Lm	3000K 4000K 5000K 5700K 6500K	250W MH HPS	CE RoHS	14.17*13.19*6.69"
LSNSL-150W-B	150Watt	100-277VAC	Meanwell HLG-150H-48A	Philips SMD 3030	19000Lm	3000K 4000K 5000K 5700K 6500K	400W MH HPS	CE RoHS	18.5*13.19*6.69"
LSNSL-200W-B	200Watt	100-277VAC	Meanwell HLG-240H-48A	Philips SMD 3030	25400Lm	3000K 4000K 5000K 5700K 6500K	600W MH HPS	CE RoHS	21.26*13.19*6.69"
LSNSL-240W-B	240Watt	100-277VAC	Meanwell HLG-240H-48A	Philips SMD 3030	25400Lm	3000K 4000K 5000K 5700K 6500K	750W MH HPS	CE RoHS	24.21*13.19*6.69"
LSNSL-300W-B	300Watt	100-277VAC	Meanwell HLG-320H-48A	Philips SMD 3030	38000Lm	3000K 4000K 5000K 5700K 6500K	1000W MH HPS	CE RoHS	27.56*13.19*6.69"

page 2 non-rotatable street lamps
