




EL & EL Wood Products
SIMPSON® IN-STOCK WOOD DOORS




Millwork that creates distinction.™

Craftsman Collection

Douglas Fir, 1-3/4" thick, doors 3'0" x 6'8" with 3/4" FP, sidelights 1'2" x 6'8 1/2", unless otherwise noted




6811 N S
3/4" Clear IG



6951 | Four Square® N S
3/4" Black IG




6831 | Holbrook™ N S
3/4" Silver IG




6851 | Solano® N S
3/4" Black IG




6801 N S
3/4" Clear IG



6961 | Four Square® II N S
3/4" Black IG




6821 | Holbrook™ II N S
3/4" Silver IG




6841 | Solano® II N S
3/4" Black IG



6861 N S
3/4" Clear IG



6971 | Four Square® III N S
3/4" Black IG




6871 | Holbrook™ III N S
3/4" Silver IG




6881 | Solano® III N S
3/4" Black IG



6812 N S
3/4" Clear IG




6832 | Cortez™ N S
3/4" Silver IG



6852 | Avondale® N S
3/4" Black IG



6802 N S
3/4" Clear IG




6822 | Cortez™ II N S
3/4" Silver IG



6842 | Avondale® II N S
3/4" Black IG


Craftsman Collection (continued)



6862 
3/4" Clear IG



6872 | Cortez™ III 
3/4" Silver IG



6882 | Avondale™ III 
3/4" Black IG




6813 
3/4" Clear IG



6833 | Torrance® 
3/4" Silver IG




6853 | Valencia™ 
3/4" Black IG



6803 
3/4" Clear IG



6823 | Torrance® II 
3/4" Silver IG



6843 | Valencia™ II 
3/4" Black IG




6863 
3/4" Clear IG




6873 | Torrance® III 
3/4" Silver IG




6883 | Valencia™ III 
3/4" Black IG




6801 | w/ Angled Mutt 
3/4" Clear IG



**6961 | Four Square® II
w/ Angled Mutt** 
3/4" Black IG



**6821 | Holbrook™ II
w/ Angled Mutt** 
3/4" Silver IG



**6841 | Solano® II
w/ Angled Mutt** 
3/4" Black IG



6802 | w/ Angled Mutt 
3/4" Clear IG



**6822 | Cortez™ II
w/ Angled Mutt** 
3/4" Silver IG

IG = Insulated Glazing
SG = Single Glazing
RP = Double Hip-Raised Panel
FP = Flat Panel




EL & EL Wood Products
ELandELWoodProducts.com


Craftsman Collection (continued)



**6842 | Avondale[®] II
w/ Angled Mutt** N S
3/4" Black IG



6803 | w/ Angled Mutt N S
3/4" Clear IG




**6823 | Torrance[®] II
w/ Angled Mutt** N S
3/4" Silver IG



**6843 | Valencia[™] II
w/ Angled Mutt** N S
3/4" Black IG




**6801 |
w/ Arched Rail** O
3/4" Clear IG




**6861 | Four Square[®] II
w/ Arched Rail** O
3/4" Clear IG




**6821 | Holbrook[™] II
w/ Arched Rail** O
3/4" Silver IG




**6841 | Solano[®] II
w/ Arched Rail** O
3/4" Black IG



**6802 |
w/ Arched Rail** O
3/4" Clear IG



**6822 | Cortez[™] II
w/ Arched Rail** O
3/4" Silver IG



**6842 | Avondale[®] II
w/ Arched Rail** O
3/4" Black IG



**6803 |
w/ Arched Rail** O
3/4" Clear IG



9540 | Dentil Shelf N S



9541 | Dentil Shelf N S



9510 | Sidelight Dentil Shelf N S



**6823 | Torrance[®] II
w/ Arched Rail** O
3/4" Silver IG



**6843 | Valencia[™]
w/ Arched Rail** O
3/4" Black IG



6175 N S
3/4" Clear IG



7701 N S
3/4" Clear IG
Available widths
10", 12", 16"



6174 N S
3/4" Black IG



6171 N S
3/4" Black IG



6173 N S
3/4" Silver IG



6172 N S
3/4" Silver IG



6179 N S
3/4" Black IG



6176 N S
3/4" Black IG

Mastermark® Collection

Douglas Fir, 1-3/4" thick, doors 3'0" x 6'8" with 1-7/16" Innerbond® RP, sidelights 1'2" x 6'8½", unless otherwise noted



6422 | Terrace Ridge® N S
3/4" Black IG




6423 N S
3/4" Black IG



6490 | Santa Fe I N S
3/4" Innerbond®, Wrought Iron IG




6493 N S
3/4" Wrought Iron IG



4608 | Queen Anne® N S
3/4" Black IG



4609 N S
3/4" Black IG



4302 | Empress' Alexandra N S
1-1/4" Innerbond® RP, 3/4" Black IG



4322 N
3/4" Black IG

Bungalow Series®

Douglas Fir, 1-3/4" thick, doors 3'0" x 6'8", sidelights 1'2" x 6'8½" with 1-7/16" Innerbond® RP, unless otherwise noted



4041 | Tudor II N S
1-1/4" Innerbond® RP with operable speaking port



7598 | Bellaire® N S
3/4" Beveled IG



7599 N S
3/4" Beveled IG



7218 N S
3/4" IG



7228 N S
3/4" IG



7244 S
3/4" IG



7219 N S
3/4" IG

Builder's Advantage®

Douglas Fir, 1-3/4" thick, doors 3'0" x 6'8" with 3/4" FP, sidelights 1'2" x 6'8½", unless otherwise noted



6356 | Greenwich® N S
3/4" Black IG



6316 | Scarborough® N S
3/4" Black IG



6326 | Plymouth® N
3/4" Black IG



6366 | Portsmouth® N S
3/4" Black IG



6347 N S
3/4" Black IG

IG = Insulated Glazing
SG = Single Glazing
RP = Double Hip-Raised Panel
FP = Flat Panel



EL & EL Wood Products
ELandELWoodProducts.com

Exterior French & Sash Doors

Douglas Fir, 1-3/4" thick, doors 3'0" x 6'8", sidelights 1'2" x 6'8 1/2", unless otherwise noted



7044 N S **7702** N S **7944** N S **7703** N S **7044 | Dutch** N S **7944 | Dutch** N S **7031 | Dutch** S **7444 | Dutch** S

1-7/16" Innerbond® RP, 3/4" IG, Available widths: 2'6", 2'8", 3'0"
 1-7/16" Innerbond® RP, 3/4" IG, Available widths: 2'6", 2'8", 3'0"
 1-7/16" Innerbond® RP, 3/4" IG, Available widths: 2'6", 2'8", 3'0"
 1-7/16" Innerbond® RP, 3/4" IG, Available widths: 2'6", 2'8", 3'0"
 1-7/16" Innerbond® RP, 3/4" IG, Available widths: 2'6", 2'8", 3'0"
 1-7/16" Innerbond® RP, 3/4" IG, Available widths: 2'6", 2'8", 3'0"
 1-7/16" Innerbond® RP, 3/4" IG, Available widths: 2'6", 2'8", 3'0"
 1-7/16" Innerbond® RP, 3/4" IG, Available widths: 2'6", 2'8", 3'0"



7035 | Dutch S **7662** N S **7663** N S **7662 | Shaker** N S **7663 | Shaker** N S **7860** N S **7260** N S **144** S **444** S

1-7/16" Innerbond® RP, 3/4" IG, Available widths: 2'6", 2'8", 3'0"
 1-7/16" Innerbond® RP, 3/4" IG, Available widths: 2'6", 2'8", 3'0"
 1-7/16" Innerbond® RP, 3/4" IG, Available widths: 2'6", 2'8", 3'0"
 3/4" FP, 3/4" IG, Available widths: 2'6", 2'8", 3'0"
 Shaker 3/4" FP, 3/4" IG, Available widths: 2'6", 2'8", 3'0"
 1-7/16" Innerbond® RP, 3/4" IG, Available widths: 2'6", 2'8", 3'0"
 1-7/16" Innerbond® RP, 3/4" IG, Available widths: 2'6", 2'8", 3'0"
 3/4" RP, 1/8" SG, Available widths: 2'6", 2'8", 3'0"
 3/4" RP, 1/8" SG, Available widths: 2'6", 2'8", 3'0"



644 S **944** S **2035** S **1662** S **1664** S **2182** S **2184** N S

3/4" RP, 1/8" SG, Available widths: 2'6", 2'8", 3'0"
 3/4" RP, 1/8" SG, Available widths: 2'6", 2'8", 3'0"
 3/4" RP, 1/8" SG, Available widths: 2'6", 2'8", 3'0"
 3/4" RP, 1/8" SG, Available widths: 2'6", 2'8", 3'0"
 3/4" RP, 1/8" SG, Available widths: 2'6", 2'8", 3'0"
 1/8" SG with Combo Screen, Available widths: 2'6", 2'8", 3'0"
 1/8" SG with Combo Screen, Available widths: 2'6", 2'8", 3'0"
 1-3/8" Door in: 2'6" & 2'8" S 1-3/8" Door in: 2'6" & 2'8" S

Exterior French & Sash Doors (continued)



1501

1/8" SG and Open, Available widths: 2'0" - 3'0"

1701

1/8" SG, Available widths: 1'0", 1'2", 1'6"



7002

3/4" IG with UltraBlock® Technology, Available widths: 2'6", 2'8", 3'0"



7002

3/4" IG with Low-E and UltraBlock® Technology, Available widths: 2'0" - 3'0"

7701

3/4" IG, Available widths: 1'0", 1'2", 1'6"



7037

3/4" IG Available heights: 6'8", 7'0"




1501 | 8'0"

1/8" SG and Open, Available widths: 2'0" - 3'0"

1701 | 8'0"

1/8" SG



7002 | 8'0"

3/4" IG, Available widths: 2'6", 3'0"

7701 | 8'0"

3/4" IG



7109

3/4" IG with Low-E, Available widths: 2'6", 2'8", 3'0"

7709

3/4" IG with Low-E

3/4" IG

3/4" IG




1510

1/8" SG, Available widths: 2'0" - 3'0"


1705

1/8" SG, Available widths: 1'0", 1'2", 1'6"



7105

3/4" IG, Available widths: 2'6", 3'0"



7010

3/4" IG with UltraBlock® Technology, Available widths: 2'0", 2'6", 2'8", 3'0"



7015

3/4" IG with UltraBlock® Technology, Available widths: 2'6", 2'8", 3'0"

7705


3/4" IG, Available widths: 1'2", 1'6"

IG = Insulated Glazing
 SG = Single Glazing
 RP = Double Hip-Raised Panel
 FP = Flat Panel




EL & EL Wood Products
ELandELWoodProducts.com

Exterior French & Sash Doors WaterBarrier® Technology




7002WB N S
 WaterBarrier® Technology,
 3/4" IG with Low-E, Available
 widths: 2'0"-3'0"



37010WB | 7010WB N S
 WaterBarrier Technology,
 3/4" IG with Low-E, Available widths:
 2'6", 2'8", 3'0"

WaterBarrier® Technology (Patent Pending)

PVC glazing bead and SDL bars
 on exterior side
 Primed Medium Density
 Overlay for flat surfaces
 Wood bars on
 interior side



Weather Seal™ Process

Entire stile-and-rail joints coated and bonded to
 decrease the possibility of water infiltration


UltraBlock® Technology

Composite block material finger-jointed
 into the bottom of the stiles


Traditional Collection Douglas Fir, 1-3/4" thick, doors 3'0" x 6'8", unless otherwise noted



7130 N S
 1-1/4" Innerbond® RP S
 3/4" RP Available widths:
 2'6", 2'8", 3'0"




7132 N S
 1-1/4" Innerbond® RP, 1/8" SG



2134 N S
 3/4" RP and 1-1/4" Innerbond®
 RP available, 1/8" SG




2020 N S
 1-1/4" Innerbond® RP, 1/8" SG,
 Available widths: 2'6", 2'8", 3'0"
S
 3/4" RP Available in: 2'6" & 2'8"




7134 N S
 1-7/16" Innerbond® RP, 3/4" IG




7120 N
 1-7/16" Innerbond® RP, 3/4" IG



2010 S
 3/4" RP and 1-1/4" Innerbond®
 RP



2044 N S
 1-1/4" Innerbond® RP S
 3/4" RP



7081 N S
 1-3/4", 3/4" IG
 Available widths: 2'6", 2'8", 3'0"

Exterior Contemporary Collection

Fir Select, Sapele Mahogany, Walnut, Quarter Sawn White Oak, doors 3'0" x 6'8", sidelights 1'2" x 6'8½", unless otherwise noted



4972 | 6'8" & 8'0" N S
 1-3/4"
 Available widths: 2'6", 3'0", 3'6"
4973 N S
6'8" & 8'0"
 3/4" IG
 Available widths
 10", 12"



4974 | 6'8" & 8'0" N S
 1-3/4", 3/4" IG
 Available widths: 2'6", 3'0", 3'6"



4976 | 6'8" & 8'0" N S
 1-3/4", 3/4" IG
 Available widths: 2'6", 3'0", 3'6"
4977 N S
6'8" & 8'0"
 3/4" IG
 Available widths
 10", 12"




7403 | 6'8" & 8'0" N S
 1-3/4", 3/4" IG
 Available widths: 2'6", 3'0", 3'6"
7813 N S
6'8" & 8'0"
 3/4" IG
 Available widths
 10", 12"



7405 | 6'8" N S
 1-3/4", 3/4" IG
 Available widths: 2'6", 3'0", 3'6"
7815 | 6'8" N S
 3/4" IG
 Available widths 10", 12"



7406 | 8'0" N S
 1-3/4", 3/4" IG
 Available widths: 2'6", 3'0", 3'6"
7816 | 8'0" N S
 3/4" IG
 Available widths 10", 12"



Fir Select **Walnut** **Sapele Mahogany** **Quarter Sawn White Oak**

Interior Contemporary Collection


Fir Select, Mahogany, Walnut, White Oak, doors 3'0" x 6'8", unless otherwise noted




1603C N S
 1-3/8" Clear
 Available widths: 2'0", 2'4", 2'6",
 2'8", 3'0"



1603WL N S
 1-3/8" White Lami
 Available widths: 2'0", 2'4", 2'6",
 2'8", 3'0"



1605C N S
 1-3/8" Clear
 Available widths: 2'0", 2'4", 2'6",
 2'8", 3'0"



1605WL N S
 1-3/8" White Lami
 Available widths: 2'0", 2'4", 2'6",
 2'8", 3'0"

IG = Insulated Glazing
 SG = Single Glazing
 RP = Double Hip-Raised Panel
 FP = Flat Panel




EL & EL Wood Products

ELandELWoodProducts.com

Fir 20-Minute Fire-Rated Doors Douglas Fir, 1-3/4" thick, 6'8" height unless otherwise noted



9244 N S
1-7/16" RP,
Available widths: 2'8", 3'0"




9255 N S
1-7/16" RP,
Available widths: 2'8", 3'0"



9266 N S
1-7/16" RP,
Available widths: 2'6", 2'8", 3'0"



9265 N S
1-7/16" RP,
Available widths: 2'8", 3'0"




9282 N S
1-7/16" RP,
Available widths: 2'8", 3'0"

Fir Interior Raised Panel Doors Douglas Fir, 1-3/8" thick, 6'8" height unless otherwise noted



44 N S
3/4" RP, Available widths: 1'6",
1'8", 1'10", 2'0", 2'2", 2'4", 2'6",
2'8", 3'0"




55 N S
3/4" RP, Available widths: 1'6",
2'0" - 3'0"



66 N S
3/4" RP, Available widths: 1'6",
1'8", 1'10", 2'0", 2'2", 2'4", 2'6",
2'8", 3'0"



465 N S
3/4" RP, Available widths:
2'0" - 3'0"



82 N S
3/4" RP, Available widths: 1'6",
1'8", 1'10", 2'0", 2'4", 2'6",
2'8", 3'0"



43 | Bifold N S
3/4" RP,
Available widths: 2'0", 2'6", 3'0"



63 | Bifold N S
3/4" RP,
Available widths: 2'0", 2'6", 3'0"


Fir Interior Flat Panel Doors Douglas Fir, 1-3/8" thick, 6'8" height unless otherwise noted



20 N S
3/4" RP, Available widths: 1'6",
1'8", 2'0", 2'2", 2'4", 2'6", 2'8",
2'10" x 6'8"




82 N S
3/4" RP, Available widths: 1'6",
1'8", 2'0", 2'2", 2'4", 2'6", 2'8",
2'10" x 6'8"




30 N S
3/4" RP, Available widths: 1'6",
1'8", 2'0", 2'2", 2'4", 2'6", 2'8",
2'10" x 6'8"



21 | Bifold N S
1-3/8" FP,
Available widths: 2'0", 2'6", 3'0"



43 | Bifold N S
1-3/8" FP,
Available widths: 2'0", 2'6", 3'0"




33 | Bifold N S
1-3/8" FP,
Available widths: 2'0", 2'6", 3'0"

Fir Interior French Panel Doors Douglas Fir, 1-3/8" thick, 6'8" height unless otherwise noted



1501 | Ovolo/Shaker IG SG 1/8" SG, Available widths: 20" - 30"
1501 (Open) | Ovolo IG SG Available widths: 20" - 30"
1501 IG SG Satin Etch 1/8" SG, Available widths: 20" - 30"
1501 | Ovolo IG SG 1/8" SG w/white laminate glass Available widths: 20" - 30"
1501 | Shaker IG SG 1/8" SG Available widths: 20" - 30"
1501 | Shaker IG SG 1/8" SG w/white laminate glass Available widths: 20" - 30"
1501 | 8'0" | Ovolo IG SG 1/8" SG, Available widths: 26", 30"

Redi-Prime® Interior Primed, 1-3/8" thick, 6'8" height unless otherwise noted



1509 - 1309 IG SG 1/8" SG, Available widths: 20" - 30"
1510 - 1310 IG SG 1/8" SG, Available widths: 20" - 30"
1590 | Pantry IG SG 1/8" SG, Available widths: 20", 24", 26"
1592 | Wheat IG SG 1/8" SG, Available widths: 20", 24", 26"
8001 IG SG 1/8" SG, Available widths: 20" - 30"
8001 | 8'0" IG SG 1/8" SG, Available widths: 20" - 30"
8010 IG SG 1/8" SG, Available widths: 20" - 30"



8012 | 8'0" IG SG 1/8" SG, Available widths: 20" - 30"
8490 | Pantry IG SG 1/8" SG, Available widths: 20", 24", 26"
8490 | 8'0" Pantry IG SG 1/8" SG, Available widths: 20", 24", 26"
8492 | Wheat IG SG 1/8" SG, Available widths: 20", 24", 26"
8492 | 8'0" Wheat IG SG 1/8" SG, Available widths: 20", 24", 26"

IG = Insulated Glazing
 SG = Single Glazing
 RP = Double Hip-Raised Panel
 FP = Flat Panel



EL & EL Wood Products
ELandELWoodProducts.com

also available

thousands of products to complement your Simpson® door selection

Ultralight MDF Mouldings

Domestic MDF Mouldings

Solid, FJ & Primed FJ Pine Mouldings

Redwood & VG Fir Mouldings

White River™ Embossed &
High Relief Architectural Mouldings

White River™ Flexible Moulding

Hardwood Mouldings

Valuflex™ Flexible Moulding

HB&G™ Columns & Porch Systems

Fypon® Southwest Collection

Bodyguard® Protected Primed FJ Mouldings

Bodyguard® Protected Exterior Trimboard & Siding

MiraTEC® Treated Exterior Composite Trimboard

Carvings & Accessories

Majestic Mantels™ Pre-built Shelves, Surrounds &
Pilaster Kits

Pocket Door Frames

Closet Material

Interior & Exterior Door Frames



EL & EL Wood Products

Millwork that creates distinction.™

ELandELWoodProducts.com

Simpson®
Door Company

©2016 EL & EL Wood Products Corp.
16040401