

HERTER'S

Old World Craftsmanship

SINCE 1893

New World Production

MANUFACTURERS, IMPORTERS, EXPORTERS

THE AUTHENTIC WORLD SOURCE FOR FISHERMEN, HUNTERS, GUIDES,
GUNSMITHS, LAW ENFORCEMENT OFFICERS, TACKLE MAKERS, FOREST
RANGERS, COMMERCIAL FISHERMEN, TRAPPERS, EXPLORERS, EXPEDITIONS,
BACKPACKERS, PRECIOUS GEMS FOR INVESTORS,
COUTURIER SILKS, AND HOBBY CRAFTS.



\$1.00

SINCE 1893

\$1.00

CATALOG NO. 84

AUGUST 1973 — AUGUST 1974

MAKERS OF CUSTOM FISHING TACKLE — LEADING WORLD SOURCE FOR GEM STAR SAPPHIRES AND DIAMONDS — MAKERS OF CUSTOM ARCHERY — MAKERS OF CUSTOM AMMUNITION RELOADING AND LOADING MACHINES — MAKERS OF EXCLUSIVE COUTURIER SILKS AND FABRICS — MAKERS OF GOOSE DOWN SLEEPING BAGS — MAKERS OF GOOSE DOWN GARMENTS — MAKERS OF BACKPACKERS PACKS — MAKERS OF SNOWMOBILES — MAKERS OF AMMUNITION PRIMERS — MAKERS OF HUNTING DECOYS — MAKERS OF SHEFFIELD STEEL FISH HOOKS — MAKERS OF FIBERGLAS BOATS — MAKERS OF CUSTOM GUNSTOCKS — MAKERS OF THE FINEST QUALITY BINOCULARS AND TELESCOPE SIGHTS — MAKERS OF CLAY TARGETS — MAKERS OF SHOTGUN SHELLS — MAKERS OF BULLETS AND CENTER AND RIMFIRE AMMUNITION — MAKERS OF THE FINEST SURVIVAL AND CAMPING EQUIPMENT — MAKERS OF GAME CALLS — MAKERS OF SHOTGUNS AND RIFLES — MAKERS OF VENTILATED SHOTGUN RIBS — MAKERS OF TRAIL MOTORCYCLES — MAKERS OF SONAR EQUIPMENT, ELECTRONIC DOG TRAINERS

HERTER'S INC.,


MITCHELL, SOUTH DAKOTA • WASECA, MINNESOTA • OLYMPIA, WASHINGTON
BEAVER DAM, WISCONSIN • IOWA FALLS, IOWA • GLENWOOD, MINNESOTA

Herter's World Famous Laminated Composite Wood and Fiberglas Bows

BEFORE BUYING ANY BOW FROM HERTER'S OR ANYONE ELSE READ THIS CAREFULLY.

HOW TO SELECT THE PROPER BOW PULL WEIGHT

Adult Bows.



The "weight of a bow is the amount of force required to hold a 28 inch arrow in the bow with the point of the arrow level with the back edge of the bow.

If you do not hold the point of the arrow even with the back edge of the bow or if you use a shorter arrow than 28 inches long you are of course not getting all the force necessary for the full pull weight of the bow. For every inch shorter arrow you use than 28 inches or for every inch you let the point of the arrow protrude from the back of the bow you use about 2 pounds less of the full pull weight of the bow.

Herter precision machine for testing bow pull weight. Guaranteed actual weight.

pounds less of the full pull weight of the bow.

Youth Bows.

The pull weight of the bow is measured the same as for adult bows but is based on an arrow 26 inches long instead of 28 inches long.

The lighter pull weight of a bow you can use to perform satisfactorily for you on targets or on game the more accurately you can shoot. The reason for this is that the more strain you put on your arm muscles the more they tend to move, quiver, or shake and the more inaccurate your shooting. The same applies to rifle and pistols, the harder the trigger pull the less accurately you can shoot the gun

BOW WEIGHT GUIDE CHART FOR MEN

Archers Weight	Archer's Height			
	5'8"	5'10"	6'0"	6'2"
150 lbs.	target 30-35 lbs.	30-40 lbs.		
	hunting 40-45 lbs.	40-45 lbs.		
160 lbs.	target 30-40 lbs.	30-40 lbs.		
	hunting 40-50 lbs.	40-50 lbs.		
170 lbs.	target 30-40 lbs.	30-40 lbs.	30-40 lbs.	
	hunting 40-50 lbs.	40-50 lbs.	40-50 lbs.	
180 lbs.	target 30-45 lbs.	30-45 lbs.	30-45 lbs.	30-45 lbs.
	hunting 40-50 lbs.	40-50 lbs.	40-50 lbs.	40-50 lbs.
190 lbs.	target 35-45 lbs.	35-45 lbs.	35-45 lbs.	40-45 lbs.
	hunting 40-60 lbs.	40-60 lbs.	40-60 lbs.	40-60 lbs.
200 lbs.	target 40-50 lbs.	40-50 lbs.	40-50 lbs.	40-50 lbs.
	hunting 40-60 lbs.	40-60 lbs.	40-60 lbs.	40-60 lbs.
210 lbs.	target 40-50 lbs.	40-50 lbs.	40-50 lbs.	40-50 lbs.
	hunting 40-60 lbs.	40-60 lbs.	40-60 lbs.	40-60 lbs.
220 lbs.	target 40-50 lbs.	40-50 lbs.	40-50 lbs.	40-50 lbs.
	hunting 40-60 lbs.	40-60 lbs.	40-60 lbs.	40-60 lbs.
230 lbs.	target 40-50 lbs.	40-50 lbs.	40-50 lbs.	40-50 lbs.
	hunting 40-60 lbs.	40-60 lbs.	40-60 lbs.	40-60 lbs.

Adult Men Bow Pull Weights.

TARGET SHOOTING: 30 to 45 pound pull weight bows.
BIG GAME HUNTING: 40 to 60 pound bows. We suggest that you use as heavy a bow as you can comfortably shoot. Pre-hunting practice is important regardless of bow weight. Condition yourself to handle the bow weight you are shooting. Vital hits are the key to success in archery hunting.

Listed in the Bow Weight Guide Chart are the suggested

pull weights for target and hunting. We have listed target weights up to 50 pound pull maximum. Actually, few target shooters will use this heavy a bow. The average target archer will use a bow from 30 to 45 pounds when using a sight. The instinctive target archer generally uses a bow 2 or 3 pounds heavier so that he has a flatter trajectory, which is a distinct advantage for the instinctive. Hunting bow weights vary more than target weights. They depend upon the game being hunted and the individual. The average hunting bow weights fall into the 45 and 55 pound group. Bows of 50 pounds or heavier are a distinct advantage in big game hunting. They allow the use of heavier arrows which provide maximum penetration that is always important. With the use of Herter's Archery Bow Hand Rest, everyone should now be able to properly shoot a 50 pound bow. See listing for further information.

Women.

TARGET SHOOTING: 25 to 35 pound bows based on 28 inch pull. Most women use a 26 inch arrow for target shooting which drops the pounds of pull weight of the bow about 2 pounds. Therefore, they are actually pulling from 23 to 33 pounds.

BIG GAME HUNTING: 35 to 45 pound bows. These are generally minimum weights required by game laws. Most women will require considerable practice to be able to shoot these heavier bows properly.


Youth Bow Pull Weights.

Youths vary greatly in size and strength and hence proper bow weight pulls vary greatly.

TARGET SHOOTING: 8 to 12 year old with 24 inch arrows. 20 or 25 pounds of bow pull weight. 9 to 12 years old with 26 inch arrows. 20, 25, 30, 35 pounds of bow pull weight.

BIG GAME HUNTING: 12 to 15 years old. With 26 or 28 inch arrows. 40 to 45 pounds of bow pull weight.

Right Hand or Left Hand?



Right Handed

Left Handed

Many beginners become confused when purchasing their first bow as to whether they require a right hand or a left hand bow. An archer shooting right handed will hold the bow in his left hand and draw the string with the right hand. The right hand bow will have the sight window off set and the arrow rest on the left side when held in the shooting position as illustrated by the right hand archer. Some individuals, although normally right handed may find it more comfortable and have more control over the drawn bow by shooting left handed. There is no disadvantage whatever in shooting left handed as any required equipment is readily available for the left hand archer.

HERTER'S WORLD FAMOUS LAMINATED COMPOSITE WOOD AND FIBERGLAS BOWS

HERTER'S ARE THE ONLY ACTUAL BOW MANUFACTURER THAT SELLS DIRECT TO THE ARCHER AT LOW PROFIT VOLUME PRICES. YOU PAY NO JOBBER OR WHOLESALER PROFITS AT ALL. HERTER BOWS ARE MADE SO WELL THAT THEY ARE GUARANTEED FOR FOURTEEN MONTHS AGAINST BREAKING IN USE, FAULTY WORKMANSHIP OR MATERIALS.

HERTER'S BOWS ARE YEARS AHEAD IN ENGINEERING AND MATERIALS

STUDY THESE EXCLUSIVE FEATURES.

One of the most important factors in the accuracy of a bow is

the rest or place on the bow where the front of the arrow is rested on the bow.



until the arrow has passed the bow itself.

When you release the bow string with an arrow in the bow the terrific force of the bow string bends the arrow outward. The arrow does not recover from this severe bend

BEGINNING ARCHERS NEED A DIFFERENT REST THAN THE EXPERIENCED ARCHER

When beginning archers first start to shoot a bow they should have a solid rest to rest the arrows on, yet it must be a rest that the arrow will not hit when bent under pressure of the released bow string and one that has a minimum surface for the arrow to ride over so that the arrow will not drag as it goes over the rest.

As the archer becomes experienced, for maximum possible accuracy and arrow speed, they must have an arrow rest that does not in any way affect the release of the arrow either by having the bent arrow hit the arrow rest or by the arrow dragging on the arrow rest.

EVERY HERTER LAMINATED COMPOSITE WOOD AND FIBERGLAS BOW COMES WITH TWO ARROW RESTS. ONE FOR THE BEGINNING ARCHER AND ONE FOR THE EXPERIENCED ARCHER.

MODEL 1 HERTER INTERNATIONAL MATCH ARROW REST



This is the finest rest possible for the beginning archer or anyone who desires a solid rest. It is made of durable resilient plastic.



The top has a radiused surface so that the arrow cannot drag on the rest. This rest leaves you a complete view of the target both above and below the arrow. This solid rest allows the beginning archer to get used to positioning the arrow on the bow and holding it in position. The rest is easily cemented to the window of the bow by removing the protective sheet from the pressure sensitive leather backing and can easily be removed when ready for the Model 2 rest.

MODEL 2 HERTER INTERNATIONAL MATCH ARROW REST

This arrow rest is the finest possible to make for the experienced archer. It is made of medium Du Pont nylon fishing leader monofilament not the light weak paint brush type bristles that are found in mascara brushes. The nylon leader material is set into solid plastic shield. The nylon leader material pieces are set in a round brush not in a straight line, like a mascara brush. When the arrow goes over this Herter rest there is no drag at all and the arrow bent under pressure as it is released does not touch them at all. Many archers are now using plastic arrow fletching. All arrow rests but this one tend to tear the plastic fletching. Easily installed on all bows by removing protective paper backing and pressing rest in place.



This



Not This

This Herter Model 2 will not bother plastic fletching at all


IN ORDERING HERTER BOWS YOU HAVE THESE CHOICES THAT YOU GET IN ORDERING NO OTHER BOWS IN THE WORLD

We will send the bow to you with the Model 1 International Match Arrow Rest mounted and the unmounted Model 2 rest along with the bow so if you want to change rests at any time you can.

All Herter's late model bows have a special contoured sight window shelf. The new radiused shelf increases the strength of the handle section and allows for a more pleasing appearance. 90 degree shelves which originated in years past were fashioned so that the arrow was rested on shelf while shooting. Shooting the arrow from the sight window shelf results in poor accuracy and inconsistent arrow grouping. A bow should never be shot in this manner as it allows absolutely no arrow clearance. An independent rest such as our Model 1 and Model 2 or our adjustable rests for target bows should be used at all times.

HERTER'S FARBENGLAS BOW BACKING

German Farbenglas power backing and facing for Herter Composite wood and fiberglas bows is the greatest improvement ever made in fine bow making.



Bring in any fiberglas bow backing or facing and have it tested in our testing machines while you watch it. You will be amazed and surprised to see that the well known ones crack and fibers break in half the time and less of German Farbenglas Backing.

A free bow of his choice to any manufacturer or individual who brings us a composite wood and fiberglas bow that will out perform a Herter composite wood and fiberglas bow.

Remember Herter's have been working with Fiberglas much longer than any bow maker in North America.

Herter's do not use the obsolete unidirectional spool method of making bow backing and facing as it is used by many well known North American bow makers.

SELECTING PROPER BOW LENGTH

The selection of the proper bow length for the inexperienced archer always presents a problem. Certain advantages can be gained from the various bow lengths if they are to be used for a specific purpose rather than all around archery.

Target bows should not be shorter than 66 inches and preferably 70 to 75 inches. The long bows are considerably more stable and less critical to the archer's errors than the short bows. In speaking of target bows, we refer to bows being used for competitive target and field shooting or for just plain enjoyment. In target shooting, we are


HERTER'S HAVE TOMORROW'S PRODUCTS TODAY!

faced with target distances up to 100 yards and up to 80 yards in field shooting. We have a great many targets from 50 to 65 yards. At these distances minor errors in the archer's release, bow hand movement, flinching, etc. can throw the arrow well off the target. Short bows being more critical only tend to magnify these errors. If you plan on using your bow for target shooting only, select one of the longer lengths.

Hunting bows generally are shorter, although, for hunting, a bow 66 inches or longer can be shot consistently more accurately than the shorter lengths. The use of Herter's Archery Bow Hand Rest now facilitates the shooting of short bows and allows accuracy that was never possible before. In hunting, however, most of your shooting will be done at close range, that is, within 30 or 35 yards. For this reason we can use shorter bows and still maintain the accuracy required. Short bows are easier to handle when shooting from a kneeling position or from tree stands, etc. Short bows do not necessarily have more cast or shoot harder than a long bow. Properly designed bows in the longer lengths are just as efficient as the short bow with heavy broadhead arrows.

**HERTER'S FAMOUS JUNIOR FARBENGLAS BOWS
CUSTOM QUALITY FOR YOUNG ARCHERS**

Herter's Junior Farbenglas Archery bows are not toys but rather a modern weapon. We have designed these three models to meet all




the demands of the young archer from price range to length and pull weights. These models are all based on the adult Turkish recurved designs which are the most efficient bows ever developed. Do not handicap your son or daughter by starting them with a poorly designed bow that never will shoot accurately. Our junior bows are made of solid Farbenglas a German fibreglas unequalled for archery bows. The grips are contour molded plastic and the bows come complete with a woven dacron bow string.

QA2K3 Length five feet for youngsters 10 to 15 years old. Pull weights 25, 30, 35, 40 and 45 lbs. For either right or left hand archers. Shpg. wt. 3 lbs. **\$11.25**

QA2K5 Length four feet six inches, for youngsters 8 to 12 years old. Pull weights approximately 25 pounds at 24". For right hand archers only. Shpg. wt. 3 lbs. **\$7.48**

QA2K7 Length four feet for youngsters 6 to 10 years old. Pull weight approximately 15 pounds at 22". For either right or left hand archers. Shpg. wt. 2 1/2 lbs. **5.79**

HERTER'S JUNIOR FARBENGLAS BOW OUTFITS



For young archers 10 to 15 years old. Outfit contains one five foot Junior Farbenglas bow, six 26 inch Port Orford cedar target

Bows for use in bow fishing should be short. In shooting rough fish all shots will be close and the short bow is much easier to handle both in transportation and in actual use.

IMPORTANT NOTICE

A bow stringer is supplied with each new bow. It is important that you read and carefully study the instructions for the use of this bow stringer. Nearly 100% of all trouble experienced with modern recurved bows can be traced to improper stringing. Twisted limbs resulting from improper stringing nearly always results in a broken bow in a short time. We cannot assume the responsibility for improper use and, therefore, wish to emphasize the importance of the use of this bow stringer. If you have previously purchased a bow, we suggest you order a bow stringer from our catalog listing. They are reasonably priced and actually worth their weight in gold should you break your bow without their use on a hunting trip.

and small game arrows, one arm guard, one shooting tab and one 16 inch four color target. Bow may be used either right or left handed. Please specify for proper shooting tips. Pull weights 25, 30, 35, 40 and 45 pounds.

QA2K4 Shpg. wt. 3 1/2 lbs. **\$14.87**

For young archers from 8 to 12 years old. Outfit contains one four foot 6 inch Junior Farbenglas bow, six 24 inch Port Orford cedar target and small game arrows, one arm guard, one shooting tab and one 16 inch four color target. For right hand archers only. Approximately 25 pound pull weight.

QA2K6 Shpg. wt. 3 1/2 lbs. **\$10.95**

For young archers from 6 to 10 years old. Outfit contains one four foot Junior Farbenglas bow, six 24 inch Port Orford cedar target and small game arrows, one leather arm guard, one shooting tab and one 16 inch four color target. For either right or left hand archers in approximately 15 pound pull weight.

QA2K8 Shpg. wt. 3 lbs. **\$8.79**



Roosevelt Elk taken by Jess Martin scored 295 7/8 Pope and Young points and as of this printing is the New unofficial world record.

Jess downed this fine Elk near Long Island, Wash. with Herter's 66" Sitka and Herter's arrows with Ram MX Broadheads.

HERTER'S HAVE TOMORROW'S PRODUCTS TODAY!

Herter's Archery Bow Hand Rest

AN UNBELIEVABLE AID FOR BOW HUNTING
PATENT NUMBER 3,557,769



Herter's Archery Bow Hand Rest

A MUST FOR EVERY BOW HUNTER. Herter's new hand rest for archery bows offers a new revolutionary way of shooting the conventional long bow. The hand rest allows the shooter to draw his bow in a normal manner to his particular draw length and then



Your normal draw length and anchor point can be used with Herter's Archery Bow Hand Rest. Illustration shows index finger at the corner of the mouth for instinctive shooting. Can also be used in conjunction with a bow sight if desired.

allows his hand to come to rest and to be supported by Herter's hand rest. This allows all of the tension on both arms to be relieved and all of the tension from the drawn string to be transferred to the fingers drawing the string. There will then be no tension on either arm and the archer can comfortably aim and release his arrow in the normal manner without the excessive strain on both arms. This is not a mechanical release. The bow is hand drawn, hand held and hand released. The string cannot be held indefinitely but it can be held comfortably for proper aiming without undue strain, regardless of bow weight. Most archers can immediately use a bow 10 pounds heavier which is a definite advantage for big game hunting.

The steel bracket is attached to the bow with three screws. The special alloy aluminum extension rod is available in four different lengths and each length is adjustable within a steel ferrule for three different draw lengths. The extension rod with hand rest attached can be quickly removed for transporting if desired.

Herter's Archery Bow Hand Rest is presently available only installed on your new Herter's hunting bow, your present Herter's hunting bow or bow of another manufacture providing it has a wood or composition handle. When sending your bow to us, pack it well and insure it for full value. For either right or left hand bow. (We do not list this item for self installation.)

Complete with detailed illustrated instructions. Sent separate upon request.

- QB1M** 27 inch draw length - will adjust to 26 inch or 28 inch length also. Installed only **\$14.97**
- QB1M1** 28 inch draw length - will adjust to 27 inch or 29 inch length also. Installed only **14.97**
- QB1M2** 29 inch draw length - will adjust to 28 inch or 30 inch length also. Installed only **14.97**
- QB1M3** 30 inch draw length - will adjust to 29 inch or 31 inch length also. Installed only **14.97**

HERTER'S MODEL PERFECTION CROSS BOW



Herter's model Perfection Cross Bow is a modern version of this age-old, effective weapon. This bow is not a toy but rather a rugged, efficient, precision-built instrument, capable of killing all big game yet fine enough to enjoy for target shooting.

Cross bow shooting is becoming more and more popular for big game hunting, predator hunting or just plain shooting for fun. More and more restrictions are being lifted in the use of cross bows. In many states it is now legal for big game, predators etc. Due to the ever changing laws we advise that you consult your local state conservation dept., for regulations governing the use of cross bows in your state.

Herter's model Perfection Cross Bows feature an imported, exotic hardwood stock beautifully finished in hard epoxy. An all steel alloyed 80 pound pull full Turkish recurved bow, all steel, gun blued trigger assembly, sights, bow holders, cocking stirrup etc. There are no aluminum or other cheap metals used in their construction. The trigger assembly features an automatic safety that automatically puts the gun on "safe" every time it is cocked. The bow string is the finest handmade of dacron and end loops served with nylon serving thread. Center serving is hard nylon monofilament for maximum life. Complete with three aluminum target arrows, pocket quiver, bow stringer and string.

- QA2K2** Shpg. wt. 12 lbs. **\$29.95**
- QA2K2A** Extra aluminum target arrows. Shpg. wt. 1 1/2 lbs. Per six **6.47**
- QA2K2B** New Magnum aluminum broadhead arrow. Shpg. wt. 1 1/2 lbs. Per six **7.98**
- QA2K2S** Extra crossbow string 29 1/2". Shpg. wt. 4 oz. **1.98**

HERTER'S HAVE TOMORROW'S PRODUCTS TODAY.
ACTUAL UNRETOUCHED PHOTOS



QA2N50

QA2N76

QA2N53

QA2N6

HERTER'S HAVE TOMORROW'S PRODUCTS TODAY!

ACTUAL UNRETOUCHED PHOTOS



QA2M27

NST49
CAMOUFLAGE
FINISH
Available on all bows
\$5.00 extra

QA2N32

QA2M24

Herter's Model Perfection Hunters Turkish Laminated Composite Wood and Glass Bows

The handle deflex of each individual length has been designed to the exact degree required to provide 100% bow stabilization during arrow release. The full Turkish recurve limb designs afford maximum cast and efficiency with no stack on draw or kick upon arrow release. The Model Perfection archery bows are available in three popular hunting lengths.

The 56 inch, 52 inch and the new 46 inch are quick to draw and handle in the heaviest cover. The handle or riser sections have been designed for a comfortable full-sized grip. Nothing like the small inadequate grips you have been used to seeing on short bows. Short bows have been tricky and hard to shoot accurately in the past. These short lengths with the heavy deflexed handle section and expertly designed Turkish recurves have more stability than competitive bows six inches longer.

Herter's New Bow Hand Rest greatly facilitates the shooting of short bows. See listing for this completely new way to pin point accuracy for hunting.

STUDY THESE SPECIFICATIONS CAREFULLY BEFORE BUYING ANY BOW AND COMPARE THEM

LENGTH OF BOW: Available in 56 inch, 52 inch and 46 inch.
OVERALL STRUNG BOW LENGTH: 56 inch, 51 inches; 52 inch, 46 inches; 46 inch, 40 inches.

LIMBS: Full-working short Turkish recurve. So many bows today claim to be a full-working recurve but have no working recurve at all.

HANDLE CENTER SHOT: The sight window is cut to the exact center in relation to the width of the handle. This means that when an arrow is rested against the sight window, the arrow will be off center one half of its diameter. The bow will perform best by resting the arrow in this manner. If you desire to shoot the bow with the arrow further from the center, it may be done by cementing leather or other material against the sight window where the arrow rest is installed. This, however, will make the bow more critical to arrow spine and it will be necessary to match the arrows more closely.

HANDLE MATERIAL: Solid, exotic imported rosewood selected for contrasting grain and beauty.

HANDLE SHAPE: Deflexed to an exacting degree for each specific bow length.

GLASS BACKING: Desert tan German Farbenglas, the finest backing possible to produce. Desert tan color for the backing so that the bow camouflages well.

GLASS FACING: Black German Farbenglas. The finest facing possible to produce.

LIMB MATERIALS: Two No. 1 Canadian rock maple pieces in each limb bonded permanently together and micro-precision tapered to the tips. German Farbenglas faced and backed. Without careful micro-precision tapering of the maple strips you cannot get peak performance out of any bow.

MAXIMUM LIMB WIDTH: One and 14/16 inches.

ARROW RESTS: Come with exclusive Model 1 and Model 2 International Match arrow rests the finest possible to produce. Model 1 is a pressure sensitive solid rest for beginning archers. Model 2 is a pressure sensitive nylon monofilm leader material round brush for experienced archers. The rests can be interchanged with no difficulty at all.

STRING: Entirely handmade. Finest Du Pont Dacron. All servings handwrapped with Du Pont nylon. The finest bow string possible to make. 56 inch bow, 49 1/2 inch string; 52 inch bow, 46 inch string; 46 inch bow, 40 inch string.

FISTMELE HEIGHT: From back of bow: 56", 9 3/4" to 10 1/4"; 52", 8 3/4" to 9 1/4"; 46", 9 3/4" to 10 1/4".



QA2N36 — 46 inch QA2N34 — 52 inch QA2N32 — 56 inch

STRING QUIETER: Du Pont neoprene rubber buttons on each end of the bow string to keep it from making a noise when released and from catching grass and twigs between the string and the tip of the bow.

GRIP: Modified flat wrist with wide palming area. Entirely hand shaped and hand sanded. Special contoured hand filling grip.

FINISH: Epoxy plastic will last longer than you will. Will not wear off in a season of hard use like lacquered or varnished competitive bows. The only bows made in North America with genuine epoxy finish. Make this test. Take your thumb nail and scrape any competitive bow on the handle. The finish will come off. Try this same test on a Herter Bow. The finish will not come off however you may dent the wood. The exclusive epoxy finish is not only durable but prevents the bow from absorbing moisture on humid days and from drying out on hot dry days giving you uniform performance regardless of the weather. Lacquered or varnished bows do not prevent the bow from absorbing moisture or from drying out and they do give you different arrow point of impact depending on the weather.



ARROWS: In ordering arrows specify arrows having a spine of 5 pounds more than the pull weight of the bow due to its greater cast.

PULL WEIGHTS: Available in 30 to 34, 35 to 39, 40 to 44, 45 to 49, 50 to 54, 55 to 59 and 60 to 65 pounds. Be sure to specify the pull weight when ordering. If in doubt about what pull weight to order see the guide in front of archery section.

BOW TIP OVERLAYS: Two laminations of Farbenglas in colors black and tan.




Close up view of the Farbenglas overlays on the bow tip.

QA2N32	Right hand 56 inch length	Shpg. wt. 4 lbs.	\$37.50
QA2N33	Left hand 56 inch length	Shpg. wt. 4 lbs.	37.50
QA2N34	Right hand 52 inch length	Shpg. wt. 3 lbs.	37.50
QA2N35	Left hand 52 inch length	Shpg. wt. 3 lbs.	37.50
QA2N36	Right hand 46 inch length	Shpg. wt. 3 lbs.	42.50
QA2N37	Left hand 46 inch length	Shpg. wt. 3 lbs.	42.50

Herter's Model 62 Magnum Takedown Hunter Turkish Laminated Composite Wood And Glass Bows

Patent Pending



Our Model 58 and 62 Magnum have been designed after our long famous Sambar bows. These bows cast heavy hunting arrows at maximum velocities with stability to spare. In these most popular of all hunting bow lengths the new 58 and 62 Magnum Takedown are truly take down bows in all respects. The bows can be assembled or disassembled in just seconds. There are no screws, bolts, hinges, snaps or locks to fool with or become lost. The limbs are merely slipped into a locked position and are held in place under spring tension until the bow is strung in the normal manner. Best of all these bows are interchangeable in two lengths with the same handle section. Once the bow is strung it is impossible to remove the limbs. It shoots with as little vibration as a standard one piece bow. If you haven't considered our archery Bow Hand Rest please refer to listings. This hand rest installed on the Magnum Takedown offers hunting advantages never before possible.

STUDY THESE SPECIFICATIONS CAREFULLY BEFORE BUYING ANY BOW AND COMPARE THEM

LENGTH OF BOW: 62 inches and 58 inches.
OVERALL STRUNG BOW LENGTH: 57 inches and 53½ inches.
LIMBS: Full proven working recurve. So many bows today claim to be a full working recurve but have no working recurve at all. Available in either 62 inch or 58 inch limb sets. Both are interchangeable so that you can order extra limbs for either length.

HANDLE CENTER SHOT: The sight window is cut to the exact center in relation to the width of the handle. This means that when an arrow is rested against the sight window the arrow will be off center one half of its diameter. The bow will perform best by resting the arrow in this manner. If you desire to shoot the bow with the arrow farther from center it may be done by cementing leather or other material against the sight window where the arrow rest is installed. This, however, will make the bow more critical to arrow spine and it will be necessary to match the arrows more closely.

HANDLE MATERIAL: Amaloy aluminum or exotic imported rosewood, one of the most beautiful and desirable woods for bow construction.

HANDLE SHAPE: Deflexed to an exacting degree with built-in double bow hand stabilizer.

GLASS BACKING: Desert tan German Farbenglas. The finest backing possible to produce. Desert tan color for the backing so that the bow camouflages well.

GLASS FACING: Black German Farbenglas. The finest facing possible to produce.

LIMB MATERIALS: Two No. 1 Canadian rock maple pieces in each limb bonded permanently together and micro-precision tapered to the tips. German Farbenglas faced and backed. Without careful micro-precision tapering of the maple strips you cannot get peak performance out of any bow.

LIMB RISER MATERIAL: Jet black, fiber reinforced resin for maximum strength and abrasion resistance.

MAXIMUM LIMB WIDTHS: 1 and 14/16 inches.

ARROW RESTS: Comes with exclusive Model 1 and Model 2 International Match arrow rests the finest possible to produce. Model 1 is a pressure sensitive solid rest for beginning archers. Model 2 is a pressure sensitive nylon monofilm leader material round brush for experienced archers. The rests can be interchanged with no difficulty at all.

STRING: Entirely handmade. 56 inches long for 62 inch limbs; 52½ inches long for 58 inch limbs. Finest Du Pont Dacron. All servings hand wrapped with Du Pont nylon.

FISTMELE HEIGHT: From back of bow 10 to 10½", for Rosewood handle. 9¾" to 10¼" for aluminum handle.

STRING QUIETER: Du Pont neoprene rubber buttons on each end of the bow string keep it from making a noise when released and from catching grass and twigs between the string and the tip of the bow.

GRIP: Modified flat wrist with wide palming area. Entirely hand shaped and hand sanded. Special contoured hand filling grip.

TAKEDOWN BRACKETS: Spring tempered steel finished in neutral epoxy plastic to blend with bow materials.

FINISH: Clear epoxy plastic that that will last longer than you will. Will not wear off in a season of hard use like lacquered and

varnished competitive bows. Herter's are the only bows made in North America with genuine epoxy finish. Make this test. Take your thumb nail and scrape any competitive bow on the handle. The finish will come off. Try this same test on a Herter bow, the finish will not come off however you may dent the wood. The exclusive epoxy finish is not only the most durable finish but prevents the bow from absorbing moisture on humid days and drying out in hot days, thus giving you entirely different performance depending on the weather. Lacquered or varnished bows do not prevent the bow from absorbing moisture or from drying out and do give you a different arrow point of impact depending on the weather.

ARROWS: In ordering arrows specify the arrows having a spine of 5 pounds more than the pull weight of the bow due to its great cast qualities.

PULL WEIGHTS: Pull weights available in 35 to 39, 40 to 44, 45 to 49, 50 to 54, 55 to 59 and 60 to 65 lbs. Be sure to specify pull weight when ordering. If in doubt about what pull weight to order see the guide in front of archery section.

Close up view of the Farbenglas overlays on the bow tip.



BOW TIP OVERLAYS: Two laminations of Farbenglas in colors black and tan.

BOW CASE:

Each Magnum Takedown comes complete with a beautiful vacuum-formed hard plastic case, foam lined for maximum bow protection.



COMPLETE BOW WITH AMALLOY ALUMINUM HANDLE

QA2N80 Right hand 62"	\$59.95
QA2N81 Left hand 62"	59.95
QA2N82 Right hand 58"	59.95
QA2N83 Left hand 58"	59.95

COMPLETE BOW WITH ROSEWOOD HANDLE

QA2N53 Right hand 62"	\$69.50
QA2N54 Left hand 62"	69.50
QA2N60 Right hand 58"	69.50
QA2N61 Left hand 58"	69.50

EXTRA LIMBS AND HANDLE SECTIONS

QA2N55 Extra set of limbs 62". (Specify pull weight)	\$29.95
QA2N62 Extra set of limbs 58". (Specify pull weight)	29.95
QA2N63 Right hand. Rosewood handle only. May be used interchangeably with either length limb	33.97
QA2N63L Left hand. Rosewood handle only	33.97
QA2N64 Right hand Amaloy aluminum handle section only. May be used interchangeably with either length limb	24.47
QA2N64L Left hand. Amaloy aluminum handle only	24.47

Shpg. wt. bows 5 lbs.; limbs 3 lbs.; handle 3 lbs.

*Herter's Model Perfection Premier
Magnum Hunter Laminated Wood and Glass
Bow*



200 FEET PER SECOND VELOCITY, WITH A HUNTING ARROW WEIGHING 500 GRAINS AT 29 INCHES WITH A 55 POUND BOW WEIGHT
NOW IN TWO NEW LENGTHS

Here is the bow designed for the hunter archer who desires the finest in hunting equipment. Every possible feature of the modern bowyers art has been utilized to make this one of the most outstanding hunting bows of this day.

We invite you to shoot and compare this bow in all respects to any hunting bow, regardless of price.

Herter's new Bow Hand Rest fitted on any of these Magnums will unbelievably increase your ability as a hunter. See listing.

STUDY THESE SPECIFICATIONS CAREFULLY BEFORE BUYING ANY BOW AND COMPARE THEM

LENGTH OF BOW: Available 62 inch, 60 inch and 58 inch lengths. Full working short turkish recurve so many bows today claim to be a full working recurve but have no working recurve at all.

OVERALL STRUNG BOW LENGTH: 62 inch, 57 inches; 60 inch, 55 inches; 58 inch, 53½ inches.

HANDLE CENTER SHOT: The sight window is cut to the exact center in relation to the width of the handle. This means that when an arrow is rested against the sight window, the arrow will be off center one half of its diameter. The bow will perform best by resting the arrow in this manner. If you desire to shoot the bow with the arrow further from the center it may be done by cementing leather or other material against the sight window where the arrow rest is installed. This, however, will make the bow more critical to arrow spine and it will be necessary to match the arrows more closely.

HANDLE MATERIAL: Solid exotic imported rosewood selected for contrasting grain and beauty.

HANDLE SHAPE: Deflexed to an exacting degree for specific bow length with built in double bow hand stabilizers.

GLASS BACKING: Desert tan German Farbenglas. The finest backing possible to produce. Desert tan color for the backing so that the bow camouflages well.

GLASS FACING: Black German Farbenglas. The finest facing possible to produce.

LIMB MATERIALS: Two No. 1 Canadian rock maple pieces in each limb bonded permanently together and micro-precision tapered to the tips. German Farbenglas faced and backed. Without careful micro-precision tapering of the maple strips you cannot get peak performance out of any bow.

MAXIMUM LIMB WIDTH: One and 14/16 inches.

ARROW RESTS: Come with exclusive Model 1 and Model 2 International Match arrow rests the finest possible to produce. Model 1 is a pressure sensitive solid rest for beginning archers. Model 2 is a pressure sensitive nylon monofilm leader material round brush for experienced archers. The rests can be interchanged with no difficulty at all.

STRING: 62 inch, 56 inches; 60 inch, 53½ inches; 58 inch, 52½ inches. Entirely handmade. Finest Du Pont Dacron. All servings hand-wrapped with Du Pont nylon. The finest bow string possible to make.

FISTMELE HEIGHT: From back of bow: 62 inch, 10" to 10½"; 60 inch, 9¾" to 10¼"; 58 inch, 10" to 10¾".

STRING QUIETER: Du Pont neoprene rubber buttons on each end of the bow string to keep it from making a noise when released and from catching grass and twigs between the string and the tip of the bow.

GRIP: Modified flat wrist with wide palming area. Entirely hand shaped and hand sanded. Special contoured hand filling grip.

FINISH: Epoxy plastic will last longer than you will. Will not wear off in a season of hard use like lacquered or varnished competitive bows. The only bows made in North America with genuine epoxy finish. Make this test. Take your thumbnail and scrape any



competitive bow on the handle. The finish will come off. Try this same test on a Herter Bow. The finish will not come off however you may dent the wood. The exclusive epoxy finish is not only durable but prevents the bow from absorbing moisture on humid days and from drying out on hot dry days giving you uniform performance regardless of the weather. Lacquered or varnished bows do not prevent the bow from absorbing moisture or from drying out and they do give you different arrow point of impact depending on the weather.

ARROWS: In ordering arrows specify arrows having a spine of 10 pounds more than the pull weight of the bow due to its greater cast.

BOW TIP OVERLAYS: Two laminations of Fiberglass in colors black and tan.



Close up view of the Fiberglass overlays on the bow tip.


PULL WEIGHTS: Available in 35 to 39, 40 to 44, 45 to 49, 50 to 54, 55 to 59 and 60 to 65 pounds. Be sure to specify the pull weight when ordering. If in doubt about what pull weight to order see the guide in front of the archery section.



BOW CASE: Each Perfection Premier magnum comes complete with a beautiful heavy-weight expanded vinyl bow case. The case features a protected zippered opening, soft stretch knitted lining and double carrying handles. . . a case you'll be proud to carry your bow in.

QA2M62	Right hand 62 inch length	Shpg. wt. 5 lbs.	\$59.95
QA2M63	Left hand 62 inch length	Shpg. wt. 5 lbs.	59.95
QA2M24	Right hand 60 inch length	Shpg. wt. 5 lbs.	59.95
QA2M25	Left hand 60 inch length	Shpg. wt. 5 lbs.	59.95
QA2M58	Right hand 58 inch length	Shpg. wt. 5 lbs.	59.95
QA2M59	Left hand 58 inch length	Shpg. wt. 5 lbs.	59.95

Herter's Model Perfection Junior Bows Turkish Laminated Composite Wood And Fiberglas



We have designed these bows for our sons and daughters who deserve the right to shoot the same quality bow as mom and dad. The same high quality materials are used in its manufacture as in our adult bows. The modern bow hand double stabilized handle is not only stylish in design but very functional in performance by restricting bow hand movement during arrow release. The full working short Turkish recurves are not only extra stable but impart full power to the arrow even with short draw lengths. Your son or daughter will not only shoot better with these Junior bows but will develop a keener interest in archery because they have a bow like mom and dad. The Sambar Junior is recommended for boys and girls eight through fifteen and the Perfection Sitka Junior for boys and girls from ages five through ten.

SPECIFICATIONS

LENGTH OF BOW: Available in two lengths: 56 inch Perfection Sambar Junior and 48 inch Perfection Sitka Junior.


MATERIALS: Brown fiberglas backed and maple core faced limbs. Exotic imported hardwood handle with center shot design.

STRING: Perfection Sambar Junior 49 1/2 inches and Perfection Sitka Junior 43 3/4 inches.

PULL WEIGHTS: Perfection Sambar Junior 20 to 24, 25 to 29, 30 to 34 and 35 to 40 pounds at 28 in. draw length. Perfection Sitka Junior 20 to 24, 25 to 29 and 30 to 35 pounds at 24 inch draw length.

QA2M22	Right hand Perfection Sambar Junior.	Shpg. wt. 3 lbs.	\$22.50
QA2M23	Left hand Perfection Sambar Junior.	Shpg. wt. 3 lbs.	22.50
QA2B24	Right hand Perfection Sitka Junior.	Shpg. wt. 3 lbs.	12.97
QA2B25	Left hand Perfection Sitka Junior.	Shpg. wt. 3 lbs.	12.97

Herter's Model Perfection Sitka Turkish Laminated Composite Wood and Glass Bows



Sitka "72"

Sitka "66"

Sitka "62"

Sitka "58"

These four Sitkas in our famous perfection quality are offering a length for every archer's demands. New improved, weight forward stabilized handle risers offer the utmost in shooting comfort and accuracy. The now established 58" length in the Sitka Magnum "58" offers an excellent hunting bow of medium length. The ever popular

62 inch length has been built into the Perfection Sitka Magnum Hunter "62". The heavyweight forward stabilized handle section imparts stability plus for quick shooting usually required on big game. The Perfection Sitka "66" in a 66 inch length offering a versatile bow for all archery sport whether for hunting or target. The full working

Turkish recurves have been designed to handle the heavy broadhead for hunting as well as the lighter target arrow with equal performance for complete arrow control regardless of the shot encountered. The Perfection Sitka "72" with its full 72 inch length will outcast most competitive hunting bows yet offers the stability and smoothness required for precision target shooting. The flat trajectory of the Perfection Sitka "72" lessens wind drift in outdoor field and target shooting and offers the advantages of a flatter trajectory for the instinctive archer. We guarantee you've never shot a bow like it. Stability to "spare," excellent cast, stylish, functional, forward, stabilized riser section. Truly perfection for everyone interested in target archery.

STUDY THESE SPECIFICATIONS CAREFULLY BEFORE BUYING ANY BOW AND COMPARE THEM

LENGTH OF BOW: Available in 72 inch, 66 inch, 62 inch and 58 inch. Length of bow measured from tip to tip around the back side.

OVERALL STRUNG BOW LENGTH: 72 inch 66¼ inches, 62 inch 60 inches, 62 inch 56¾ inches, 58 inch 53½ inches.

LIMBS: Full-working Turkish recurve. So many bows today claim to be a full-working recurve but have no working recurve at all.

HANDLE CENTER SHOT: The sight window is cut to the center in relation to the width of the handle. This means that when an arrow is rested against the sight window, the arrow will be off center one half of its diameter. The bow will perform best by resting the arrow in this manner. If you desire to shoot the bow with the arrow further from the center, it may be done by cementing leather or other material against the sight window where the arrow rest is installed. This, however, will make the bow more critical to arrow spine and it will be necessary to match the arrows more closely.

HANDLE MATERIAL: Exotic imported Rosewood.

HANDLE SHAPE: Deflexed to an exacting degree for each specific bow length. Forward functional stabilizers

GLASS BACKING: Desert tan German Farbenglas, the finest backing possible to produce. Desert tan color for the backing so that the bow camouflages well. 72 inch length and 66 inch length available in gleaming white farbenglas only.

GLASS FACING: Black German Farbenglas, the finest facing possible to produce. 72 inch and 66 inch length available in gleaming white farbenglas only.

LIMB MATERIALS: Two No. 1 Canadian rock maple pieces in each limb bonded permanently together. Without micro-precision tapering of the maple strips you cannot get peak performance out of any bow.

MAXIMUM LIMB WIDTH: One and 14/16 inches.

ARROW RESTS: Come with exclusive Model 1 and Model 2 International Match arrow rests the finest possible to produce. Model 1 is a pressure sensitive solid rest for beginning archers. Model 2 is a pressure sensitive nylon monofilm leader material round brush for experienced archers. The rests can be interchanged with no difficulty at all.

STRING: Entirely handmade. Finest Du Pont Dacron. All servings handwrapped with Du Pont nylon. The finest bow string possible to make, 72 inch bow, 65 inch string; 66 inch bow, 59 inch string; 62 inch bow, 56 inch string; 58 inch bow, 52½ inch string.

FISTMELE HEIGHT: From back of bow; 72 inch 12 inches to 12½ inches; 66 inch, 10¾ inches to 11½ inches; 62 inch, 10¼ inches to 11 inches; 58 inch, 10 inches to 10¾ inches.

STRING QUIETER: DuPont neoprene rubber buttons on each end of the bow string to keep it from making a noise when released and from catching grass and twigs between the string and the tip of the bow.

GRIP: Modified flat wrist with wide palming area. Entirely hand shaped and hand sanded. Special contoured hand filling grip.

FINISH: Epoxy plastic will last longer than you will. Will not wear off in a season of hard use like lacquered or varnished competitive bows. The only bows made in North America with genuine epoxy finish. Make this test. Take your thumbnail and scrape any competitive bow on the handle. The finish will come off. Try this same test on a Herter Bow. The finish will not come off, however,

you may dent the wood. The exclusive epoxy finish is not only durable but prevents the bow from absorbing moisture on humid days and from drying out on hot dry days giving you uniform performance regardless of weather. Lacquered or varnished bows do not prevent the bow from absorbing moisture or from drying out and they do give you different arrow point of impact depending on the weather.

ARROWS: In ordering arrows specify arrows having a spine of 5 pounds more than the pull weight of these bows due to their greater cast.

PULL WEIGHTS: 72 inch available in 25 to 29, 30 to 34, 35 to 39 and 40 to 45 lbs. If you desire a specific pull weight in the 72 inch Sitka, specify and allow two to three weeks for delivery. 66 inch available in: 25 to 29, 30 to 34, 35 to 39, 40 to 44, 45 to 49, 50 to 54 and 55 to 60 lbs. 58 and 62 inch available in: 30 to 34, 35 to 39, 40 to 44, 45 to 49, 50 to 54, 55 to 59 and 60 to 65 lbs. Be sure to specify the pull weight when ordering. If in doubt about what pull weight to order, see the guide in front of the archery section.

BOW TIP OVERLAYS: Two lamination of farbenglas in colors black and white or black and tan. First three target bows have three laminations.



Close up view of the Farbenglas overlays on the bow tip.



BOW CASE: Each 72 inch bow and 66 inch bow comes complete with a beautiful heavy-weight expanded vinyl bow case. The case features a protected zippered opening, soft stretch knitted lining and double carrying handles. A case you'd be proud to carry your bow in.

Shpg. wt. 72"-5 lbs; 66"-5 lbs; 62"-4 lbs; 58"-4 lbs.

QA2N2 Perfection Sitka "72" Right hand	\$57.50
QA2N3 Perfection Sitka "72" Left hand	57.50
QA2N4 Perfection Sitka "66" Right hand	47.50
QA2N5 Perfection Sitka "66" Left hand	47.50
QA2N6 Perfection Sitka Mag. Hunter "62" Right hand	44.50
QA2N7 Perfection Sitka Mag. Hunter "62" Left hand	44.50
QA2N10 Perfection Sitka Mag. Hunter "58" right hand	42.50
QA2N11 Perfection Sitka Mag. Hunter "58" left hand	42.50



Ed Helgason, in charge of our Gemmology Division here at Herter's, took this fine black bear with our 62 inch Magnum Takedown bow and Ram MX 4-blade broadhead. The bear unofficially scored 18 3/16 points and was taken at Chapleau, Ontario.

Herter's Model Perfection Sambar Hunters Turkish Laminated Composite Wood And Glass Bow



Herter's "Sambar Hunters" are fast becoming Americas most popular hunting bows.

The exotic imported rosewood handle offers beauty with highly contrasting grain structures found in no other woods. The built-in double acting stabilizers are not only stylish in design but add functional performance in reducing the archers errors by stabilizing the archers bow hand at arrow release. The full working short turkish recurves have been designed for maximum efficiency on heavy broadhead arrows which guarantees flat trajectory and complete arrow penetration on all big game. The handle deflex of each length has been designed to the exact degree required to provide 100% bow stabilization during arrow release

We suggest your consideration of our Herter's Archery Bow Hand Rest whether you're an experienced hunter or whether this is your first bow. You'll be amazed with the ease and accuracy of your bow fitted with this attachment. See listing.

STUDY THESE SPECIFICATIONS CAREFULLY BEFORE BUYING ANY BOW AND COMPARE THEM

LENGTH OF BOW: Available in 60 inch and 62 inch lengths. Maximum efficiency is obtained from the full working short Turkish recurve. So many bows today claim to be a full working recurve but have no working recurve at all.

OVERALL STRUNG BOW LENGTH: 62 inch 57 inches and 60 inch 55 inches.

HANDLE CENTER SHOT: The sight window is cut to the exact center in relation to the width of the handle. This means that when an arrow is rested against the sight window, the arrow will be off center one half of its diameter. The bow will perform best by resting the arrow in this manner. If you desire to shoot the bow with the arrow further from the center, it may be done by cementing leather or other material against the sight window where the arrow rest is installed. This, however, will make the bow more critical to arrow spine and it will be necessary to match the arrows more closely.

HANDLE MATERIAL: Exotic imported rosewood.

HANDLE SHAPE: Deflexed to an exacting degree for each specific bow length with built-in double bow hand stabilizers.

GLASS BACKING: Desert tan German Farbenglas, the finest backing possible to produce. Desert tan color for the backing so that the bow camouflages well.

GLASS FACING: Black German Farbenglas. The finest facing possible to produce.

LIMB MATERIALS: Two No. 1 Canadian rock maple pieces in each limb bonded permanently together and micro-precision tapered to the tips. German Fiberglass faced and backed. Without careful micro-precision tapering of the maple strips you cannot get peak performance out of any bow.

MAXIMUM LIMB WIDTH: One and 14/16 inches.

ARROW RESTS: Come with exclusive Model 1 and Model 2 International Match arrow rests the finest possible to produce. Model 1 is a pressure sensitive solid rest for beginning archers. Model 2 is a pressure sensitive nylon monofilm leader material round brush for experienced archers. The rests can be interchanged with no difficulty at all.

STRING: Entirely handmade. Finest Du Pont Dacron. All servings handwrapped with Du Pont nylon. The finest bow string possible to make. 62 inch bow, 56 inch string, 60 inch bow, 53½ inch string.

FISTMELE HEIGHT: From back of bow: 62 inch, 10" to 10½"; 60 inch, 9¾" to 10¼"

STRING QUIETER: Du Pont neoprene rubber buttons on each end of the bow string to keep it from making a noise when released and from catching grass and twigs between the string and the tip of the bow.

GRIP: Modified flat wrist with wide palming area. Entirely hand shaped and hand sanded. Special contoured hand filling grip.

FINISH: Epoxy plastic will last longer than you will. Will not wear off in a season of hard use like lacquered or varnished competitive bows. The only bows made in North America with genuine epoxy finish. Make this test. Take your thumbnail and scrape any competitive bow on the handle. The finish will come off. Try this same test on a Herter Bow. The finish will not come off however you may dent the wood. The exclusive epoxy finish is not only durable but prevents the bow from absorbing moisture on humid days and from drying out on hot dry days giving you uniform performance regardless of the weather. Lacquered or varnished bows do not prevent the bow



the weather. Lacquered or varnished bows do not prevent the bow

from absorbing moisture or from drying out and they do give you different arrow point of impact depending on the weather.

ARROWS: These bows are designed for heavy hunting arrows. In ordering arrows specify arrows having a spine of up to 10 pounds more than the pull weight of the bow due to its greater cast.

PULL WEIGHTS: Available in 35 to 39, 40 to 44, 45 to 49, 50 to 54, 55 to 59 and 60 to 65 pounds. Be sure to specify the pull weight when ordering. If in doubt about what pull weight to order see the guide in front of the archery section.

BOW TIP OVERLAYS: Two laminations of Farbenglas in colors black and tan.

Close up view of the Farbenglas overlays on the bow tip.




Shpg. wt. 5 lbs.

QA2M12 Right hand 62 inch length	44.50
QA2M13 Left hand 62 inch length	44.50
QA2M29 Right hand 60 inch length	44.50
QA2M30 Left hand 60 inch length	44.50

Herter's Model Perfection Utopian Takedown Laminated Composite Wood And Glass Bow

Patent Pending



The Utopians have already proven themselves in winning some of the most competitive tournaments in the world. These new Utopian Takedown maintain their exact design and capabilities with the added take-down feature. The Utopian Takedown is truly a take-down bow in all respects. The bow can be assembled or disassembled in seconds. There are no screws, bolts, hinges, snaps or locks to fool with or become lost or loose. The limb brackets have no moving parts to wear or adjust. The interchangeable length limbs are merely slipped into a locked position and are held in place under spring tension until the bow is strung in the normal manner. Once the bow is strung it is impossible to remove the limbs and shoots with as little vibration as a standard one piece bow. Optional handle material. See listings below.

STUDY THESE SPECIFICATIONS CAREFULLY BEFORE BUYING ANY BOW AND COMPARE THEM

LENGTH OF BOW: Available in 70 or 75 inch. Length of bow is measured from tip to tip around the back side.

OVERALL STRUNG BOW LENGTH: 70 inch, 63 inches; 75 inch, 69 inches.

LIMBS: Full-working Turkish recurve. So many bows today claim to be a full-working recurve but have no working recurve at all. Interchangeable 70 inch and 75 inch lengths.

SIGHT WINDOW: The sight window is cut 3/16 of an inch past center. The archer may build the arrow plate of leather or other materials outward until the arrows "fly" as he so desires. We recom-

mend our new Herter's adjustable arrow rest be installed. All pressure-sensitive rests may be used with Herter's adjustable rest.

HANDLE MATERIAL: Optional laminated jet black, high compression, high impact resin and imported rosewood or cast light-weight solid amalyo aluminum.

HANDLE SHAPE: Deflexed to an exacting degree with built-in double bow hand stabilizers.

GLASS BACKING: Gleaming white farbenglas, the finest backing possible to produce.

GLASS FACING: Gleaming white farbenglas, the finest facing possible to produce.

LIMB MATERIALS: Two No. 1 Canadian rock maple pieces in each limb bonded permanently together and micro-precision tapered to the tips. German farbenglas faced and backed. Without careful micro-precision tapering of the maple strips, you cannot get peak performance out of any bow.

LIMB RISER MATERIAL: Jet black, high compression, high impact resin for maximum strength and abrasion resistance.

MAXIMUM LIMB WIDTH: 1 14/16 inches.

ARROW RESTS: Come with exclusive Model 1 and Model 2 International Match arrow rests, the finest possible to produce. Model 1 is a solid pressure-sensitive rest for beginning archers. Model 2 is a pressure sensitive nylon monofilament leader material round brush for experienced archers. The rests can be interchanged with no difficulty at all. Herter's adjustable arrow rest installed is optional.

STRING: 70 inch, 60 1/2 inch string; 75 inch, 66 3/4 inch string. Entirely handmade of the finest Du Pont Dacron. All servings hand-wrapped with Du Pont nylons. The finest bow string possible to make.

FISTMELE HEIGHT: From back of bow: 70 inch bow, 12" to 12 3/4"; 75 inch bow, 12 3/4" to 13 1/4".

GRIP: Modified flat wrist with wide palming area. Entirely hand shaped and hand sanded. Special contoured hand filling grip.

TAKE DOWN BRACKETS: Spring tempered steel jet black satin epoxy finish to enhance the beauty of the contrasting wood.

FINISH: Epoxy plastic will last longer than you will. Will not wear off in a season of hard use like lacquered or varnished competitive bows. The only bows made in North America with genuine epoxy finish. Make this test. Take your thumbnail and scrape any competitive bow on the handle. The finish will come off. Try this same test on a Herter Bow. The finish will not come off, however you may dent the wood. The exclusive epoxy finish is not only durable but prevents the bow from absorbing moisture on humid days and from drying out on hot dry days giving you uniform performance, regardless of the weather. Lacquered or varnished bows do not prevent the bow from absorbing moisture or from drying out and they do give you different arrow point of impact depending on the weather.



BOW CASE:

Order separately the beautiful vacuum formed hard plastic case. Foam lined for maximum bow protection. A case you'll be proud to carry your bow in. See Optional listing.

ARROWS: In ordering arrows specify arrows having a spine of 5 pounds more than the pull weight of the bow due to its greater cast.

PULL WEIGHTS: Available in 25 to 29, 30 to 34, 35 to 39 and 40 to 45 lbs. Be sure to specify the pull weight when ordering. If you desire a specific pull weight specify and allow two weeks for delivery.

BOW TIP OVERLAYS: Three laminations of farbenglas in colors black and white.



Close up view of the Farbenglas overlays on the bow tip.

TELESCOPING STABILIZER: Stabilizer telescopes from 21" to 34" and is constructed from precision-drawn aluminum tubing with a 5 oz. chrome-plated ball. Supplied installed on each bow.

COMPLETE BOW WITH AMALYO ALUMINUM HANDLE

QA2N76 R hand 75" with amalyo aluminum handle	\$79.50
QA2N77 L hand 75" with amalyo aluminum handle	79.50
QA2N78 R hand 70" with amalyo aluminum handle	79.50
QA2N79 L hand 70" with amalyo aluminum handle	79.50

COMPLETE BOW WITH LAMINATED HANDLE

QA2N50 R hand 75" with laminated handle	\$98.50
QA2N51 L hand 75" with laminated handle	98.50
QA2N56 R hand 70" with laminated handle	98.50
QA2N57 L hand 70" with laminated handle	98.50

EXTRA LIMBS AND HANDLE SECTIONS

QA2N52 Extra set limbs 75" (Specify pull weight)	\$34.95
QA2N58 Extra set limbs 70" (Specify pull weight)	34.95
QA2N70 Right hand. Laminated handle section only for use with either 70" or 75" lgths.	54.95
QA2N70L Left hand. Laminated handle section only for use with either 70 or 75 in. lengths	54.97
QA2N71 Right hand. Aluminum handle section only for use with either 70 or 75 in. lengths	35.50
QA2N71L Left hand. Aluminum handle section only for use with either 70 or 75 in. lengths	35.50

OPTIONAL

QA1NB Herter's arrow rest	\$3.95
QA1NC Installation charge	2.00
QA1C10 Vacuum formed, foam lined hard bow case	12.95

Shpg. wt. bows 8 lbs.; limbs 3 lbs.; handles 4 lbs.; case 5 lbs.

Herter's Deluxe Hunter Model International Match 17° Turkish Laminated Composite Wood and Glass Bows

Improved Handle Design



The Deluxe Hunter Model International Match Bows through popular request are available again at lowest prices yet. Through standard retail outlets, this bow would sell for over \$50.00. The 63½ inch Hunter is a medium length hunting bow with excellent stability and cast. In even a 40 pound weight will shoot heavy hunting arrows completely through big game animals such as deer and antelope. The 17 degree deflexed handle section of these bows imparts 100% bow stabilization so important for the finest accuracy.

STUDY THESE SPECIFICATIONS CAREFULLY BEFORE BUYING ANY BOW AND COMPARE THEM

LENGTH OF BOW: 63½ inches.
OVERALL STRUNG BOW LENGTH: 60 inches.
LIMBS: Full proven working recurve. So many bows today claim to be a full working recurve but have no working recurve at all.
HANDLE CENTER SHOT: The sight window is cut to the exact center in relation to the width of the handle. This means that when an arrow is rested against the sight window the arrow will be off center one half of its diameter. The bow will perform best by resting the arrow in this manner. If you desire to shoot the bow with the arrow farther from center it may be done by cementing leather or other material against the sight window where the arrow rest is installed. This, however, will make the bow more critical to arrow spine and it will be necessary to match the arrows more closely.

HANDLE MATERIAL: Exotic imported hardwoods.
HANDLE SHAPE: 17° deflexed. 17° of deflex eliminates completely any twisting of the bow and wrist while shooting. This not only allows complete ease of shooting but prevents arrows from being thrown out of the target from poor wrist action. The 17° deflex after prolonged testing of this model, conclusively proved that 100% bow stability was acquired during arrow release and that maximum cast and efficiency had been attained with no stack.

GLASS BACKING: Neutral blend color. The finest backing possible to produce. Neutral blend color for backing makes the bow camouflage well.

GLASS FACING: Same color as backing.
LIMB MATERIALS: Two No. 1 Canadian rock maple pieces in each limb bonded permanently together. Fiberglass faced and backed.
MAXIMUM LIMB WIDTHS: 1 and 14/16 inches.

ARROW RESTS: Comes with exclusive Model 1 and Model 2 International Match arrow rests the finest possible to produce. Model 1 is a pressure sensitive solid rest for beginning archers. Model 2 is a pressure sensitive nylon monofilm leader material round brush for experienced archers. The rests can be interchanged with no difficulty at all.

HERTER'S DELUXE HUNTER MODEL INTERNATIONAL 17° TURKISH LAMINATED WOOD AND GLASS BOW OUTFIT FOR ADULTS

Outfit consists of one Deluxe Hunter Model International Match 17° Laminated Composite Wood and Glass Bow, 63½ inch length



complete with dacron string and brush buttons. Four 28 inch Port Orford cedar field arrows, and four 28 inch Port Orford cedar broadhead hunting arrows with Ram MX four edged broadheads.

STRING: Entirely handmade, 58 inches long. Finest Du Pont Dacron. All servings hand wrapped with Du Pont nylon.

FISTMELE HEIGHT: From back of bow 9" to 9½".

STRING QUIETER: Du Pont neoprene rubber buttons on each end of the bow string keep it from making a noise when released and from catching grass and twigs between the string and the tip of the bow.

GRIP: Modified flat wrist with wide palming area. Entirely hand shaped and hand sanded. Special contoured hand filling grip.

FINISH: Clear epoxy plastic that will last longer than you will. Will not wear off in a season of hard use like lacquered and varnished competitive bows. Herter's are the only bows made in North America with genuine epoxy finish. Make this test. Take your thumb nail and scrape any competitive bow on the handle. The finish will come off. Try this same test on a Herter bow, the finish will not come off however you may dent the wood. The exclusive epoxy finish is not only the most durable finish but prevents the bow from absorbing moisture on humid days and drying out in hot days, thus giving you entirely different performance depending on the weather. Lacquered or varnished bows do not prevent the bow from absorbing moisture or from drying out and do give you a different arrow point of impact depending on the weather.



ARROWS: In ordering arrows specify the arrows having a spine of 5 pounds more than the pull weight of the bow due to its great cast qualities.

PULL WEIGHTS: Available in 25 to 29, 30 to 34, 35 to 39, 40 to 44, 45 to 49, 50 to 54 and 55 to 60 pounds. Be sure to specify the pull weight when ordering. If in doubt about what pull weight to order see the guide in front of the archery section.

BOW TIP OVERLAYS: Two laminations of Farbenglas in colors black and tan.



Close up view of the Farbenglas overlays on the bow tip.

- QA1E5 Right hand 63½" length Shpg. wt. 5 lbs.\$24.97
- QA1E6 Left hand 63½" length Shpg. wt. 5 lbs.24.97


One leather arm guard, one shooting tab, one deer target, one shoulder hunting quiver or bow quiver. Gives you a complete outfit for target shooting and hunting. Pull weights in: 35 to 39, 40 to 44, 45 to 49, 50 to 54 and 55 to 60 pounds. Please specify weight desired and quiver type desired.

- QA3J1 Right hand 63½" length Shpg. wt. 7 lbs.\$37.87
- QA3J2 Left hand 63½" length Shpg. wt. 7 lbs.37.87



Send us a photo of game taken with Herter's archery equipment or your verified score from any target event sanctioned by State, PAA, NFAA, NAA, AIAA or FITA and we will send you this beautiful patch for your jacket. Send photos and scores to Herter's Inc., Archery patch, Waseca, Minn. 56093

Herter's Model Perfection Itasca Laminated Composite Wood And Glass Long Bow



The long bow is an old time favorite of a great many archers and bow hunters. This is the bow that made early history. In the days of the Yew, Osage, Orange and Lemon wood, even at best we had many variations to contend with. Every time a bow was used, it handled differently, depending on whether the weather was dry or wet, hot or cold and accuracy was always a problem. Today, however, we're using rock maple tapered cores with fiberglass backing and facing laminated with modern epoxies under heat and pressure that seals out moisture and gives us bow limbs that remain constant regardless of weather conditions. Today's long bows are the most accurate long bows ever made.

STUDY THESE SPECIFICATIONS CAREFULLY BEFORE BUYING ANY LONG BOW AND COMPARE THEM

LENGTH OF BOW: Available in 70 inch.
LIMBS: Tapered laminated rock maple, fiberglass backing and facing.
HANDLE SEMI-CENTER SHOT: The window is cut to near center in relation to the width of the handle.
HANDLE MATERIAL: Exotic Brazilian Rosewood.
GLASS BACKING: Desert tan German Farbenglas, the finest backing possible to produce. Desert tan color for the backing so that the bow camouflages well.
GLASS FACING: Black German Farbenglas, the finest facing possible to produce.
MAXIMUM LIMB WIDTH: One and ¼ inches.

ARROW RESTS: Come with exclusive Model 1 and Model 2 International Match arrow rests the finest possible to produce. Model 1 is a pressure sensitive solid rest for beginning archers. Model 2 is a pressure sensitive nylon monofilm leader material round brush for experienced archers. The rests can be interchanged with no difficulty at all.

STRING QUIETER: Du Pont neoprene rubber buttons on each end of the bow string to keep it from making a noise when released.

GRIP: Modified flat wrist with wide palming area. Entirely hand shaped and hand sanded. Special contoured hand filling grip.

FINISH: Epoxy plastic will last longer than you will. Will not wear off in a season of hard use like lacquered or varnished competitive bows. The only bows made in North America with genuine epoxy finish. Make this test. Take your thumbnail and scrape any competitive bow on the handle. The finish will come off. Try this same test on a Herter Bow. The finish will not come off, however, you may dent the wood. The exclusive epoxy finish is not only durable but prevents the bow from absorbing moisture on humid days and from drying out on hot dry days giving you uniform performance regardless of weather. Lacquered or varnished bows do not prevent the bow from absorbing moisture or from drying out and they do give you different arrow point of impact depending on the weather.

PULL WEIGHTS: 40 to 44, 45 to 49, 50 to 54, 55 to 59, 60 to 64, 65 to 69, 70 to 74 and 75 to 80. If in doubt about what pull weight to order, see the guide in front of archery section.

- QA2K10R Right hand; please specify pull wt. Shpg. wt. 4 lbs.\$47.50
- QA2K10L Left hand; please specify pull wt. Shpg. wt. 4 lbs.47.50

HERTER'S FAMOUS MODEL 21B HANDMADE TURKISH RECURVE SOLID FARBENGLAS BOWS



These world famous solid Farbenglas bows have proven themselves for over fifteen years. They are not untried newcomers at all. The Model 21B has taken countless deer, antelope, moose and many many bear and caribou. It is an extremely smooth shooting bow, has terrific cast and shoots quietly. You can make no mistake by ordering one of these famous bows.

STUDY THESE SPECIFICATIONS CAREFULLY BEFORE BUYING ANY BOW AND COMPARE THEM

LENGTH OF BOW: 52 inches and 57 inches.
LIMBS: Proven working recurve.
HANDLE SHAPE: Molded to fit the hand and to prevent side movement of the bow.

BOW MATERIAL: German Farbenglas.
MAXIMUM LIMB WIDTH: 1¼ inches.
ARROW RESTS: Come with exclusive Model 1 and Model 2 International Match rests the finest possible to produce. Model 1 is a pressure sensitive solid rest for beginning archers. Model 2 is a pressure sensitive nylon monofilm leader material round brush for experienced archers. The rests can be interchanged with no difficulty at all.

COLOR OF BOW: Neutral to blend with natural cover.
STRING: Entirely handmade of finest Du Pont Dacron. All servings hand wrapped. The best most expensive string possible to make. 52" bow, 47½" string; 57" bow, 53½" string.
FISTMELE HEIGHT: 52" bow, 7½" to 8½"; 57" bow, 9½" to 10¼" from back of bow.
STRING QUIETER: Du Pont neoprene rubber buttons on each end of the bow string to keep it from making a noise when released and from catching grass or twigs between the string and top of the bow.

PULL WEIGHTS: QA1A2 All pull weights from 40 to 55 pounds. QA1A All pull weights from 40 to 50 pounds. Be sure to specify the pull weights when ordering. If in doubt about what weight pull to order see the guide in front of the archery section.

GUARANTEE: Order out any Herter Farbenglas bow and compare it. It should outperform in all respects any solid glass bow and is made with much better workmanship and materials throughout. Guaranteed for 14 months against breakage in use and faulty workmanship and materials.

- QA1A Right hand or left hand, 52". Shpg. wt. 4 lbs.\$13.95
- QA1A2 Right hand or left hand, 57". Shpg. wt. 4 lbs.12.75

HERTER'S MODEL 21B FARBENGLAS BOW OUTFIT FOR ADULTS

Outfit consists of one Model 21B Farbenglas bow complete with dacron string and brush buttons, six 28 inch Port Orford cedar field



arrows and three 28 inch Port Orford cedar broadhead hunting arrows with Ram MX four edged broadheads. One leather arm guard, one shooting tab, one target face and one bow quiver. Pull weights in 40, 45 and 50 pounds. Please specify weight desired. Gives you a complete outfit for target shooting and hunting.

- QA2A1 Right hand or left hand, 52" Shpg. wt. 5 lbs. \$23.95
- QA2A3 Right hand or left hand, 57" Shpg. wt. 5 lbs. 22.95

USERS OF HERTER'S BOWS AND ARCHERY EQUIPMENT HAVE TAKEN THREE NEW WORLD RECORDS PLUS MANY OTHER POPE & YOUNG RECORD CLASS GAME ANIMALS



World record Dall Sheep taken by Robert Hansen. It scored 163 1/8 Pope and Young points. Robert used a Herter's 62" Magnum take-down bow and Herter's Arrows.



This Barren Ground Caribou is second overall in Pope and Young world records at 424-4/8 points. Taken by Bob Hansen of Anchorage, Alaska. Bob has taken many record class Dall sheep, Rocky Mountain Goats and Caribou with our 62" Magnum Takedown bow and Herter arrows with Ram MX broadheads.

Herter's, Inc.

I just wanted to let you know I've been putting a lot of time on the archery range with my new bow and I am very pleased. Those Resinol Fletchings are something else too. They perform better than feathers and no more fear of getting my feathers wet in a rain storm.


Sincerely,
Ronald E. Sniff



Ron Sniff poses with his world record Mule Deer which scored 197 Pope and Young points. Ron took the deer with Herter's archery equipment.

Herter's World Famous Arrows

The arrow field today is filled with varied methods of getting high prices for nearly any grade of arrow. Herter's are striving to give you the best arrows at a low, fair price.



Whether or not you buy our arrows, here are the things about arrows that you must know.

WOODEN ARROWS

Wooden arrows are still very popular for field shooting and big game hunting. They shoot very well and are inexpensive.

Of the wooden arrows, those made of Port Orford cedar are the best. Birch, spruce and pine arrows are of much inferior quality.

Port Orford cedar arrow shafts come in four grades, No. 1, 2, 3, and 4. No. 1 grade shafts have no cross grain, are straight, and have no flaws in the wood. Grades No. 2, 3, and 4 have poor grain, varying degrees of flaws, and too low a spine. We make arrows only from No. 1 grade Port Orford cedar. Even in this finest procurable grade we discard 15% of the shafts as unsatisfactory, and burn them. We know that arrows made from No. 2, 3, or 4 grades of Port Orford cedar cannot be made to shoot accurately or stand up under continuous use. We do not make any of these poorer grade arrows. We believe that poor arrows hurt archery. Arrows that will not shoot accurately or stand up well discourage shooters.

SPINE

When an arrow is shot from a bow, the bow string puts a terrific pressure on the arrow shaft, causing it to bend. If your bow is not a center shot type of bow, the arrow also has to bend as it passes the bow in flight, and then it must recover its original shape. This resiliency of an arrow, or bending quality, is called the spine of the arrow.

If the arrow is too stiff or, in other words, if it has too much spine, it will shoot to the left by a right hand archer. If the arrow shaft is too soft, or has too little spine, for your bow, it will shoot to the right. This would be just reversed for left hand archer. If the arrow has a spine that matches, within five pounds, the pull of your bow, the arrow will shoot accurately. When you order Herter arrows, state the pound pull of your bow, and arrows that are spined for your bow will be sent.

To spine a cedar arrow properly, proceed as follows: First, examine the arrow shaft carefully and locate the side where the grain of the arrow shaft is on edge. This is of greatest importance. Mark this side with a dot at the end of the shaft. The arrow is then put in the spine testing machine with the side marked by the dot facing downward. The spine, or the amount of pressure required to bend the shaft, is then recorded by the machine. Arrow shafts of the same spine must be placed together. When the arrow is made the cock feather, or colored feather, must be mounted on the exact side which you marked with the dot, showing the edge of the grain in the shaft. On No. 2, 3 and 4 grade of shafts, no spining is done as we know that these cannot be made

to shoot accurately and are actually worthless, at any price.

WEIGHT

In order for arrows to shoot consistently, they must be matched for weight. The fact that arrow shafts have been accurately spined, does not mean that they automatically weigh the same, or even nearly so. Arrows must be weighed after being completed, as the grain density varies the weight of the arrow. To eliminate weight errors, all of Herter's completed arrows are weighed and sorted to guarantee consistent shooting from any group of arrows.

NOCKS

The nock of the arrow is the slot in the back end of the shaft into which the bow string fits. Herter's Olympian Match is the only style that is most satisfactory.

SHAFT SIZES

Wood arrows, for the most part, come in size 11/32 of an inch in diameter for bows with 40 to 70 pounds of pull.

LENGTH OF ARROWS

All good bows for adults are tested for pull at 28 inches of draw. The average arrow length used, for adults, is 28 inches. If however, your arms are short and you cannot pull 28 inches you can still use 28" arrows with little disadvantage. You will lose approximately two pounds of pull in your bow, for every inch shorter than 28" that your arrow is.

If your arms are extra long, you may need a 29" arrow.

CREST

The crest of an arrow refers to the colored bands on the shaft. Crests are put onto the arrow shafts, not only for decorations, but for identification also.

Arrow crests should be confined to simple designs. Huge crests with varied colors cheapen the arrows' appearance and serve no purpose.

POINTS

There are, in general, four types of metal points commonly used on arrows. They should be made of steel. They are as follows:

1. Field point. This is the best point for small game hunting. It penetrates well and it does not skid easily, thus making arrows easier to retrieve. Field points are made with either a blunt or pointed end. The pointed end is the most widely used. Generally field points come in varied weights; 100 grains for arrows having a shaft diameter of 5/16" or less and 125 grains to 160 grains for arrows with a shaft diameter of 11/32". They are also available either permanent or interchangeable.

Field points are made in these weights so they will nearly equal the weight of broadheads, so you can easily replace broadheads with field points and your arrows will still shoot alike. They also give the arrow the necessary weight to insure good penetration on small game.

2. Broadhead point available in single blade, three blade and two blade or four edge broadhead. Aerodynamically, the four edge are the most perfectly designed type of broadheads. They penetrate well and make the wound bleed rapidly. They are very popular with hunters who hunt big game. There are many different types available to the hunter. Some have two large blades and two small ones, some have 3 large blades, etc. Most of them are very destructive and will kill quickly and

cleanly. Herter's new patented Ram MX four edge broadhead leads the field in multiple blade heads.

3. Fishing head. This point is usually much heavier than a target point, so it can penetrate water and the tough skin of a fish. Two steel barbs, one on each side of the point allow easy penetration and will hold very well. These barbs should be the reversible type so that they may easily be removed from the tough skin and scales of the rough fish shot with these arrows.

4. Target point. This is simply a short sharply tapered point. These are used for target shooting.

FLETCHING


There should be at least three fletches on the arrow shaft, either feathers or the new Herter's flexible resinol plastic types, possibly some very heavy broadhead arrows may be used with four fletchings. The fletchings must be put on at an angle or helical so that they will cause the arrow to rotate or revolve as it goes through the air. This gives the arrow lateral stability. After the arrow leaves the bow, air pressure on the vanes causes the arrow to rotate, which stabilizes its flight. At the same time, it causes the arrow head to travel in a more level straight line, reducing its tendency to drop before its flight momentum is spent. Therefore, you should have fletching on the arrows that are large enough for this purpose.

For arrows with broadheads, you should have fletching that is five inches long. For arrows with field points, the same length is required. You can then, with field arrows having five inch fletching, more easily train yourself to hunt with broadheads. For target point arrows, fletching should be from 3" to 5", depending on the arrow and point weight.

All arrow feathers for No. 1 grade arrows should be made from the first three pointer wing quills from tom turkeys. Pointer quills from hen turkeys are much softer and go into No. 2, 3, or 4 grades of arrows. The new resinol fletchings are far more durable and much more practical, particularly for best grade hunting arrows.

ARROW LENGTHS


To measure arrow lengths the method illustrated below is an accepted standard and all Herter's arrows are based on this system.



28 and 29 28 3/4 and 29 3/4
Arrow length is measured from the inside of the nock groove to the point indicated by the first dotted line. Field and broadhead arrows are made 3/4 inch longer to allow for overdraw. This includes all aluminum, Farbenglas and Port Orford cedar arrows.

Herter's Famous International Match Highest Precision Aluminum Arrows

ENTIRELY NEW 0077. NOW TOUGHER, STRAIGHTER, MORE UNIFORM THAN EVER BEFORE. YOU CAN NOW BUY THE VERY BEST ALLOYED ALUMINUM SHAFT ARROWS AT FAIR, HONEST, LOW PROFIT PRICES. ORDER OUT SOME OF THESE ARROWS. COMPARE THEM TO ALL COMPETITIVE ALUMINUM SHAFT ARROWS.



NOTE: Until Herter's entered the aluminum arrow field, these arrows were considered much too expensive for the average shooter to use. They were rarely seen on archery target ranges and only infrequently were they seen in the hunting country. The only reason for this was the out-of-reason prices that had been maintained on these fine arrows. Herter's is now able to offer a micro-precision aluminum arrow at a price that all shooters can afford.

The only reason that aluminum shaft arrows never became popular is that ridiculously high profit prices were asked for them. They were considered the luxury item in the archery trade and luxury prices were asked for them. Herter's policy of low profit and high volume now makes it possible for everyone to shoot aluminum shaft arrows. Aluminum shaft arrows are no longer just a wealthy man's arrow!

There are no finer aluminum arrows. Order out a few and look them over. Give them a real tough test, on the target range and hunting.

Herter's arrows are available with the following types of points.

(1) Target point—the weight of each point is properly balanced with the specific shaft size for ultimate accuracy.

(2) 5° taper fitted for those who desire to install their own broadhead or 5° taper hole field points.

(3) Herter's new patented Special Ram MX four edged Broad-

head, the ultimate for those who insist on the best.

Target arrows are available from 25 to 50 pound pull weights. Broadheads and taper fitted arrows are available from 40 to 70 lbs.

Arrows with 5 degree tapers and arrows with broadheads are made 3/4 inch longer to allow for overdraw. See arrow length chart.

Point sizes: 5/16" field points and broadheads fit all size shafts with 5° taper inserts except QB1A10 which requires 11/32".

Please specify desired pull weight when ordering.

No.	Length Arrow	Type Point	Fletching Lgth.	Per 6	Per 12
QB1A0	28"	1	4"	\$10.95	\$19.95
QB1A1	28"	2	5"	10.95	19.95
QB1A5	28"	3	5"	12.95	23.95
QB1A6	29"	1	4"	10.95	19.95
QB1A6A	29"	2	5"	10.95	19.95
QB1A9	29"	3	5"	12.95	23.95

QB1A10 New 22-.019 hunting arrow 29" length only 5° taper point only. Install broadheads of your choice. For all bows from 55 lbs. to 70 lbs. Per 6—\$10.95 per 12—\$19.95. Shpg. wt. per 6—1 1/2 lbs.; per 12—3 lbs. 6 ozs.

New Herter Hunting Arrows with Herter-Easton Aluminum Shafts and Herter's New Flexible Resinol Plastic Fletching



Now available for the first time, the new Herter-Easton plastic fletched hunting arrow in an all new camouflage finish.

The new resinol plastic fletching completely eliminates all damage to fletching from rain, snow, brush and rough handling in the field. Arrows are always new from year to year even when carried all season.


These arrows are manufactured from the all new Herter-Easton micro-precision aluminum shafts meticulously drawn to rigid Herter specifications listed on page 306.

These arrows are supplied with 5° taper inserts only so that you may install the broadheads of your choice. Herter's Ram MX stainless steel broadheads may be ordered separately so that you may install them yourself. For best results we recommend you shoot these arrows using our model 1 or 2 arrow rest and not from the shelf of bows with 90° shelves. Both 28 and 29 inch arrows are 3/4 inch longer for broadhead allowance. For broadheads see broadhead listing. Shpg. wt. per dozen 3 lbs.

QB1H1 For 28" 40-44 lbs.; 45-49 lbs.; 50-54 lbs.; 55-60 lbs. with 5° taper point. Please specify pull weight \$18.97
 QB1H3 For 29" 40-44 lbs.; 45-49 lbs.; 50-54 lbs.; 55-60 lbs.; 55-75 lbs. Universal size, with 5° taper point. Please specify pull weight. Per dozen 18.97

Herter's International Match Ultra Precision Farbenglas Arrows

PARALLEL TUBULAR SHAFTS



You can now own the finest fiberglass arrows at fair, honest low profit prices. Order a dozen of these arrows and compare them to any competitive fiberglass arrows. Herter's Farbenglas arrows are finished in permanent desert tan color and beautifully crested.

A choice of two points is available with either target or Ram MX broadheads. The completed arrow less point but with a five degree taper fitted at the point end for those who desire to use their own choice of broadheads or tapered hole field points is also available.

TYPE OF POINT

(1) Target point The weight of each point is properly balanced with the specific shaft size for ultimate accuracy.

(2) Five degree taper fitted for those who desire to install their own broadhead or tapered hole field points.

(3) Herter's patented Ram MX four edge broadheads, the ultimate for those who insist on the best.

All Farbenglas arrows are available in both 28 inch and 29 inch lengths as listed. Arrows with five degree tapers and arrows with broadheads are made 3/4" longer to allow for overdraw. See arrow length chart.

Field point sizes: Shaft sizes C through H use 5/16"; Sizes I through K use 11/32".

Please specify pull weight desired. Shpg. wt. 6-1 1/2 lbs.; 12-3 lbs.

Available in all pull weights from 40 pounds through 70 pounds with the exception that 28 inch and 29 inch target arrows are available from 35 pounds through 50 pounds only.

No.	Length Arrow	Type Point	Fletching Length	Per 6	Per 12
QB1F	28"	1	4"	\$ 7.94	\$14.47
QB1F2	28"	2	5"	7.94	14.47
QB1F1	28"	3	5"	10.27	19.97
QB1F3	29"	1	4"	7.94	14.47
QB1F5	29"	2	5"	7.94	14.47
QB1F4	29"	3	5"	10.27	19.97

QB1F6 New "K" shaft hunting arrows 29 inch length only #2 5° taper point only. Install broadheads of your choice. For all bows from 55 pounds to 70 pounds 7.94 14.47

Herter's International Match Ultra Precision Farbenglas Arrows with Herter's Flexible Resinol Fletching



Herter's farbenglas arrows are now available with our new flexible resinol fletching. The new resinol plastic fletching completely eliminates all damage to fletching from rain, snow, brush and rough handling in the field. Arrows stay like new from year to year even when carried all season.

These arrows are supplied with 5° taper inserts only so that you may install the broadhead of your choice.

Herter's Ram-MX stainless steel broadheads may be ordered separately. Both 28 and 29 inch arrows are 3/4 inch longer for broadhead allowance. For broadheads see listing. Please specify pull weight desired.

Pull weights: 40-44, 45-49, 50-54 and 55-70 lb. Size K shaft in 29" only wt. per doz. 3 lbs; per 6 1 1/2 lbs.

No.	Lgth Arrow	Fletching lgth.	Per 6	Per 12
QB1H5	28"	5"	\$8.55	\$15.47
QB1H6	29"	5"	8.55	15.47

Weights 40-45 lb.; 45-50 lb.; 50-55 lb.; and 55-70 lb.; size K in 29" only.

Herter's International Match No. 1 Grade Handmade Port Orford Cedar Arrows

YOU CAN NOW BUY THE VERY BEST CEDAR ARROW SHAFTS AT LOW PROFIT PRICES. ORDER OUT SOME OF THESE ARROWS AND COMPARE THEM WITH COMPETITIVE CEDAR ARROWS.



- Read these unequalled specifications for Herter's arrows:
- 1 Matched accurately for spine and weight. Will stay true and maintain spine
 - 2 Herter's unique Spiral-Flite fletchings of tom turkey wing pointer quills on all Herter arrows. No second or third grade fletchings. No other quill feathers are used and all are a full five inches long.
 - 3 All shafts are made only from No. 1 grade Port Orford cedar, with even 15% of this finest procurable cedar culled and burned.
 - 4 Hand crested in decorative bands for quick identification
 - 5 Have the finest points made, whether you buy field or broadhead points

All arrows are made with 11/32 of an inch diameter shafts, full five inch feather fletchings, Olympian match nocks.

(1) Field Point 5° tapered interchangeable with broadhead—precision turned, non-skid, nickel plated, for target, tournament or small game hunting.

(2) 5° taper ground for those who desire to install their own broadheads or 5° taper hole field points

(3) Herter's new patented Special Ram MX four edged broadhead the ultimate for those who insist on the best

Herter's International Match Cedar arrows in 11/32 inch diameter shafts are available in 28" and 29" lengths only. If you naturally

pull only 27" length you can still use 28" arrows with no disadvantage. All cedar arrows have a 3/4" allowance for overdraw. See arrow length chart Available in 35 to 70 lb. pull wts. except 40 to 70 lbs only in the QB1D4 and QB1D8. Please specify pull-weight desired. Shpg. wt. 6—1 1/2 lbs; per 12—3 lbs.

No.	Length Arrow	Type Point	Per 6	Per 12
QB1D1	28"	1	\$4.60	\$ 8.77
QB1D2	28"	2	4.07	7.67
QB1D4	28"	3	6.95	12.95
QB1D5	29"	1	4.60	8.77
QB1D6	29"	2	4.07	7.67
QB1D8	29"	3	6.95	12.95

Herter's Cedar Arrows are now available for the first time with Herter's new Flexible Resinol fletchings and are available only as listed below in pull weights 40 to 60 pounds.

No.	Length Arrow	Type point	Per 6	Per 12
QB1D2F	28"	2	\$4.07	\$7.67
QB1D6F	29"	2	4.07	7.67

HERTER'S WORLD FAMOUS FARBENGLAS FISHING ARROWS

EQUIPPED WITH HERTER'S REVERSIBLE BARBED NICKEL-PLATED FISH POINTS AND HERTER'S PERFECTION FISH POINT. THE FINEST SOLID GLASS FISHING ARROWS.



Only Herter's has the years of experience in the Chrome Fiberglass and Herter Farbenglas fields to be able to produce a glass fishing arrow that will never lose its spine and will not warp or twist.

With the reversible barbed fish point the arrow is easily removed from the tough skin and scales of a rough fish merely by pushing the arrow completely through the fish and reversing the barbs. The arrow may then be pulled out easily. The barbs in the perfection fish points are easily reversed for withdrawal by merely turning the arrow shaft two complete turns.

Order out one of these world's finest fishing arrows today and give it a rough test on any species of fish and in any kind of water.

QB1C1 with Herter's perfection fish point	Shpg. wt. 1 lb.	\$2.77
QB1C with reversible barbed fish point	Shpg. wt. 1 lb.	1.77

HERTER'S SMALL GAME BLUNT ARROWS



The Herter's small game blunt arrows are made of the finest first grade cedar shafts available. The points are Herter's small game blunts and fletchings are made of high impact rubber. They are designed to allow the arrow to travel at maximum speed for the first 20 to 30 yds, then fall off quickly for easy arrow retrieving. These arrows are ideal for gophers or small varmints and highly effective for all small game up to and including rabbits. Arrows will not stick in trees. Arrows are available in 29 inch length only and spined for all weight bows. Shpg. wt. 3 - 1 lb.; 6 - 1 1/2 lbs.; 12 - 3 lbs.

	Per 3	Per 6	Per 12
QB1G2 Small game blunt	\$2.73	\$5.24	\$9.89

HERTER'S OLYMPIAN MATCH PORT ORFORD CEDAR LADIES' AND YOUTH'S ARROWS

These 26" arrows are ideal for young people and ladies who cannot pull a regular 28" arrow and require a lighter, smaller diameter shaft. These arrows are made of only high grade, best obtainable No. 1 Grade Port Orford Cedar and are fletched with the best grade



tom turkey quills, 4" long, permanently cemented and precision spiraled. The shafts are permanently finished to prevent warping, weathering or splitting. These arrows are hand crested with a distinctive crest. Supplied with 100 grain machine turned plated field points, suitable for target or small game shooting. Order out a dozen of these finest obtainable arrows and see if they are not even better than we say. Available in the following pull weights: 25 to 29 pounds, 30 to 34 pounds, 35 to 40 pounds. Specify pull weight.

QB1E	Shpg. wt. 3 lbs.	Doz. \$6.79
------	------------------	-------------

HERTER'S PORT ORFORD CEDAR YOUTH'S PRACTICE ARROWS

Available in two popular lengths these are best quality youth's practice arrows made of Port Orford Cedar. They are fully enameled




yellow with black crest. Three feather fletching on all arrows with black cock feathers. Points are steel target points. Nocks 5/16" plastic. Shaft diameter 5/16". You can afford to let the children lose some of these.

QB1E1	Length 24". Shpg. wt. 3 lbs.	Doz. \$4.59
QB1E2	Length 26". Shpg. wt. 3 lbs.	Doz. 4.79

HERTER-EASTON SPECIAL MICRO-PRECISION ALUMINUM ARROW SHAFTS

HERTER-EASTON ALUMINUMS ARE METICULOUSLY DRAWN TO HERTER'S RIGID SPECIFICATIONS

YOU CAN NOW AFFORD TO MAKE YOUR OWN ALUMINUM ARROWS BECAUSE HERTER BELIEVES IN SELLING ALUMINUM ARROW SHAFTS AT LOW, HONEST, FAIR PRICES. COMPARE, YOU WILL FIND THAT THESE ALLOYED ALUMINUM ARROW SHAFTS ARE THE FINEST THAT YOU HAVE EVER SEEN OR USED. READ THE DETAILS BELOW ON WHAT A GOOD ARROW SHAFT SHOULD BE.



Herter-Easton Aluminum Arrow Shafts

Herter-Easton Micro-Precision aluminum arrow shafts come all ready for attachment of the nock. Nock end has a swaged 11 1/2 degree taper. Point end tapers for broadhead or interchangeable field point use, or with our insert type field and target points. These must be bought separately and are not included with the shafts. There is no need for further work involved in preparing these shaft other than cutting for proper length. Order out a supply of these aluminum arrow shafts and examine them thoroughly. Make up a few arrows from them and give these arrows a tough field or hunting test.

In ordering aluminum arrow shafts, be sure to order the correct size for your bow. Herter's makes available different size aluminum shafts so that you can be sure to have an arrow that will match your bow perfectly. These shafts are supplied in 31" lengths and may be cut to any desired length.

The following is the suggested shaft size for bow weight and arrow length.

When ordering shafts for broadhead use, we suggest ordering shafts one size heavier than bow weight also allow at least 3/4" extra arrow length for overdraw on broadhead arrows.

Nock Sizes: 1/4" for sizes 16-16, 17-16, 17-18, 9/32" for sizes 18-16, 18-18, 19-16, 19-18, 5/16" for sizes 20-18, 20-20, 22-19.

See following note:

BOW WEIGHTS	SUGGESTED SHAFT SIZES AND LENGTHS				
	26"	27"	28"	29"	30"
25-29					
30-34	16-16	17-16	17-16	17-16	17-18
35-39	17-16	17-18	17-18	17-18	18-18
40-44	17-18	17-18	17-18	18-16	18-18
45-49	18-16	18-16	18-16	19-16	19-16
50-54	18-18	19-16	19-16	19-18	20-18
55-59	19-16	19-18	19-18	20-18	20-20
60-64	19-18	19-18	20-18	20-20	20-20
65-69	19-18	20-18	20-18	20-20	20-20
70-75	20-18	20-20	20-20	20-20	20-20
55-75	Universal			22-19	22-19

NOTE: Through many requests we have added the 22-19 shaft for hunters. This shaft is excellent for use with bows from 55 to 75 pounds with 29" to 31" arrows.

The above designations are standard aluminum shaft sizes. A 17-16 shaft is 17/64" O.D. with a .016" wall thickness, etc.

Please specify arrow draw length, pull weight and shaft size desired when ordering.

Field point sizes: 18 size shafts and 19 size shafts use QC1D 19/64"; all 20 size shafts use QC1D1 5/16"; 22 size shafts use QC1D3 or QC1D6 11/32".

Order points separately as explained above

QD1A Shaft only Shpg. wt. 3 lbs. Per Doz. \$9.37

EASTON XX75 ALUMINUM SHAFTS

Each Easton XX75 is meticulously straightened on an electronic gauging equipment to within .002" over a 30" length. Each and every shaft is identical in weight and dimension. Sizes 17-16 thru 18-18 30" length only. 19-16 thru 20-20 32" length and 22-19 34" length.

Bow Weight	Shaft length in inches							
	26"	27"	28"	29"	30"	31"	32"	33"
25-29			17-16	17-16	17-18			
				17-18	18-16			
30-34	17-16	17-16		17-18	17-18	18-18		
			18-16	18-16	19-16			
35-39	17-16		17-18	18-16	18-18	19-16		20-16
			18-16	18-18	19-16	19-18		
40-44	17-18		17-18	18-18	19-16	19-18	20-16	
			18-16	19-16	19-18	20-16	20-18	22-19
45-49	18-16		18-18	19-16	19-18	20-16	20-18	
			19-16	19-18	20-16	20-18	20-20	20-20
50-54		18-18	19-16	19-18	20-16	20-18	20-20	
		19-16	19-18	20-16	20-18	20-20	22-19	22-19
55-59			20-16	20-18	20-20		22-19	22-19
			20-18	20-20	22-19	22-19	22-19	
60-65			20-18	20-20				
			20-20	22-19	22-19	22-19		

Please specify shaft size desired. Shpg. wt. 3 lbs. per doz.

QD1D Shafts complete with target points & QG1D cement Per doz. \$23.95

QD1E Shafts complete with 5° inserts & QG1D cement per doz. 22.95
5° taper available for size 19-16 and heavier only.

EASTON X7 ALUMINUM SHAFTS

In addition to the same close weight and spine controls found in other Easton shafts, the X7 allows special processing which gives it an even greater ability to resist taking a permanent set.

Sizes 17-14 thru 18-16—30" length only; 19-14 thru 20-14—31" length.

Bow weight (pounds)	Arrow length (inches)						
	25"	26"	27"	28"	29"	30"	31"
20-24	—	—	—	17-14	17-16	18-14	—
25-29	—	—	17-14	17-16	18-14	18-16	19-14
30-34	—	17-14	17-16	18-14	18-16	19-14	19-16
35-39	17-14	17-16	18-14	18-16	19-14	19-16	20-14
40-44	17-16	18-14	18-16	19-14	19-16	20-14	20-14
45-50	—	—	19-14	19-16	20-14	20-14	—

Please specify shaft size desired.

QD1F Shafts complete with target points Per doz. \$29.80

QD1G Shafts complete with 5° tapers Per doz. 28.80

5° tapers available for size 19-16 and heavier only. Shpg. wt 3 lbs. per doz.

HERTER'S INTERNATIONAL MATCH ULTRA PRECISION FARBENGLAS ARROW SHAFTS

PARALLEL TUBULAR SHAFTS

You can now make your own fiberglass arrows at prices you can afford. Order a dozen of these shafts and compare them. If in your



judgment they are not equal or superior to competitive shafts, regardless of price, return them within two weeks for complete refund plus transportation charges.

FARBENGLAS ARROW SPINE CHART

Bow Weight	Arrow Lengths										
	24"	25"	26"	27"	28"	29"	30"	31"			
20-24			A	A	B	B	C	D	E	F	D
25-29		A	A	B	B	C	D	E	F	G	E
30-34	A	A	B	B	C	D	E	F	G	H	F
35-39	A	B	B	C	D	E	F	G	H	I	G
40-44	B	B	C	D	E	F	G	H	I	J	H
45-49	B	C	D	E	F	G	H	I	J	K	I
50-54	C	D	E	F	G	H	I	J	K	L	J
55-59	D	E	F	G	H	I	J	K	L	M	K
60-64	E	F	G	H	I	J	K	L	M	N	L
65-70	F	G	H	I	J	K	L	M	N	O	M
55-70	Universal										K

ATTENTION HUNTERS

A new heavier universal hunting shaft is now available in size "K". This new shaft has been designed entirely for the hunter. The new "K" shaft weighs about 2 grains more per inch to give the hunter more bow efficiency and maximum penetration from his heavy hunting bows. The "K" shaft was designed to shoot properly from bows 55 to 70 lbs. at 29 through 31 inch draw lengths.

These are the same shafts used on our own Farbenglas arrows. Farbenglas shafts are available in permanent desert sand color from 20 pounds through 70 pounds and in full 31 inch lengths. We suggest ordering shafts for hunting arrows one size heavier than bow weight.

Farbenglas shafts are complete with nock taper and either a target point or a 5 degree taper insert (for broadhead or field point installation.) All points are supplied loose with Herter's two component Epoxy adhesive for easy point fitting.

Specify type of point desired.

Note: Target points available for shaft sizes A through J; 5° tapers available for shaft sizes C through K only.

When ordering please specify pull weight desired and also shaft letter size.

Nock Sizes:

Shaft size A & B-1/4", C & D-9/32", E, F, G and H 5/16", I, J and K 11/32".

Field Point Sizes:


Shaft sizes C through H-5/16" sizes I through K-11/32".

QD1C Shpg. wt. 3 lbs. per doz. \$7.87

HERTER'S CEDAR ARROW SHAFTS NO. 1 GRADE PORT ORFORD CEDAR

Port Orford cedar arrow shafts come in four grades, No. 1, 2, 3 and 4. The No. 1 grade is the finest procurable. The number 2, 3 and 4 grades contain shafts that have cross grain, low soft spine and flaws that are both visible and invisible. We do not sell No. 2, 3 or 4 shafts, as they cannot be made into arrows that shoot accurately. We believe that arrows which cannot be shot accurately hurt archery by discouraging the shooter. All of our cedar shafts have special

process waterproof finish and they come in 30 inch lengths so that you can make arrows to the exact length you want. No. 1 Port Orford grade arrow shafts are sanded smooth and finished. Our shafts are spined (based on 28" pull) in weights: 35, 40, 45, 50,



55, 60, 65 and 70 pounds. If you cut the shafts for 29 inch arrows, add 5 pounds to spine weight and 10 lbs. for 30 inch arrows. Shaft size 11/32". Specify which pound pull you require when ordering

QD1B Shpg. wt. 2 lbs. Per Doz. \$3.25

HERTER'S INTERNATIONAL MATCH ULTRA PRECISION ARROW KITS OF HERTER-EASTON ALUMINUM, FARBENGLAS AND CEDAR

YOU CAN MAKE THE FINEST OBTAINABLE ARROWS FOR A FRACTION OF THE COST OF READY MADE ARROWS.

If you are handy with small tools you can now make arrows




that are far superior to most arrows available since we include only the best obtainable materials in these kits.

Kit includes 12 matched shafts, 30" long that may be cut to desired length. Select sizes desired from corresponding size charts on farbenglas and Herter-Easton aluminum arrow shafts. On Cedar, if you plan on using 29" or 30" arrows, specify a spine five pounds heavier for 29" and 10 pounds for 30" than your bow's pull weight. 12 Olympian match nocks; proper points and inserts; 36 five inch die cut tom turkey quill fletchings, 24 natural color and 12 dyed barred for cock feather; one tube of Herter's Fletching and Nock Cement and epoxy adhesive for fiberglass kit.

Available in all pull weights. Please specify pull weight desired. Broadheads and points of your choice that are not supplied may be installed on the 5° taper arrows. Shpg. wt. 3 lbs.

No.	Price
QH1A3 Herter-Easton Aluminum target arrows	\$12.97
QH1A4 Herter-Easton Aluminum 5° taper arrows	12.97
QH1A7 Farbenglas target arrows	8.98
QH1A8 Farbenglas 5° taper arrows	8.98
QH1A1 Cedar field arrows	5.98
QH1A2 Cedar 5° taper arrows	4.98



Another fine record class trophy taken by Steve Garr of Colorado. Steve downed this fine Elk with our 62" Magnum Takedown and our Aluminum Arrows tipped with our Ram MX4-blade Broadheads.



Bob Barrie Manager of Herter's Archery division, packs out Caribou taken with Herter's Magnum Take-down bow and Ram-MX Broadhead.

HERTER'S SPECIAL INSERT TYPE PRESS FITTED FIELD POINTS AND TARGET POINTS FOR HERTER-EASTON ALUMINUM ARROWS

These points are turned from special steel rods hardened and nickel plated to prevent rust. These points are ideally suited for target or field arrows as they have a special shoulder that fits up tight against the aluminum shaft making a neat, tight joint. They are easily pulled out of the target butts as there is no shoulder to catch when pulling the arrow out. Also ideally suited for small game such as rabbits, squirrels etc. The points are inserted by tapping into place with a wood mallet. After the shaft is cut to length the inside should be deburred before inserting point. A little bow string wax applied to the point will lubricate it making installation easier.

TARGET POINTS

The grain weight of target points are matched for each specific shaft size.
NOTE: Do not use on Easton's X7 or XX75 aluminum shafts.

No.	Shafting outside dia.	Shafting wall thickness	Price per Doz.	Price per Gross
QC1G19	16/64	.016	\$.96	\$9.98
QC1G20	17/64	.016	.96	9.98
QC1G10	17/64	.018	.96	9.98
QC1G11	18/64	.016	.96	9.98
QC1G12	18/64	.018	.96	9.98
QC1G13	18/64	.020	.96	9.98
QC1G14	19/64	.016	.96	9.98
QC1G15	19/64	.018	.96	9.98
QC1G21	19/64	.020	.96	9.98
QC1G18	.304	.015	.96	9.98
QC1G16	20/64	.018	.96	9.98
QC1G17	20/64	.020	.96	9.98

Shpg. wt. per doz.—8 ozs., per gross—3 lbs.

POINT END TAPERS FOR HERTER-EASTON ALUMINUM SHAFTS

These duraluminum inserts give you a perfect 5 degree taper for broadheads.


No.	Shafting outside dia.	Shafting wall thickness	Price per Doz.	Price per Gross
QJ1B10	16/64	.016	\$.96	\$9.98
QJ1B11	17/64	.016	.96	9.98
QJ1B1	17/64	.018	.96	9.98
QJ1B2	18/64	.016	.96	9.98
QJ1B3	18/64	.018	.96	9.98
QJ1B4	19/64	.016	.96	9.98
QJ1B5	18/64	.020	.96	9.98
QJ1B6	19/64	.018	.96	9.98
QJ1B7	19/64	.020	.96	9.98
QJ1B8	20/64	.018	.96	9.98
QJ1B9	20/64	.020	.96	9.98
QJ1B12	22/64	.019	.96	9.98

Shpg. wt., per doz.—8 ozs., per gross—1 lb.

HERTER'S HAVE TOMORROW'S PRODUCTS TODAY!

HERTER'S FARBENGLAS ARROW POINT AND NOCK INSERTS

Extra or replacement nock inserts, target points and 5° tapers are available for shaft sizes as follows: 5 degree point tapers



for broadheads are available for all shaft sizes from C through K, only, target points for shaft sizes A through J. Please specify type of insert desired and shaft letter size when ordering.

QJ1F Target points. Shpg. wt. 8 oz. per doz. \$.96

QJ1G Nock tapers Shpg. wt. 8 oz. per doz. .96

QJ1K 5° taper points for broadhead or field point installation. Shpg. wt. 8 ozs. per doz. .96

HERTER'S SPECIAL PRECISION TURNED NON-SKID FIELD POINTS FOR ALUMINUM, FARBENGLAS AND CEDAR ARROWS

These points are the finest possible quality. We turn them out from solid steel bars on high precision automatic lathes. We then nickel-plate them to prevent rusting. They are available either with a 5 degree tapered hole or with a parallel hole to fit either type of arrow shaft. Because of this availability, you can practice with field points and easily shift to hunting broadheads on the same arrow shafts. This allows you to develop a constant anchor point, as well as aiming point. Both are important to the deer hunter. The 140 grain 5/16 and the 160 grain 11/32 field points have been added to match the weight of the Ram MX 4 edge broadheads. Shpg wt. 12—8 ozs.; 144—2 lbs.

No.	Grain Wgt.	Shaft Dia.	Hole Style	Per 12	Per 144
QC1D	100	19/64"	taper	\$.96	\$9.98
QC1D1	100	5/16"	taper	.96	9.98
QC1D2	100	5/16"	parallel	.96	9.98
QC1D3	125	11/32"	taper	.96	9.98
QC1D4	125	11/32"	parallel	.96	9.98
QC1D5	140	5/16"	taper	.96	9.98
QC1D6	160	11/32"	taper	.96	9.98

HERTER'S SPECIAL PRECISION TURNED TARGET POINTS WITH PARALLEL HOLE

They are turned from steel bars on the highest precision automatic lathes. We then nickel-plate them to prevent rust. These special target points are made with a straight parallel hole that fits over your arrow shaft. You do not need the 5 degree taper on target or tournament arrow shafts




as they are not used for hunting. Shpg. wt. per 12—6 ozs.; per 144—3 lbs.;

No.	Grain Wgt.	Shaft Dia.	Hole Style	Per 12	Per 144
QC1E1	55	5/16"	parallel	\$.96	\$9.98
QC1E2	80	11/32"	parallel	.96	9.98

HERTER'S REVERSIBLE BARBED FISH POINTS

Herter's reversible fish point is designed for accuracy, holding power and ease of retrieving. Made from high carbon tool steel, it penetrates deeply and holds well. When the fish has been retrieved, simply push the



point all the way through, if it isn't already, and reverse the barbs as shown which will enable you to easily withdraw the arrow. Shaft diameter, 5/16". Hole style, parallel.

QC1F Shpg. wt. 2 ozs. \$.79

HERTER'S NEW PERFECTION FISH POINT




Herter's perfection fish point will hold any size fish up to and including sharks, rays, cobia, etc. It is by far the best point available for large carp, gar, etc. in fresh water. The point features spring reversible barbs that spread to a 1 15/16 inch width on retrieve for maximum holding power. Barbs fold down parallel with point body for ease of penetration. The long, tapered, sharp point is induction hardened all the way through for long life even when shooting into rocky streams or lake shores.

The barbs are easily reversed for withdrawal from fish by merely turning the arrow shaft two complete turns. The barbs will reverse even with the point completely within the fish. It is not necessary to push the point on through.

QC1F2 Shpg. wt. 4 ozs. ea. \$1.82

HERTER'S SNARO ARCHERY POINTS



Perfect for small game. Saves archery shafts. Spring hoops take up shock so that shafts do not break when hitting rocks, trees, etc. Gives tremendous impact. Kills small game instantly by shock. Shaft size 11/32" parallel.

QC1B8 6" Uplander Shpg. wt. 4 ozs. \$1.75
QC1B9 3" Gamelander Shpg. wt. 4 ozs. 1.55

HERTER'S SMALL GAME BLUNTS

Precision molded of high impact rubber to insure a non-skid impact on small game. These points are ideal for gophers, other small varmints and highly effective for all small game up to, and including, rabbits.



The points stop arrows quickly in all types of grass or cover if the target is missed. Points will not stick in trees making them an excellent squirrel point. Fits both 5/16" and 11/32".

QC1F3 Shpg. wt. 1 lb. per dozen \$1.49

HERTER'S NEW DUAL PURPOSE SAW

This saw is excellent for bow hunters, especially as it is compact and also has a



special sheath for your favorite hunting knife. The saw is excellent for trimming brush and trees when hunting and also for splitting the pelvic bone on all big game. The handle has a waterproof match compartment and is an aluminum casting with a comfortable grip.

QC1F5 Shpg. wt. ea. 1 1/2 lbs. \$10.47

HERTER'S NEW BROADHEAD FILE

These new shearing files are the ultimate in sharpening the broadheads of your choice.



The sharp shearing blades work like a planer on wood and shears the metal in the same manner, leaving a smooth near razor-sharp edge. A 4-blade broadhead with the use of a vise can be sharpened in 60 seconds.

HERTER'S HAVE TOMORROW'S PRODUCTS TODAY.

Unlike the fine files, the new shearing file removes much more material per stroke, allowing you to sharpen to the angle of your choice plus leaving a much finer edge. 10 inches long. Complete with instructions. Shpg. wt. 8 oz.

QC1B13 \$7.27

HERTER'S BROADHEAD SHARPENING STONE

WILL PUT THE FINEST POSSIBLE EDGE ON YOUR BROADHEADS.

Any real archer knows the value of sharp broadheads for hunting. An arrow kills mainly by producing severe hemorrhage. A dull broadhead may "push" aside veins and arteries. Don't shoot dull broadheads at game. Keep them razor sharp.

This stone is 3" long x 7/8" wide x 3/8" thick. Be sure to order one out for your big or small game hunting.

AM2C Shpg. wt. 4 ozs. \$4.44

HERTER'S BROADHEAD AND KNIFE SHARPENER

Top-quality tool steel, correctly hardened and center-less ground! These cutting



wheels provide you with a long-lasting cutting edge capable of sharpening the hardest spring steel. Only after long periods of hard usage is it necessary to rotate wheels to new sharpening position. Wheels are firmly adjusted with steel rivets so that only the smallest area is used for sharpening prior to resetting. When new sharpening position is desired, a slight rotating pressure with pliers easily makes the adjustment. Notched end extracts broadheads from trees and stumps without damage. Shpg. wt. 6 oz.

QC1B12 \$1.49

HERTER'S SPECIAL PATENTED RAM MX PRECISION GROUND TOOL STEEL AND CHRONA PLUS STAINLESS STEEL 4 EDGED BROADHEADS WITH 5 DEGREE INSIDE TAPER


Patent No. 2,909,372

LEGAL IN ALL STATES, STEEL FERRULE. MICRO PRECISION BALANCED AND ENGINEERED TO GIVE THE SHOCK OF A MEDIUM SIZED REVOLVING BULLET.

We ran scientific tests on all four edged broadheads for over two years. We tested

every North American as well as European broadhead for the following. 1. Penetration. 2. Shock. 3. Speed. 4. Durability. 5. Accuracy. 6. Balance.

We fired over a million tested shots before we were able to develop and prove to ourselves that we had a 4 edged broadhead that was perfect on all tests and not only would outperform all other 4 edged



Fully Copper Brazed Into One Solid Unit

broadheads by a wide margin but deliver honest shock as well as just piercing power.

This entirely new broadhead is exactly 2 5/8" long. Exactly 1 1/8" at the widest point. The two side blades are exactly 1 7/8" long.

The Ram MX is scientifically ventilated to prevent all gliding or inaccuracy. It is made of the finest tool steel procurable fully tempered but it is not glass hard so it shatters or can't be resharpened. The blades and steel ferrule are completely copper brazed. Plastic ferrules are not only illegal in many states and rightly so but our tests proved that they will not stand up for shock and penetration tests. By scientifically developing a 4 edged broadhead with maximum speed, maximum penetration, maximum durability we developed a broadhead for the first time that has proven tested knock down shock power. The Ram MX makes a hole through bone and flesh over twice the size of a mushroomed thirty caliber rifle bullet. It destroys all tissue, bone, flesh and nerve cells just as well as a thirty caliber bullet. It has the push, thrust, shock of a .38 caliber revolver bullet. We have made bullet proof vests of fiberglass sheets for over ten years. The feel to a human being struck with the Ram MX was indistinguishable from being hit with a .38 caliber revolver bullet. This 4 edged broadhead delivers real shock. Field tested this broadhead in not one case lost a deer. Every deer struck, dropped within a hundred yards of where it was shot. One deer struck in the head was knocked completely off from its feet and never got up. All deer hit in the lung and heart areas died just as quickly as if hit with a rifle bullet or quicker. A deer will usually run further with a rifle bullet through its heart than with a Ram MX broadhead through it.

Shpg. wt. 6—6 ozs: 12—8 ozs.

PRECISION GROUND TOOL STEEL

No.	Grain Wt.	Shaft Dia.	Hole Style	Per 6	Per 12
QC1B3	140	5/16"	taper	\$2.60	\$4.80


CHRONA PLUS STAINLESS STEEL

No.	Grain Wt.	Shaft Dia.	Hole Style	Per 6	Per 12
QC1B6	160	11/32"	taper	2.98	5.40

FACTS ON HERTER'S CHRONA PLUS STAINLESS STEEL RAM MX BROADHEADS

Herters Chrona plus stainless steel broadheads will penetrate a 5 gallon pail of sand without breaking.

Chrona plus stainless steel is the steel used in the razor blades that give you fifty shaves without sharpening. It is satin finish and will not reflect light. Herters as usual lead the field and were the first in the world to make stainless steel broadheads. In shooting through flesh they perform the same as tool steel but remain sharper longer.



On bone however they penetrate over double of any steel broadheads.

HERTER'S NEW MAGNUM BROADHEADS PRECISION GROUND TOOL STEEL AND CHRONA PLUS STAINLESS STEEL WITH 5 DEGREE INSIDE TAPER BLADE IS MADE OF SOLID ONE-PIECE TOOL STEEL WITH COPPER BRAZED STEEL FERRULE

More bow hunters use our single blade Magnum broadhead than all other single blade broadheads put together. It is easily kept razor sharp. Gives maximum penetra-



tion. Will even shoot through the skull of game animals such as deer, moose and bear. Specially vented so it cannot glide or plane. Blade and ferrule now copper brazed into one unit for maximum strength and performance. Shpg. wt. per 12—8 ozs.

PRECISION GROUND TOOL STEEL

No.	Grain wt.	Shaft Size	Hole style	Per 12
QC1B2	140	5/16"	taper	4.40

HERTER'S HAVE TOMORROW'S PRODUCTS TODAY!

CHRONA PLUS STAINLESS STEEL

No.	Grain wt.	Shaft Size	Hole style	Per 12
QCIB10	160	11/32"	taper	\$4.10
QCIB11	140	5/16"	taper	4.95

HERTER'S SPECIAL OLYMPIAN MATCH PLASTIC ARROW NOCK

This type nock has been the accepted style for many years and is still the favorite of most archers. The Olympian is a precision molded nock of hard, modern plastic for excellent adhesion to either wood or aluminum shafts.



Colors: White or yellow (specify on orders). Shpg. wt. 12—4 ozs.; 100—1 lb.; 1,000—3 lbs.

No.	Shaft	24	100	1000
QJ1E1A	1/4"	\$.42	\$1.20	\$7.48
QJ1E1	9/32"	.42	1.20	7.48
QJ1E2	5/16"	.42	1.20	7.48
QJ1E3	11/32"	.42	1.20	7.48

HERTER'S FLEXIBLE RESINOL ARROW FLETCH

Completely WeatherProof




The very latest development in arrow fletching. The flexible fletch almost completely eliminates damaged fletching from tight groups in indoor shooting as the fletching merely bends out of the way of arrows that strike the fletching. The most practical fletching ever made for hunting arrows eliminates damaged fletch from rain, snow and brush. Guarantees perfect arrow flight on every shot. See our arrow listings for completed arrows with flexible

resinol fletching. Any of the standard fletching cements may be used, however, our QG1C is suggested. Available in solid bright colors: Red, yellow, orange, black and white. Shpg. wt per 12—4 oz.; per 144—8 oz. Specify color.

No.	Lgth.	Per doz.	Per gross
QG1B5	3"	.43	3.98
QG1B6	4"	.52	4.98
QG1B7	5"	.59	6.20

HERTER'S DIE CUT HARD FIBERED TOM TURKEY FLETCHING

These precision cut, ground base feathers are ready for arrow fletching. No messy trimming with a feather burner is necessary.




Available in three popular lengths and all standard colors, suitable for every arrow requirement. Available in right wing only.

NOTE: Due to the decreasing availability of barred feathers, if necessary, please allow us to substitute solid dyed colors for the dyed barred or white for the gray barred. Shpg. wt. per 24—4 ozs.; 144—12 ozs.

No.	Size	24	144
QG1A20	3 inch white	\$.50	\$2.40
QG1A21	4 inch white	.74	3.84
QG1A22	5 inch white	.92	4.95
QG1A23	3 inch dyed solid colors red, yellow & orange	.50	2.40
QG1A24	4 inch dyed solid colors red, yellow & orange	.74	3.84
QG1A25	5 inch dyed solid colors red, yellow & orange	.92	4.95
QG1A26	3 inch barred gray	.48	2.40
QG1A27	4 inch barred gray	.77	4.50
QG1A28	5 inch barred gray	1.02	5.95
QG1A29	3 inch barred gray dyed solid black, red, yellow, orange	.48	2.40
QG1A30	4 inch barred gray dyed solid black, red, yellow, orange	.77	4.50
QG1A31	5 inch barred gray dyed solid black, red, yellow, orange	1.02	5.95

FULL LENGTH HARD FIBERED TOM TURKEY FLETCHING

These are all first quality full length precision ground base tom turkey pointers available in right or left wing in the following colors. Please state right or left



wing when ordering. Please state catalog number and color desired.

No.	Per Doz.
QG1B Pure white	\$.68
QG1B1 Dyed white, red, yellow and orange	.76
QG1B2 Barred gray and white	.76
QG1B3 Barred gray dyed, red and gray, yellow and gray and orange and gray	.82

Shpg. wt. per doz. 2 ozs.

HERTER'S CELLULOID CEDAR ARROW SHAFT ENAMEL



This is a medium viscosity enamel designed especially for the delicate work of finishing precision arrows including crests. This is the same enamel that we use in our cedar arrow production. Colors: Clear, Signal Yellow, Bright Orange, Red and Black. (Specify color or colors on orders).

No.	1 oz.	per pint	per quart
QB1B Enamel	\$.28	\$1.15	\$1.95

No.	2 oz.	per pint	per quart
QB1B1 Thinner	.28	.60	1.00

Shpg. wt. bottle—4 oz.; pint—2 lbs.; quart—3 lbs.

HERTER'S IMPROVED SABLE HAIR ARCHERY TACKLE BRUSHES

FOR ALL ARCHERY WORK

Painting crests on arrow shafts is very



delicate work. Build-up of lacquer on the shaft or unequal application of the lacquer will ruin an otherwise good arrow. Herter's Imported Sable Hair Archery Tackle Brushes are designed exactly for such delicate work.

HERTER'S HAVE TOMORROW'S PRODUCTS TODAY!

Brush is approximately 6 inches long with a wooden handle and nickel-plated ferrule. Shpg. wt. per brush—3 oz.

No.	Each	3
RB5A 1/4 inch wide	\$.80	\$2.24

HERTER'S CAMOUFLAGE BOW SPRAY



Herter's new camouflage bow spray is available in three flat finish colors, dead grass, olive drab and black. You can completely camouflage your bow, quiver, arrows, tree stand etc., in minutes. Reflective surfaces from hunting accessories quickly spook game even at great distances. Conceal your equipment as well as

yourself. Complete with instructions.

QB1B2 Per 4 oz. spray can specify color	Each	\$.98
---	------	-------

QB1B3 Per set of three (one of each color)	2.69
--	------

Shpg. wt. each 12 oz. per set 2 lbs.

HERTER'S FARBENGLAS AND ALL PURPOSE ARROW POINT AND NOCK INSERT ADHESIVE

Two Component Epoxy

This is the same adhesive supplied with the above Farbenklas shafts and is required for the assembly of all glass arrows. This adhesive works equally as well with cedar or aluminum shafts and is far superior to old shellac types. Complete with instructions.



QB1K 1 1/4 oz. set. Shpg. wt. 6 oz.	\$.89
-------------------------------------	-------

HERTER'S QUICK-SET POINT CEMENT

Quick-set cement is a shellac base cement that is applied by melting with a small flame. Points are quickly replaced or interchanged merely by heating the point for

removal and replacing with the point desired. Complete with instructions.

QG1D Stick Shpg. wt. 6 oz.	\$.52
----------------------------	-------

HERTER'S FLETCHING AND NOCK CEMENT

Cedar shafts should be sealed with a coat of clear celluloid enamel, best grade lacquer or a coat of fletching cement prior to fletching. Aluminum may be fletched directly on the bare shaft. The shaft should be parallel sanded slightly with fine sand paper to clean it.



It is ideal for attaching nocks. Place a drop of cement on the shaft at the end of the nock taper and press the nock in place.

QG1C Shpg. wt. 4 ozs.	\$.49
-----------------------	-------

HERTER'S ALUMINUM ARROW SHAFT CUTTER

This is a precision made tool for cutting high tensile aluminum arrow shafts. The bearing rollers are high carbon steel made to last a life time. The roller knife is also a high carbon steel. The tool is easily adjusted for different size shafts and also for cutting pressure. A deburring blade is attached on the die cast frame for reaming the inside of the shaft after cutting to insure proper point installation.

QG1E7 Shpg. wt. 12 ozs.	\$.125
-------------------------	--------

HERTER'S CURIOSITY LURES AND MASKING OILS

These preparations have been used for generations by old-time trappers and hunters.

Highly effective but not necessarily secretive, they have not been readily available in prepared forms suitable for masking human odor for both trapping and hunting. Most animals including all big game such as deer, antelope, moose, elk, etc., are naturally curious. Having a highly developed sense of smell, concentrated natural odors arouse their curiosity, luring them many times from great distances. Herter's curiosity lures are not synthetic but highly concentrated natural extracts. Unlike many musk-type lures, these extracts have a pleasing odor and are not objectionable when used even on clothing. A few drops go a long ways. Shpg. wt. per bottle 4 oz.

Per 1 oz.

QG1B14 Special curiosity anise	\$.97
QG1B8 Special curiosity peppermint	.97
QG1B9 Special curiosity wintergreen	.97
QG1B10 Special masking Pine	.97
QG1B11 Special masking cedar	.97
QG1B12 Special masking sage	.97

HERTER'S FAMOUS BUCK DEER LURES

KILLS ALL HUMAN SCENT EVEN WITH A DOWN WIND. COMPLETELY TAKES AWAY A DEER'S CAUTION.

There is no secret about our buck deer lures. Type 1 is simply the true unadulterated scent of a doe and has been used by the Indians for generations. If a buck smells it during the fall breeding season he will come up rapidly for a close shot. If he is through breeding he will lose caution as he thinks there is only a doe ahead and gives you an easy unhurried shot. A doe takes the scent for another doe and loses caution and gives you good easy shooting. Type 2 is the scent of their favorite food.

If you are on a deer stand, put some on a piece of old cloth or leaf and hang on a branch or rock up wind of you. If you are still hunting, put a little on a piece of cloth

and tie it in your Bow or pin it on your back. It does not have an unpleasant odor and in no way injures clothing.



They work perfectly on whitetails, mule deer, and blacktailed deer.

With what it costs for deer hunting these days you cannot afford to be without them.

Each bottle contains plenty for one full season for two hunters. Comes complete with detailed instructions.

YABC Musk Shpg. wt. 5 ozs. **\$.97**
YB1C1 Food Shpg. wt. 5 ozs. **.97**

HERTER'S FAMOUS AEROSOL DEER LURE SCENT

These deer lure scents are actually better for field use because as you spray this scent of a doe into the air, on your stand or clothing, the mist floats downwind. A buck will lose all control and caution and come in for a close shot. The deer lure scent masks human body odor.

When using it be sure to sit still. It is concentrated and inviting to their very sensitive smell so they come straight in and as they get closer and closer their keen eyes can detect the slightest movement.

Works perfectly on whitetails and mule deer. The cost is worth it, for those close in shots. 2 oz. spray can works every time.

QG1B13 Shpg. wt. 5 oz. **\$.137**

HERTER'S SPECIAL SKIRTED ARCHERY TARGET FACES

These are the finest quality archery target faces. They will withstand a tremendous amount of shooting before they have to be replaced. These faces will outlast most target surfaces.

They are made of toughened fiber reinforced water resistant paper so that they will not soak up if left out in the rain. The design of the circular bullseye target type and the face is skirted so that it will fit snugly over your grass or mat target. Especially made for target Cat. No. QF1F1 and QF1F2. Target rings are regulation 4 color face.



No.	Diameter	Each	Shpg. wt.
QF1A1	36"	\$3.10	1 lb.
QF1A2	24"	1.56	1 lb.

HERTER'S HAVE TOMORROW'S PRODUCTS TODAY!

OFFICIAL PAA 300 TARGETS



Outdoor Round Target Faces. These faces are printed on heavy water resistant tag stock.

No.	Size	Price Each	Per Doz
QF1C6	30"	\$.64	\$6.80
QF1C7	22"	.43	4.54
QF1C8	14"	.18	1.85

Blue 20" P.A.A. Indoor round

No.	Size	Each	Per-Doz.
QF1C10	20"	.20	2.05

Shpg. wt.—30", 32"—4 ozs.; 20"—4 ozs.; 16", 14"—3 ozs.

STANDARD 4-COLOR TARGET FACES

REGULATION NFAA TARGETS



These faces are printed on heavy water resistant tag stock and will not shoot out as quickly as the thin paper targets. Ideal for backyard shoots or for your club shoots.

No.	Size	Price Ea.	Per Doz.
QF1B6	48"	\$1.75	\$18.49
QF1B7	36"	1.10	11.50
QF1B8	24"	.53	5.60
QF1B9	16" per 3	.74	2.68

Shpg. wt. 48", 36", 24"—4 ozs. ea.; 16"—6 ozs. per 3.

HERTER'S SPECIAL FIELD TARGET FACES

REGULATION NFAA FIELD TARGET FACES



These target faces are printed on heavy water resistant paper. Your arrows will not tear these targets as they will on thin paper. These targets are ideal for "back yard" practice or for setting up any field range to NFAA regulations.


No.	Diameter	Per 6	Per Doz.
QF1B1	24"	\$1.94	\$3.69
QF1B2	18"	1.09	2.10
QF1B3	12"	.79	1.44
QF1B5	6"		.62

Shpg. wt.—18" & 24"—4 ozs.; 6" and 12"—1 1/4 lbs. per doz.

HERTER'S BLACK FACE OR HUNTER ROUND TARGETS

NFAA REGULATION

These targets are printed on heavy tag stock for maximum life and resistance to the weather. They are regulation NFAA targets and may be used on any Hunter Round field events. The Hunter Round is included in most state and national tournaments therefore your club should hold at least one Hunter round event each season.



14 target set (18 faces). Each set includes extra small targets for replacements at short ranges.

QF1C5 Shpg. wt. 3 lbs. **\$.398**

HERTER'S BIG GAME OR ANIMAL TARGETS

NFAA REGULATION FOR ANIMAL OR BIG GAME FIELD ROUNDS

Herter's animal or big game targets are black and white reproductions of various animals and birds for field shooting. These faces are printed on heavy tag stock and are regulation NFAA targets. Each target has two scoring rings with no aiming spot. The scoring rings generally are not visible beyond



twenty yards making it an interesting round.

14 target set. Each set includes 4 extra small targets for replacements at short ranges.

QF1C4 Shpg. wt. 4 lbs. **\$.587**

HERTER'S SPECIAL DEER ARCHERY TARGETS

These deer targets are a must if you plan to hunt game with your bow and arrow equipment. Target shooting at circular type targets is excellent practice for preliminary training but you should learn just exactly where to hit game.

That is why Herter's offers these fiber reinforced tear resistant deer targets which you can set up anywhere or pin on your regular targets or back stop.



Deer is shown in full natural color and they are large enough to represent game at short ranges. 24 inch.

QF1C1 Shpg. wt. 6 ozs. **\$.86**

HERTER'S ARCHERY TARGET STANDS

Special design for use with Herter's target mats either 24" or 36". Ideal for home-club-camp-indoor-outdoor field course. Formed of cold rolled steel for maximum strength. Hinged at the top so it folds flat for easy storage/handling. Webbing across base supports matt—keeps legs from spreading. 14" space between uprights and back of matt minimizes arrow damage. 15° angle of base deflects wild arrows.

QF1F3 Shpg. wt. 4 lbs. **\$.465**



HERTER'S SPECIAL ARCHERY TARGET MATTS

These mats can be fired at and hit by field and target arrows for over 100,000 times before needing replacement. Tightly woven of tough, select marsh grass, these targets will stop arrows from even the heaviest bows. The center is reinforced with tightly woven wood-wool for additional durability. The entire target is covered with burlap which helps keep the target areas clean when used indoors. 36 inch NOT available. Shipped by truck or express.

No.	Diameter	Each	Shpg. wt.
QF1F1	36"	\$19.95	55 lbs.
QF1F2	24"	11.98	22 lbs.

HERTER'S SPECIAL BROADHEAD TARGET

Every serious-minded archer knows the value of practice and they also know the trouble they have finding a suitable target to drive broadheads into. Herter's broadhead target is made of Epofoam plastic and is 2 feet in diameter and 1 foot thick. It will stand up under the most punishing treatment and broadhead arrows may be pulled out with ease and without damage to them. Be sure and try one of these broadhead targets. Herter's special animal targets used in conjunction with this broad-

HERTER'S HAVE TOMORROW'S PRODUCTS TODAY!

head target make ideal, realistic, broadhead practice.




(Use Herter's two components epoxy point adhesive QB1K for attaching points, to eliminate points pulling off when removing arrows).

QF1G Shpg. wt. 9 lbs., 2 ozs. **\$.597**

HERTER'S ARROW SHAFT TAPERING TOOL

THE FINEST TAPERING TOOL AVAILABLE TO ARROW MAKERS

This precision designed arrow shaft tapering tool cuts perfect 5 degree and 11 1/2 degree tapers, on all sizes of wood shafts, for all popular field points, broadheads and nocks. This is a heavy duty, commercial



grade tool. Comes equipped with six interchangeable guide bushings for 7/32, 1/4, 9/32, 5/16, 11/32 and 3/8 inch shafts.

QM1D Shpg. wt. 8 ozs. **\$.229**

QM1D1 Extra blades, set Shpg. wt. 1 oz. **.49**

HERTER'S STANDARD STABILIZERS

The standard stabilizers feature a bright chrome 5 oz. weighted head with an anod-



Model 1

ized aluminum shaft complete with inserts and instructions. Model 1 is a 27 inch

anodized aluminum shaft. Model 2 is a telescoping aluminum shaft adjustable from 21 inches to 34 inches. They are used in



Model 2

the same manner as the mercury stabilizer. Model 2 stabilizer is supplied with case.

QN2C1 Model 1 Shpg. wt. 1 lb. **\$.11.95**

QN2C3 Model 2 Shpg. wt. 1 lb. **15.95**

NST38 Installation charge when ordered with new bow **3.50**

HERTER'S NEW PERFECTION ARROW HOLDER


This new arrow holder will firmly hold any size arrow even in sub-zero weather without slipping, as do many of the arrow holders on the market. It completely eliminates tiresome fingers trying to hold the arrow in position. As the arrow is drawn for shooting, the holder releases the arrow without a sound and will not scare game even at close range. Use for either right or left hand bows. Shpg. wt. 5 ozs.



QN1B5A **\$.159**

HERTER'S ADJUSTABLE ARROW HOLDER

Adjustable rubber grips hold any size arrow firmly in shooting position. Completely eliminates cold, tired fingers while trying to hold arrow in position. Immediately releases the arrow noiselessly at the moment you begin to draw. Use either right or left hand without interference.



QN1B5 Shpg. wt. 6 oz. **\$.189**

HERTER'S THREE FEATHER ROTARY FLETCHER

Here is the fastest three feather fletcher available anywhere and at a price any archer can afford. The entire body of the fletcher is smooth die cast duraluminum which will not rust or corrode with years of use. The three spring loaded clamps are of heavy gauge metal and seated into the fletcher under spring tension for positive pressure and alignment. The top part of the housing has a unique adjustment with a positive lock adjusting to all shaft sizes in a matter of seconds. The degree of



spiral over the entire length of the feather is made by an adjusting knob at each end of the fletcher which moves all three feather stations at one time quickly and accurately. One feather station is indexed so that if you are using more than one fletcher they may be set at the same degree quickly and easily.

This Rotary fletcher will complete one arrow every fifteen minutes as all three feathers may be cemented at one time.

QM1F Shpg. wt. 4 lbs. ea. **\$15.60**

MAGNETIC ARROW FLETCHER THE MOST ADVANCED FLETCHER EVER DEVELOPED

The most simple, most convenient, most accurate, and fastest magnetic fletcher ever devised. Four magnet contact points give support along entire length of feather clamp. Fletcher sets at offset angle for easy, convenient use. Clamp is tapered at quill contact point to prevent glue from sticking. Micro-adjustment marks for precise angle setting of feather. Instant, automatic setting for 120° (3 feather—top knob); 90° (four feather—middle knob) or 75°-105° (four feather—lower knob) by simply tightening the knob desired and leaving the other two loose. Or if you prefer, you can remove the two knobs not being used. Beautifully finished in gold with clamp finished in hand-polished chromium. Die cast frame and stand.



Automatic setting for 120° (3 feather—top knob); 90° (four feather—middle knob) or 75°-105° (four feather—lower knob) by simply tightening the knob desired and leaving the other two loose. Or if you prefer, you can remove the two knobs not being used. Beautifully finished in gold with clamp finished in hand-polished chromium. Die cast frame and stand.

QG9B Complete with straight clamp Shpg. wt. 3 lbs. **\$16.50**

QG9B1 With helical clamp. Specify right or left wing. Shpg. wt. 3 lbs. **17.98**

QG9B2 Extra straight clamp Wt. 8 ozs. **4.10**


QG9B3 Extra helical clamp for left wing feathers Shpg. wt. 8 ozs. **5.67**

QG9B4 Extra helical clamp for right wing feathers Shpg. wt. 8 ozs. **5.67**

HERTER'S PROFESSIONAL FEATHER TRIMMER

WILL PRECISION TRIM FEATHERS TO EXACT BALANCE IN A MATTER OF SECONDS ELECTRICALLY. A NECESSITY FOR ARROW MAKING.

Herter's Professional Model Feather Trimmer will trim feathers with precision.



When you trim feathers with this trimmer, you know that each and every feather on

HERTER'S HAVE TOMORROW'S PRODUCTS TODAY!

every arrow you turn out will be exactly alike, guaranteeing consistent shooting qualities. It is impossible to do a consistent feather trimming job by hand. The only way is by trimmer.

Herter's Feather Trimmer operates on 110-115 volts, A. C. current, just the same as a light bulb and uses just about the same amount of electricity. Very economical to use. Adjustable external burning element is easily controlled by turning the two hand screws. Shaft guide is adjustable for forward and backward movement. You can trim feathers to any shape you desire with this trimmer. This trimmer will do a precision job even without experience.

QM1A Trimmer Shpg. wt. 4 lbs. **\$3.89**

QM1A1 Burning element Wt. 5 ozs. **.25**

ARCHER'S ALCOHOL BLOW TORCH

Herter's alcohol torch is a near necessity for every archer. Once you have used one you will wonder how you ever got along without it. The torch is 100% safe as it holds no pressure. It burns with a 2½ inch bright blue flame. Besides being useful for the installation of target, field and broad-head points, nocking points with dental floss, removing cement from nock ends of arrow shafts when replacing nocks, etc., it is useful for many jobs around the house.



It does many soldering jobs, even as large as soldering copper water tubing. Both cylinders are filled with alcohol. To light, remove cap from nozzle tip of small cylinder, and top cap from large cylinder. Turn nozzle so it is directly over the open end of large cylinder and light with a match. When job is completed, merely blow the flame out as you would a candle. Replace caps for storage. Alcohol is inexpensive and available at any drugstore.

QM1D3 Shpg. wt. 1 lb. **\$4.47**

HERTER'S FAMOUS DU PONT NEOPRENE RUBBER TIP PROTECTORS FOR COMPOSITE WOOD AND FARBENGLAS BOWS

These Du Pont Neoprene rubber bow tip protectors keep the lower limb tip of your bow from becoming scratched or damaged



while bracing the bow. Actually, you cannot afford to be without them as they will save your expensive bow from tip damage

that will greatly destroy its value. Besides, the protectors keep your bow string in the correct position.

QN1A Shpg. wt. 4 ozs. **per pair \$24**

KILLIAN "CHEK-IT" BOW SIGHT

The Killian sight is a new precision target sight that has fast become one of the most popular sights on the target lines.




The block and sight features: A Windage adjustment; B. Bubble level adjustment; C. Yardage pin corrector; D. May be used either right or left hand, as is; E. Aperture may be turned without loosening locking screw; F. Universal size to fit other sight bars such as Reynolds sight that we have listed.

QN1B3 Complete sight, block extension and mount Shpg. wt. 1 lb. **\$41.35**

QN1B4 Block sight only Shpg. wt. 8 ozs. **21.40**

REYNOLDS DOUBLE ADJUSTABLE BOW SIGHT PREFERRED BY TOURNAMENT ARCHERS EVERYWHERE



Reynolds new bow sight is fully double adjustable and will fit on either back or face side of any bow due to the independent "short legged" base. Base is anodized duraluminum with graduation for adjustment reference stamped on the side. All lock screws and sight pin are machined from yellow brass. Main bar is extruded duraluminum with front face recessed so that the white tape is free from sight

pin housing and settings can be easily recorded with ink or pencil.

QN1B6 Shpg. wt. 8 oz. **\$7.80**


ADJUSTABLE EXTENSION BAR



QN1B6A Shpg. wt 6 oz. Adjustable extension bar for above sights. Extends to 8 inches. Aluminum alloy black anodized finish **\$9.49**

HERTER'S TARGET BOW SIGHT

Herter's patented target bow sight is a popular type designed for target shooting.




This target sight has a hooded single pin that can be adjusted for each yardage desired. Shpg. wt. each 8 oz.

QN1B1 Target sight w/Hood **\$3.29**

NEW HERTER'S BOW HUNTING SIGHT

The new Herter's hunting sight is an entirely new design in bow sights. The sight enables the archer to mount the sight on all bows without the troublesome shim-ming and building up to fit the various curved sight windows of modern bows. The




sight simply mounts on the opposite side of the sight window with a high impact pressure sensitive tape or may be mounted permanently with screws.

QN1B9 Sight complete with 3 pins. Shpg. wt. 12 ozs. **\$3.49**

TARGET STRING PEEP

String peeps are attached to the bow string by merely separating the bow string



QN1BA QN1BB QN1B

strands and inserting the peep so that the strands lie in the peep grooves. The string

HERTER'S HAVE TOMORROW'S PRODUCTS TODAY!

peep is used in conjunction with a standard bow sight and insures a positive anchor point and a double sighting reference for each shot.

QN1B Shpg. wt. 4 ozs. **\$.72**

QN1BA Shpg. wt. 4 ozs. **.72**

QN1BB Shpg. wt. 4 ozs. **.72**

HERTER'S ARCHERY BOW "CLICKER"

AN EXCEPTIONAL TIME-PROVEN AID FOR CONTROLLED SHOOTING

Herter's new "Clicker" is constructed of stainless steel with a pressure sensitive backing for easy harmless installation on the bow's sight window.

The use of the Clicker for archers plagued with "gold fever", "freezing", snap shooting or other mental shooting problems invariably results in the archer's ability to control his shooting. The device is positioned on the sight window and operated by the drawn arrow. As the arrow comes to full draw, an audible "click" is heard as the clicker arm snaps off the arrow point out of the way for the release.


Complete with instructions for proper use.

QN1B8 Shpg. wt. 4 ozs. price each **\$1.19**

MODEL 1 HERTER INTERNATIONAL MATCH ARROW REST

This is the finest rest possible for the beginning archer. It is made of durable resilient plastic. The top has a radiused surface so that the arrow cannot drag on the rest. This rest leaves you a complete view of the target both above and below the arrow. This solid rest allows the beginning archer to get used to positioning the arrow on the bow and holding it in position. The rest is easily cemented to the window of the bow by removing protective sheet from pressure sensitive backing and can be easily removed when ready for the Model 2 rest.

QN1B9A Shpg. wt. 8 ozs. **\$3.49**



No. Each Doz. Wt. Ea.
QN1B9A **\$3.49 \$3.57 8 ozs.**

MODEL 2 HERTER INTERNATIONAL MATCH ARROW REST

This arrow rest is the finest possible to make for the experienced archer. It is made of medium Du Pont nylon fishing leader monofilament, not the light, weak paint brush

type bristles that are found in mascara brushes. The nylon leader material is set into solid plastic. The nylon leader material



pieces are set in round brush, not in a straight line like on a mascara brush. When the arrow goes over this Herter rest there is no drag at all and the arrow bent under pressure as it is released does not touch them at all.

Many archers are now using plastic arrow fletching. All arrow rests but this one tend to tear the plastic fletching. The Herter Model 2 will not bother plastic fletching at all. Easily cemented to the sight window by removing protective sheet from pressure sensitive backing.

No. Each Doz. Wt. Ea.
QN1B10 **\$4.47 \$4.87 1 oz.**

HERTER'S ADJUSTABLE TARGET ARROW REST

The new Herter's adjustable arrow rest allows approximately 5/16 of an inch adjustment from 3/16 inch beyond center to 1/8 inch outside of center in relation to the bow width. The rest may be adjusted, therefore, for all types of arrows. The rest has been designed so that all types of pressure-sensitive arrow rests may be used, and also adapted for use with the famous Herter's Model 2 rest.

Herter's adjustable target arrow rest is available for all of the following tar-



get bows: Model Perfection Sitka "75" numbers QA2N12 and QA2N13, Model Perfection Sitka "72" number QA2N2 and QA2N3, Model Perfection Sitka "66" numbers QA2N4 and QA2N5, Model Perfection Sambar "70" numbers QA2M20 and QA2M21 and Model Perfection Utopian "72" and "75", Utopian takedown "70" and "75". Shpg. wt. rest only 4 ozs.

QA1NB **\$4.79**

QA1NC Installed on any one of the above bows, installation price **2.00**

HERTER'S VACUUM FORMED ABS BOW REEL

New 6 inch Tape on Model



This lightweight ABS bow reel easily tapes to your bow. The line flows off the reel smoothly and evenly when you shoot your fish arrow and is quickly wrapped back on. Lasts a lifetime. This reel gives you a chance to move about and to shoot fish with ease with no danger of tangling your line or of losing either fish or arrows. Lines of less than 70 pound test are not recommended as they snap too easily. The bow reel has a spring steel

wire clip to hold the line in place. The line pulls easily from the clip when the arrow is shot.

Comes complete with 60 feet of 70 pound test nylon line.

QN1D Shpg. wt. 1½ lbs. \$3.45

HERTER'S VACUUM FORMED ABS BOW REEL

New Clip On Shoot Through Model



Herter's new 10 inch ABS bow reel is lightweight, adjustable to fit all bows, snaps on and off in seconds, carries a spare arrow, and rewinds are made in half the time of small reels. Also features a unique line clip that allows line to be held securely in place yet flows freely upon shooting. Complete with 60 feet of 70 lb. test nylon line.

QN1F Shpg. wt. 3 lb. \$8.97

HERTER'S HAVE TOMORROW'S PRODUCTS TODAY!

HERTER'S BOW SQUARE




An essential tool for placing nocking points on string and checking fistmele height. Fistmele height is important and should be checked frequently while shooting target. Herter's Bow Square is a one piece dur-aluminum, anodized body with spring clips permanently riveted in place for positioning of string.

QN1B11 Shpg. wt. 9 oz. \$2.75

HERTER'S BOW STRING PROTECTOR AND SILENCER

When you release an arrow, the bow string vibrates, making a buzzing sound that continues after you shoot. Deer hear this sound and will jump before the arrow reaches its target. These bow string silencers and savers prevent grass and brush from catching between the bow and the bow string and also silence the string buzz.



For their low cost you just cannot afford to take a chance without them. Herter's bow string silencers and protectors are made of Du Pont neoprene rubber, not gum rubber like many and they are unaffected by weather.

QN1G Shpg. wt. 4 ozs. Per Pair \$0.39

HERTER'S BOW REEL LINE

BRAIDED NYLON



Every bow fisherman should carry extra bow reel line and fish arrows on every trip. It's sometimes necessary to break the line when an arrow becomes imbedded in a sunken log or other submerged debris and the loss of line or

arrow without replacements could ruin the fishing trip.

Herter's Bow Reel Line is braided nylon in 72 pound test. It is unaffected by either salt or fresh water and will not deteriorate with age. 50 yards.

QN1T1 Shpg. wt. 6 ozs. \$1.35

HERTER'S ADJUSTABLE BOW LEVEL

Self adhesive; remove paper backing and adhere to bow limb just above the sight



window. Self contained unit, no holes to drill in your bow. Simply loosen the screw and set the level to suit, then retighten the screw to lock into position. Level can be removed without taking adhesive back from the bow by simply removing the screw and removing outer portion of the level.

QN1B7 Shpg. wt. 3 oz. ea. \$1.29

HERTER'S PERFECTION BOW STRING SILENCERS

These silencers mounted on the bow string in pairs completely eliminates bow string twang. In a good many instances this will mean the difference between fatal hits and the game "jumping" the arrow. This is particularly true of deer who can easily jump clear of the arrow as close as 30 yards.



Model 1



Model 2

Made of durable flexible resinol plastic in neutral colors and will last indefinitely.

Silencers are mounted approximately one inch below the loop shank serving on each end of the bow string or so that they do not touch the bow while in the strung position. Mounted in such a manner they will not reduce the bows cast or effect the performance in any way. Shpg. wt. 4 ozs.

QN1G2 Model 1. Price per pair \$0.90
QN1G2A Model 2 .90

HERTER'S NEW BOW SLING

You will be amazed at the assurance and comfort given you by the new Herter's bow sling. It allows you to shoot with a completely relaxed hand and eliminates all worries of dropping the bow.



The new Herter's bow sling will not stretch and become loose as other straps and slings on the market. The sling is made of durable nylon and is available in three sizes: small, med. and large. String is worn on thumb and forefinger around the back side of the bow. This sling prevents the bow from jumping out of your hand when using a relaxed grip.

QE1L2 Shpg. wt. 3 ozs. ea. \$0.59; Per 3 \$1.69

HERTER'S BOW STRINGER

IS YOUR BOW WORTH \$.85?

We strongly advise the use of Herter's bow stringer for stringing and unstringing all bows at all times whether you're ex-



perienced or unexperienced. Nearly 100% of all twisted limbs or broken bows can be traced to undue strain placed upon one limb or the other during stringing or unstringing. No manufacturer can assume responsibility for improper use of any bow and with the price of modern bows you cannot afford to permanently damage your bow from improper stringing. We now supply these stringers free of charge with each new bow. If you have purchased a bow previously, however, we urge you to order one from this listing. Complete with instructions. Shpg wt. 6 ozs.

QN1G7 Fits all bow lengths \$.85

HERTER'S PROFESSIONAL BOW, ARROW AND ACCESSORY CASES

The professional bow and accessory case has been designated as one compact case to carry everything that target or field archery requires. These cases are sturdily constructed of ¼ inch plywood and covered with a heavy fabric-backed leather-grain vinyl. All hardware is durable brass finished for long wear. The arrow and accessory case is of the same construction and will carry a complete set of archery tackle, less the bow for both target and hunting.



Bow Case Specifications: Inside dimensions: Length 68 inches, width 7¼ inches, height 4 inches, arrow capacity 28 target arrows. Arrow Case Specifications:

HERTER'S HAVE TOMORROW'S PRODUCTS TODAY!

Outside dimensions: Length 34½ inches, width 6 inches, height 6 inches, arrow capacity 25 target arrows.



Arrow case with accessory compartments.

QE1W Bow and accessory case \$42.50

Shpg. wt. 18 lbs.

QE1X Arrow and accessory case 26.97

Shpg. wt. 15 lbs.

TWO COMPARTMENT TAKE DOWN BOW AND ACCESSORY CASE



Suitable for all take down target bows with sufficient room for extra set of limbs,



2 dozen arrows and archery accessories. Specifications: fabric back vinyl covered plywood with brass finished hardware. Outside dimensions 31 inches long x 11¼ inches wide x 8 inches deep.

QE1W2 Shpg. wt. 18 lbs. \$42.50

HERTER'S EXPANDED VINYL DELUXE BOW CASES

These are the same fine quality bow cases supplied with the various bows as

indicated in the bow listings. Due to popular demand we have added additional sizes to include all of our bow models, where cases are not supplied.



Cases are made from heavy expanded foam vinyl with soft knit cloth lining for complete bow protection.

QN1C6 Size 42 inch to fit Model Perfection 46 inch \$7.80

QN1C7 Size 52 inch to fit Model Perfection 56 inch and 52 inch and Sambar Junior 56 inch \$7.80

QN1C8 Size 57 inch to fit Model Perfection Sambar 60 inch and 62 inch, Model Perfection Sitka 58 inch and 62 inch and Model Perfection Premier Magnum 58", 60" and 62" \$7.80

QN1C8 Size 62 inch to fit Model Perfection 64 inch and 66 inch Model Perfection Sitka 66 inch and Model Deluxe Hunter International Match 63½ inch \$7.80

QN1C9 Size 69 inch to fit Model Perfection Sitka and Utopian 72 inch and 75 inch and Model Perfection Sambar 70 inch \$7.80

HERTER'S SPECIAL BOW CARRYING CASE

Many states require that archery bows be kept in carrying cases when being transported to hunting or target areas. Also, it is much safer for your bow if it is properly



protected, especially if you carry it in your car with other outdoor equipment which might damage the bow.

Herter's Special Bow Carrying Case is made especially for archery bows. This is not a gun case or rod carrying case that has been adapted. This carrying case is double stitched and reinforced at all stress points. It is made of special heavy waterproofed canvas. It has a heavy duty naval brass zipper that opens a full 14 inches and makes it easy to withdraw or insert the bow easily. The carrying handle is large enough to accommodate the largest hand comfortably and it, too, is double stitched and reinforced. Shpg. wt. 1½ lbs.

QN1C3 Case length 54" \$2.98

QN1C4 Case length 58" 2.98

QN1C5 Case length 68" 3.09

HERTER'S CAMOUFLAGE BOW COVERS

A true necessity for the serious minded hunter as it eliminates all glaring from the bow and will not affect the shooting of the bow in any way. The covers are sewn



at 1/2 inch intervals with elastic thread so that it will adhere to the bow at all times. Will fit wide limb bows up to 2 1/2".

QN1E Shpg. wt. 12 ozs. \$1.57

HERTER'S BOW AND ARROW RACK

A beautiful walnut finished rack that will properly store your bow and arrows when not in use. Laminated bows should be properly supported during storage to eliminate warped and twisted limbs.



Rack will store three bows and 24 arrows. Shipped unassembled. Shpg. wt. 4 lbs. QN1CM \$6.49

HERTER'S FAMOUS DELUXE HUNTER MODEL INTERNATIONAL MATCH 17° TURKISH LAMINATED COMPOSITE WOOD AND GLASS UNFINISHED BOW

These bows are completely laminated with no further gluing operations necessary. The limbs are tapered and tillered ready for nocking and final finishing. The handles have been left full size so that you may shape the grip as you desire. The sight window is cut out and requires only slight shaping and final finishing.

HERTER'S HAVE TOMORROW'S PRODUCTS TODAY!

SPECIFICATIONS:

LENGTH OF BOW: 63 1/2 inches.

LIMBS: Full proven working recurves. So many bows today claim to be a full working recurve but have no working recurve at all.



HANDLE CENTER SHOT: The sight window may be finished to full center shot or slightly off center as you prefer.

HANDLE MATERIAL: Exotic imported hardwood.

HANDLE SHAPE: 17° deflexed, 17° of deflex eliminates completely any twisting of the bow and wrist while shooting.

GLASS BACKING AND FACING: Forest green for camouflage effect.

LIMB MATERIALS: Two No. 1 Canadian rock maple pieces in each limb bonded permanently together.

MAXIMUM LIMB WIDTHS: 1-14/16 inches.

ARROW RESTS: Comes with exclusive Model 1 and Model 2 International Match arrow rests the finest possible to produce.

STRING: Entirely handmade. 58 inches long. Finest Du Pont Dacron. All servings hand wrapped with Du Pont nylon.

FISTMELE HEIGHT: From back of bow 9" to 9 1/2".

STRING QUIETER: Du Pont neoprene rubber buttons on each end of the bow string keep it from making a noise when released and from catching grass and twigs between the string and the tip of the bow.

GRIP: The grip may be shaped to any shape you desire.

FINISH: Clear epoxy finish is supplied for finishing the bow.

PULL WEIGHTS: Available in 25 to 29, 30 to 34, 35 to 39, 40 to 44, 45 to 49, 50 to 54 and 55 to 60 pounds. Specify pull weight.

BOW TIP OVERLAYS: Two laminations of Farbenglas.

Complete with detailed instructions.

QH1E1 Right hand 63 1/2" length \$18.97

QH1E2 Left hand 63 1/2" length 18.97

Shpg. wt 5 lbs.

HERTER'S RESIN ADHESIVE FOR LAMINATING ARCHERY BOWS

AN EXCLUSIVE EPOXY FORMULATION DEVELOPED BY HERTER'S FOR LAMINATING COMPOSITE WOOD AND GLASS BOWS. THE FINEST BOW LAMINATING AGENT MADE.

Herter's have been laminating woods for generations so that present day archery bow laminations present no problems to us. Long ago we developed this two component adhesive. It is clear in color, will not stain or discolor wood cores, and it is unquestionably the finest available for laminating wood and fiberglass. Only enough pressure is required to make contact with parts being glued. Comes with complete, easy-to-understand instructions. Slightly elevated temperatures during the curing cycle are recommended. Temperatures between 100°F and 125°F will produce complete curing in twelve hours.



Available in the following sizes in 36 inch lengths. These sizes will allow the lamination of any pull weight in any recurved design. Please specify size desired. Do not order by bow weight as there is no standard by which pull weights may be predetermined for any particular bow design. Generally speaking the medium sizes from .080" to .095" butt will produce bows from 40 to 50 pounds in full working recurved designs. Shpg. wt. 1 1/2 lbs.

QG1H1 Per quart of resin adhesive and 1/2 pint of hardener Shpg. wt 4 1/2 lbs. \$5.50

QG1H2 Per gallon of resin adhesive and 1 quart of hardener Shpg. wt. 15 lbs. 18.25

HERTER'S GERMAN TYPE FARBENGLAS POWER FACING AND BACKING

GERMAN TYPE FARBENGLAS AS USED ON OUR FAMOUS LAMINATED COMPOSITE BOWS. THE FINEST BOW FACING AND BACKING YOU HAVE EVER SEEN OR USED

This German type Farbenglas is of micro-precision uniform thickness, 36 inches in length. The gluing surface is prepared and ready for gluing while the outer surface is protected with a pressure



sensitive paper to prevent adhesion of glue during laminating process. With this farbenglas you can produce an archery bow equivalent to expensive retail priced bows. Available in 1-15/16 inch widths. QG1F available in colors black, desert sand, or white. QG1F1 available in black only. Due to specific epoxy systems used in the manufacture of this material, it is necessary that our epoxy resin adhesive QG1H1 be used for all laminating.

No.	Thickness	Per Pair	Shpg. Wt.
QG1F	.040	\$3.65	1 1/2 lbs.
QG1F1	.050	3.65	1 1/2 lbs.

HERTER'S FARBENGLAS SHORT LENGTHS

Farbenglas backing and facing short lengths available for overlay on handles and tips either black or desert sand.

QK1G5 Approx. lengths 6" per piece \$3.35 Shpg. wt. 6 oz.

HERTER'S MICRO-PRECISION TAPERED NO. 1 CANADIAN ROCK MAPLE STRIPS

CUSTOM QUALITY FOR THE DISCRIMINATING ARCHERS

These are the same maple tapers that are used in all of our bow limb laminations.



The wood that these tapers are cut from is finest grade No. 1 Canadian rock maple and has been accepted throughout the archery trade as the finest core material available for modern bows. This maple is sawed with edge grain exposed and then micro-precision sanded to a taper .001 of an inch per inch of length. Sawing and tapering the maple on the edge grain is of most importance as the maple is the strongest on the edge grain giving the bow maximum cast. This maple will glue with any of the popular bow adhesives, however we recommend our Bow Resin Adhesive.

Available in the following sizes in 36 inch lengths. These sizes will allow the lamination of any pull weight in any recurved design. Please specify size desired. Do not order by bow weight as there is no standard by which pull weights may be predetermined for any particular bow design. Generally speaking the medium sizes from .080" to .095" butt will produce bows from 40 to 50 pounds in full working recurved designs. Shpg. wt. 1 1/2 lbs.

No.	Butt	Tip	Wdth.	Pair
QG1G1	.110 tapered	to .074"	1 7/8"	\$1.67
QG1G2	.105 tapered	to .069"	1 7/8"	1.67
QG1G3	.100 tapered	to .064"	1 7/8"	1.67
QG1G4	.095 tapered	to .059"	1 7/8"	1.67
QG1G5	.090 tapered	to .054"	1 7/8"	1.67
QG1G6	.085 tapered	to .049"	1 7/8"	1.67
QG1G7	.080 tapered	to .044"	1 7/8"	1.67
QG1G8	.075 tapered	to .039"	1 7/8"	1.67
QG1G9	.070 tapered	to .034"	1 7/8"	1.67
QG1G10	.065 tapered	to .029"	1 7/8"	1.67

HERTER'S IMPORTED EXOTIC HARDWOOD BOW HANDLE BLANKS

This is the same material used on our laminated wood and glass bows. This wood is kiln dried to accept all types of adhesives and surfaced both sides for ease in handling. These blanks are selected both for beauty and grain structure to give you the strongest handles possible. Available in 1 29/32 inch thickness only.



QM1G 6" width x 18" length x 1 29/32" \$4.50

QM1H 6" width x 24" length x 1 29/32" 6.00

QM1J 6" width x 30" length x 1 29/32" 7.50

Shpg. wt. 18"—6 lbs.; 24"—8 lbs.; 30"—10 lbs.


HERTER'S HAVE TOMORROW'S PRODUCTS TODAY!

HERTER'S MULTIPLE CONSTRUCTION BOW STRINGS


Patent Pending

MADE OF WORLD FAMOUS TYPE SUPER B-43 DACRON UNDER A SPECIAL PROCESS

By selling bow strings made of inferior materials, we could increase our sales because they would not last long. We sell fewer bow strings, but we sell one that will outlast other bow strings. These strings are made of genuine type Super B-43 Dacron which is manufactured under a special hot-stretch process that imparts uniform tension to



Exclusive New Construction Doubles String Life.



every individual filament. These bow strings are served with Herter's nylon serving threads which will out wear the most expensive strings. Order out one of these bow strings today.

They are available in 19 lengths and two pull weights — 35 lbs. to 50 lbs. and 55 lbs. to 70 lbs.

They are available in 19 lengths and two pull weights — 35 lbs. to 50 lbs. and 55 lbs. to 70 lbs.

No.	Inches Long	Pull Wt.	Price	Shpg. Wt.
QA2K25	29 1/2	80 to 110	\$1.98	4 ozs.
QN1H29	40	35 to 50	.89	4 ozs.
QN1H30	40	55 to 70	.89	4 ozs.
QN1H33	43 3/4	10 to 40	.89	4 ozs.
QN1H21	46	35 to 50	.89	4 ozs.
QN1H22	46	55 to 70	.89	4 ozs.
QN1H35	47 1/2	35 to 50	.89	4 ozs.
QN1H36	47 1/2	50 to 70	.89	4 ozs.
QN1H13	49 1/2	35 to 50	.89	4 ozs.
QN1H14	49 1/2	55 to 70	.89	4 ozs.
QN1H23	51	35 to 50	.89	4 ozs.
QN1H24	51	55 to 70	.89	4 ozs.
QN1H19	52 1/2	35 to 50	.89	4 ozs.
QN1H20	52 1/2	55 to 70	.89	4 ozs.
QN1H25	53 1/2	35 to 50	.89	4 ozs.
QN1H26	53 1/2	55 to 70	.89	4 ozs.
QN1H1	56	35 to 50	.89	4 ozs.
QN1H2	56	55 to 70	.89	4 ozs.
QN1H27	57	35 to 50	.89	4 ozs.
QN1H28	57	55 to 70	.89	4 ozs.
QN1H3	58	35 to 50	.89	4 ozs.
QN1H4	58	55 to 70	.89	4 ozs.
QN1H15	59	35 to 50	.89	4 ozs.
QN1H16	59	55 to 70	.89	4 ozs.
QN1H5	60 1/2	35 to 50	.89	4 ozs.
QN1H6	60 1/2	55 to 70	.89	4 ozs.
QN1H9	62 1/2	35 to 50	.89	4 ozs.
QN1H12	62 1/2	55 to 70	.89	4 ozs.
QN1H10	63	35 to 50	.89	4 ozs.
QN1H11	63	55 to 70	.89	4 ozs.
QN1H7	63 1/2	35 to 50	.89	4 ozs.
QN1H8	63 1/2	55 to 70	.89	4 ozs.
QN1H17	65	35 to 50	.89	4 ozs.
QN1H18	65	55 to 70	.89	4 ozs.
QN1H31	66 3/4	35 to 50	.89	4 ozs.

Note: 29 1/2 inch string fits Herter's Model Perfection Cross bow.

40 inch string fits Herter's Model Perfection Sitka 46 inches and Model Perfection 46 inch.

43 3/4 inch string fits Herter's Model Sitka Junior.

46 inch string fits Herter's Model Perfection 52 inch.

47 1/2 inch string fits Herter's Model 21B 52 inch.

49 1/2 inch string fits Herter's Model Perfection 56 inch bow and Herter's Model Perfection Sambar Junior.

51 inch string fits Model 21A Farbenglas. 52 1/2 inch string fits Herter's Model Perfection 59 inch bow, Model Perfection Emperor Hunter Model Perfection Sitka Magnum Hunter 58 inch and Model Perfection Premier Magnum 58 inch.

53 1/2 inch string fits Herter's Model Perfection "60" Premier Magnum, Herter's Model Perfection Sambar Hunter 60 inch length and Herter's Model 21B 57 inch length.

56 inch string fits Herter's Model Perfection 62 inch length, Model Perfection Sitka 62 inch, Model Perfection Sambar Hunter 62 inch, Model Perfection Premier Magnum 62 inch, 62 inch Magnum Takedown and Kiowa Hunter 60 inch.

57 inch string fits Herter's Model Perfection Sambar Hunter 64 inch length.

58 inch string fits Herter's Model Perfect 600 Farbenglas, Herter's Model Magnum Farbenglas, Herter's Deluxe Olympian CV 17° 63 1/2 inch length and 17° CV International Match Hunter Wood and Glass Laminated Composite bows.

59 inch string fits Herter's Model Perfection 66 inch length, Model Perfection Premier 66 inch length, Model Perfection Sitka 66 inch and Model Perfection Sambar Hunter 66 inch length.

60 1/2 inch string fits Herter's Model Perfection Kiowa Target 66 inch length and 70 inch Utopian Takedown.

62 1/2 inch string fits Herter's Model Perfection 69 inch and Herter's Model Perfection Sambar "70" target.

63 inch string fits all Models of 22° CV Turkish.

63 1/2 inch string fits 17° CV International Match, Herter's Deluxe Olympian 17° CV 69 1/8 inch length laminated composite wood and glass bow.

65 inch string fits Herter's Model Perfection Premier 72 inch length and Model Perfection Sitka 72 inch and Model Perfection Utopian 72 inch.

66 3/4 inch string fits Herter's Model Perfection Sitka 75 inch, Model Perfection Utopian 75 inch and 75 inch Utopian Takedown.

HERTER'S PROFESSIONAL BOW STRINGS

Strings served with nylon monofilament have become popular with many of today's target shooters. Herter's Professional strings are served with a hard, durable filament that has the proper resiliency to insure long life without damaging the fine dacron filaments of the string. Both the end loops and center serving actually outwear the dacron itself. Available only in 12 strands in the following target bow lengths. Note listing for proper bows for strings. Shpg. wt. 4 oz.

QN1H37	59 inch	\$1.98
QN1H38	60 1/2 inch	1.98
QN1H39	65 inch	1.98
QN1H40	66 3/4 inch	1.98

HERTER'S MONOFILAMENT NYLON BOW STRING SERVING

Herter's nylon serving is a special hard drawn monofilament that is extremely resistant to wear and compression. Regular nylon fishing leader material and teflon is too soft for serving as it quickly compresses and deforms at the nocking point and bow tip loops. It is suggested that only the string loops and center be served with the monofilament. 100 yd. spool. Green color only. Shpg. wt. 4 oz.



QN3H4B\$.79

HERTER'S DU PONT NYLON SERVING THREAD

Serving threads have always been a problem to the archer. Polished cotton or linen threads do not have good resistance to abrasion and always wear through long before the dacron is worn out. Dacron and nylon threads of commercial weaves and twists have always been too hard for bow strings as they would shear the dacron fibers under the servings and the strings would break down internally. We have spent considerable time experimenting with serving threads and have now developed a special soft twist in a nylon thread that will more than double the string life. The special soft twist lays down and forms a firm serving with a hard abrasion resistant surface. Herter's nylon serving thread is available in two sizes. No. 3 is suitable for center serving where double servings are used and for the shank serving on the loops. No. 4 should be used on the loop serving and also center serving where a single serving is used. Both sizes are available in red, green or black. Specify color. Shpg. wt. each—4 ozs.; doz 2 1/2 lbs.


No. Each Doz.
 QN3H2 No. 3 per 1 oz. spool (125 yards)\$.46 \$5.16
 QN3H3 No. 4 per 1 oz. spool (100 yards)46 5.16

No. Each Doz.
 QN3H2 No. 3 per 1 oz. spool (125 yards)\$.46 \$5.16
 QN3H3 No. 4 per 1 oz. spool (100 yards)46 5.16

HERTER'S BOW STRING WAX

SPECIAL FORMULATION OF BEESWAX WITH HANDY DISPENSER

Properly blended beeswax is the only type of wax suitable for bow strings. Bow string wax must be tacky to hold the filaments together and prevent damage to the string from fraying and snagging during handling of the unstrung bow. Bow string wax must act as a lubricant to prevent shearing of the filaments while shooting. Petroleum wax is worthless for bow strings although a great many manufacturers use it because it costs practically nothing to use. Shpg. wt. 4 ozs.; per doz. 3 lbs.



No. Each Per Doz.
 QN1T2\$.35 \$3.60

HERTER'S HAVE TOMORROW'S PRODUCTS TODAY!

HERTER'S DACRON BOW STRING MATERIAL TYPE SUPER B-43

UNIFORMLY HOT STRETCHED

Herter's Dacron Bow String material is the finest hot stretched dacron string material available. We stock only the "Super B-43" as other types of dacron are not suitable for top quality strings. Herter's Dacron is processed solely for bow string construction. The elasticity has been removed by a special "hot stretch" process that also imparts uniform tension to every filament. Serve your bow string with Herter's nylon serving thread and you will have the finest string possible to make.

Herter's Dacron Bow String material is available in prewaxed material only. Hot prewaxed process provides thorough penetration of each fiber.


Approximate footage 1320 feet.

QN3H1A Per 1/4 lb. spool prewaxed Shpg. wt. 1 1/2 lbs.\$1.59

HERTER'S BOW STRING SERVERS

AVAILABLE IN TWO POPULAR STYLES

Anyone who is active in archery should be making his own bow strings. String



making is not difficult and with Herter's materials and jigs you can make the best possible strings at a fraction of the cost of factory made strings. Herter's bow string servers are efficient and easy to use. The server used in conjunction with Herter's nylon serving thread will wind servings much better than most commercial strings. Complete detailed instructions are included. Shpg. wt. 4 ozs.

QN3H4 Model 1\$1.19

QN3H4A Model 2 1.19

HERTER'S BOW STRING JIG

Factory made bow strings are expensive due to the hand work involved in making them. You can make your own strings at only a fraction of the cost of factory made



strings and to your own exacting lengths and weights. Herter's Bow String Jig has been designed for the individual and comes complete with simple easy to follow in-

structions. It is fully adjustable for any string length from 4 to 6 feet. Anyone who can shoot a bow and arrow can make his own strings. Constructed of American hardwoods for a lifetime of use. The jig is unassembled to facilitate shipping.

QN3H Shpg. wt. 10 lbs.\$5.95

HERTER'S SPECIAL NOCKING POINT FLOSS

Nocking points have always been a trouble spot for both the experienced and beginner archers. Most nocking points, in prepared forms, are either too hard or too soft. They move on the string, are difficult to apply, etc. Herter's have developed a new system of applying nocking points that is fool proof in every way. Any shape nocking point can be formed. It will not slip on the string. It is easily applied and it will outlast the string.




To form a nocking point, merely wrap the bow string at the point desired with the nocking point floss, forming the type of nocking point desired. After wrapping, apply two or three drops of solvent to the wrapping and allow a few minutes for drying time. The solvent will melt the wrapping forming a durable, plastic nocking point. If your nocking point is quite large it is best to wrap it in two stages. Build up half the thickness desired and apply the solvent. When dry apply the balance of the wrap. This will allow complete penetration of the solvent.

Available in colors black, red or yellow. Please specify.

QN3H5 30 yds. nocking point floss (enough for dozens of nocking points) 2 oz. special nocking point solvent Shpg. wt. 5 ozs.per set \$.79

SAUNDERS NOK-SETS

These are the popular Saunders nok-sets used for all nocking points. The soft alu-



minum exterior clamps tightly on the string compressing the soft plastic liner which permanently grips the servings. These are quick easy nocking points to use and last indefinitely. Shpg. wt. nok-sets or pliers 4 ozs. each.

QN3H6 Per set of 5\$.87

QN3H6A Pliers for closing nok-sets87

HERTER'S SPECIAL KIOWA ARCHERY SHOOTING TIP

The first, second and third fingers of your drawing hand will take a terrific



amount of abuse if a shooting glove is not worn. Concentrating 40 to 70 pounds of pull within a bow string and applying this pressure to unprotected fingers makes accurate and comfortable shooting impossible. Shooting with a badly designed glove is nearly as bad. Herter's has designed a shooting glove which will protect your fingertips even if you shoot for hours without stopping. Herter's Special Kiowa Archery Shooting Glove is of the finest possible quality throughout. Entirely hand made by small town leather craftsmen, of genuine elk skin. The finger tips are finest steer hide leather pre-formed and semi-enclosed at the tips. The back strap is fully adjustable for comfortable wearing. Shooting glove comes in sizes: small, medium, large, extra large. Please specify size desired. May be used on either right or left hand. Specify.

QK1E Shpg. wt. 4 ozs.\$1.37

HERTER'S SPECIAL ARAPAHOE SHOOTING TIP

NEW SINGLE SEAM FINGER TIPS NYLON STITCHED

Special quality soft-tanned elk hide has been put into the back of this glove and the fingertips themselves are made of Cordovan leather, tanned to our exact specifications so that the bow string can be held firmly until



full sight is taken. These fingertips are molded for perfect fit and allow a clean, crisp release of the arrow. Elastic mid-band keeps firm tension on the tips holding them firmly on the fingers at all times.

Order out one of these Herter Special Arapahoe Shooting Gloves and give them a thorough trial under your own conditions. Sizes: small, medium, large, extra large. Please specify. May be used on either right or left hand.

QK1F Brown Shpg. wt. 4 ozs.\$2.98

HERTER'S SPECIAL PERFECTION SHOOTING TIP

Requires No Break In Period

Herter's New Perfection shooting tip is constructed of special processed steer hide that requires no break-in period as do the Cordovan types. These soft tips are pre-

HERTER'S HAVE TOMORROW'S PRODUCTS TODAY!

ferred by some archers as they allow the archer to feel the string somewhat better



than the harder types. Features adjustable snap buckle wrist strap with elastic mid band which assures firm tension on the tips at all times. May be ordered in either right or left hand in sizes small, medium, large and extra large. Specify size.

QK1H Right hand Shpg. wt. 4 ozs.\$2.48

QK1H1 Left hand Shpg. wt. 4 ozs. 2.48

HERTER'S LEATHER TIPPED BUCKSKIN ARCHERY SHOOTING GLOVES

These archery shooting gloves are actually made to sell at more than twice our less than wholesale selling price. It is only because they are made by small town leather craftsmen who take pride in their work at reasonable prices that we can sell these at this price. They are made of top grade, hand picked Minnesota deer skins that molds itself to the shape of your hand perfectly. This is very important in archery shooting, as most archery gloves on the market today actually hinder a shooter instead of helping. The tips are made of select grade leather which will withstand tremendous abuse, yet remain pliable and smooth, giving a perfect arrow release



every time. This is not a single shooting glove. We sell these in pairs, so that they can be used for cold weather shooting. The tips are available in either right or left hand models. Come in small, medium, large, extra large sizes. Please specify size desired.

QK1G10 Right hand Shpg. wt. 10 oz.\$6.80

QK1G20 Left hand Shpg. wt. 10 ozs.\$6.80

HERTER'S NEW PROFESSIONAL HAND SELECTED HAIR TABS

Herter's hair tabs are handmade and hand selected from choice calf hides to meet with the top professional standards. They are made by one of the top professional archers to give you the best grain possible for long shooting life. The calf hair tab is backed by soft durable white felt. Unlike leather backed tabs,

leather tabs and shooting gloves, the felt backed tab needs no breaking-in period and gives the smoothest release possible. This tab is not only the ultimate for the target archer but the serious hunters as well. Tabs come in assorted colors of which we have no control.

Available in sizes small, medium and large. Please specify size desired. Shpg. wt. 4 oz.

QK2E Right hand\$1.34

QK2E1 Left hand 1.34

HERTER'S YOUTH HAIR TABS

For the first time the young Archers can now have a professional tab with the proper fit. The calf hair tab is backed with soft white felt and needs no break-in period, as the stiff gloves and tabs used by most youth archers in the past.

QK2B2 For ages 6 to 10\$1.24

QK2B3 For ages 11-14 1.24

HERTER'S SHOOTING TAB

Popular style tab made from the finest grade shell Cordovan leather dark brown in color. The tab is constructed of two thicknesses. The backing is a top grade of soft felt for maximum finger protection. The shell cordovan is processed to improve with use and no roughness will occur from shooting.

Available for right or left hand in sizes: small, medium, large. State size when ordering.

QK2B Right hand Shpg. wt. 4 ozs.\$1.08

QK2B1 Left hand Shpg. wt. 4 ozs. 1.08

HERTER'S SPECIAL CHEYENNE HUNTING ARM GUARD

This arm guard is made of the highest possible quality materials and workmanship. It has a spring steel stay running the full length of it and there are three adjustable leather arm straps for comfortable fit over the bare forearm or over a hunting shirt or jacket. It has a soft inside lining that will never irritate your forearm when worn without sleeves under it. The outside, or striking surface, is made of heavy grade,

HERTER'S HAVE TOMORROW'S PRODUCTS TODAY!

most durable, highest quality Cordoza highly buffed, western steer hide, Spanish tanned.



No other leather will stand up under archery use like the leather in this arm guard.

QK1A Shpg. wt. 5 ozs.\$2.59

HERTER'S SPECIAL BLACKFOOT TARGET ARM GUARD

Herter's Special Blackfoot Target Arm Guards have a built-in steel stay that runs full length. The inside finish is of suede-like material that will wear like iron. This soft suede-like material can be worn next to the skin without irritation, making it possible to wear this arm guard during the



hot weather, without the additional protection of a jacket or coat sleeve. The outside, or striking surface, of the arm guard is made of the strongest, most durable Cordoza dark brown, highly buffed, western steer hide, Spanish tanned. Elastic arm straps are adjustable and the arm strap snaps are made of attractive Naval brass. Perspiration cannot cause these snaps to rust.

QK1B Brown Shpg. wt. 4 ozs.\$2.29

HERTER'S SPECIAL FULL LENGTH ARM PROTECTOR

This arm guard has been designed for full length arm protection. Beginners will



especially appreciate this guard and also experienced archers who have trouble with arm protection. This guard is constructed of deer skin padded with urethane foam plastic backed with a non irritating suede. Guard also features four elastic straps with full adjustment for comfortable fit on bare arm or over clothing.

QK1B3 Men's Shpg. wt. 10 ozs.\$3.54

QK1B3A Women's and children's Shpg. wt. 10 ozs.3.54

HERTER'S SPECIAL SEMINOLE TARGET ARM GUARD



This arm guard is ideal for use by children age 8 to 15. It has a quick-detachable elastic wrist band that will fit snugly over your bare arm or over a shooting coat or shirt sleeve. The inside surface is of a smooth material that will not irritate the skin and is impervious to perspiration. The outer, or striking surface, is of Spanish tanned, western steer hide that will take a tremendous amount of abuse from a bow string before showing any signs of wear.

QK1C Brown Shpg. wt. 4 ozs.\$1.87

HERTER'S MODEL PERFECTION ARM GUARD FOR HUNTING OR TARGET

An entirely new concept in archery arm guards. The unique strap arrangement makes it now possible to adjust straps quickly to individual arm sizes or over the heavy clothing for cold weather hunting. An arm guard should also be worn even over heavy hunting clothes to prevent the string from striking loose clothing and throwing the arrow off the point of aim.

The guard is made from selected top grain oil tanned steer hide with nickel plated snaps and buckles. A full length spring steel stay is permanently sewed within the guard for maximum arm protection.

The arrabuk backing is moisture resistant assuring long life and protecting the leather from perspiration.

QK1B4 Shpg. wt. 12 ozs.\$2.98

HERTER'S HUDSON BAY BIG GAME KNIFE

The most practical knife for big game hunters ever designed. In addition to the tough 4½ inch chrome-vanadium steel blade,



this knife features a full 5 inch spring-tempered saw with 10 teeth per inch. Any-

one who has ever field dressed a deer, antelope or any big game animal knows what a problem it is to cut through the pelvic bone. This saw completely eliminates this troublesome job in seconds. The chrome-vanadium blade takes an edge and holds the edge like a good knife should. This knife is built to last a lifetime. Complete with heavy top grain steerhide case with belt loop and snap-fastened flap. Shpg. wt. 1 lb.

QK1D2 Each\$10.69

HERTER'S BOW HUNTERS BELT KIT

The three necessary bow hunters items. All in a handy, heavy-duty, steer hide belt sheath. The knife is best quality Sheffield forged sword steel blade, 5 inches in length with stag handle 4 inches long; made in England to our specifications. Kit also features special 8 inch broadhead file and 7/8" x 3/8" x 3" sharpening stone for knife and broadheads. Also makes one of the nicest gifts you could ever give to a bow-hunter.



QK1D Kit Shpg. wt. 1¼ lbs.\$7.39

QK1D1 Knife only Shpg. wt. 1 lb. 3.97



This fine muley buck was taken by Dennis Behn of Colorado. He downed this fine trophy with our 46" perfection bow and Herter's Ram MX tipped arrows.

HERTER'S SPECIAL ALGONQUIN TARGET QUIVER

It is designed to be fastened to your belt by means of a sturdy chrome-plated belt clip. This belt clip is attached to a pair of holding straps which hold the quiver at just the right angle forward for you to reach arrows easily and quickly. The straps are attached to the quiver itself by a unique arrangement of double rivets of solid, rust-proof brass. The quiver is made of genuine strongest, most durable Cordoza, dark brown, vinyl sole. The quiver holds six field or target arrows.



QE1C Brown Shpg. wt. 1 lb.\$3.29

HERTER'S SPECIAL PERFECTION TARGET QUIVER



A new top quality target quiver for those who enjoy fine equipment. Completely constructed of brown beaver grain. Quiver is constructed at the proper angle to provide easy access to arrows. Quiver will hold up to one dozen target arrows and features a large snap flap pocket which is ideal for all archery extras such as extra strings, nocks, cement, cigarettes and matches etc. For right hand archers only.

QE2P Shpg. wt. 2 lbs.\$6.79

HERTER'S SPECIAL TARGET POCKET QUIVER



For the target shooters who prefer pocket quivers. This special pocket quiver will carry up to ½ doz. target arrows which are completely out of the way while shooting or walking from target to target. The quiver has a special belt loop and may be worn either inside the back pocket or on the outside.

QE2L Shpg. wt. 1 lb.\$1.47

HERTER'S HAVE TOMORROW'S PRODUCTS TODAY!

HERTER'S SPECIAL SIOUX TARGET QUIVER

This is actually a dual purpose quiver for either target or field. It is worn from the belt with two straps. The Sioux quiver features a large nine inch zippered pocket for archery extras such as nocks, string, cement, powder, tabs, etc. The women appreciate it for cosmetics, cigarettes, etc. It is constructed of top quality vinyl sole made to last a



lifetime. It's fine quality construction, neat appearance and practicability make it a most popular quiver. Available in medium brown color with tan trim.

QE1V Shpg. wt. 3 lbs.\$6.59

HERTER'S SPECIAL CREE JUNIOR FIELD QUIVER

This is an excellent quiver for the archer who does only occasional shooting or for the archer who shoots only field or target points. It is also an excellent quiver for the beginner or for children. Although this is not as large or heavy a quiver as our other models, do not allow yourself to be led to believe that we have neglected quality. This quiver is made of the highest obtainable grade Cordoza dark brown, grain finish, leatherette. It has a built-in leather loop on the upper rim which may be attached to your belt, or to which you may add a shoulder strap. This quiver is priced considerably lower only because it is smaller and not because quality has been skimped.



QE1F Shpg wt. 1 lb.\$1.29

HERTER'S SPECIAL GEORGE L. HERTER BRUSH QUIVER MODEL 2B

This famous quiver is made especially for hunting in brush country. These quivers are made of the finest procurable dark and medium brown beaver

grain leatherette entirely hand finished. The body of the quiver is brown beaver grain and all trim is dark brown elk giving a two tone effect.



The sides of the quivers are well rounded. The quiver has divided compartments for broadheads and damaged arrows etc., and a special bottom to keep the arrows from rattling, a large pocket with a naval brass heavy duty zipper for storing your compass, sharpening stone, lunch, maps, etc.

QE1S Shpg. wt. 3 lbs.\$12.25

HERTER'S SPECIAL GEORGE L. HERTER BRUSH QUIVER MODEL 3B

This famous quiver is made especially for hunting in brush country. The quiver fits



directly in the middle of your back. In this position the arrows are directly behind your head where brush cannot catch them. You

can also reach them as quickly as possible with an over the shoulder draw. The harness is made of wide comfortable leather and is fully adjustable. The quiver can be put on or off in a matter of seconds.

This famous quiver was designed by George L. Herter many years ago. It has been imitated by a number of well-known companies but never in this finest procurable quality.

These quivers are made of the finest procurable dark elk leatherette and medium brown beaver grain leatherette entirely hand finished. The body of the quiver is brown beaver grain and all trim is dark brown elk giving a two tone effect.

The sides of the quivers are well rounded.

The quiver has divided compartments for broadheads and damaged arrows etc. and a special bottom to keep the arrows from rattling and a large pocket with a naval brass heavy duty zipper for storing your compass, sharpening stone, lunch, maps, etc.

QE1T Shpg. wt. 3 lbs. \$12.97

HERTER'S SPECIAL GEORGE L. HERTER OPEN COUNTRY HUNTING QUIVER MODEL 4B

This famous quiver is made especially for hunting in open country. The quiver fits



on your back. In this position the quiver will hold arrows behind your head and shoulder. You can easily reach them as quickly as possible with an over the shoulder draw.

This famous quiver was designed by George L. Herter many years ago and has been imitated by a number of well known companies but never in this fine quality.

These quivers are made of the finest procurable dark leatherette and medium brown beaver grain finish.

QE1U Shpg. wt. 1 1/2 lbs. \$6.97

HERTER'S HAVE TOMORROW'S PRODUCTS TODAY!

HERTER'S SPECIAL ASSINIBOINE JUNIOR OPEN COUNTRY QUIVER



This is an ideal quiver for anyone who shoots 26" or 27" arrows, or for older children who are learning to shoot along with their parents. The same quality has been built by Herter's into this quiver as you will find in all other Herter quivers. It has a tapered shoulder strap for comfort and carrying ease, easily adjustable for length. The upper rim of the quiver has double thickness leatherette and all outside seams are double-stitched with impregnated nylon thread.

QE1K Shpg. wt. 1 1/2 lbs. \$2.39

HERTER'S SPECIAL GROUND QUIVER

A ground quiver is a must for all target shooters. The ring will hold up to a dozen target arrows for quick access and be comfortably out of the way while shooting. Also eliminates the possibility of someone stepping on them which can happen if you lay your arrows on the ground. Herter's Ground Quiver also features a special bow rack that will handle any size or shape of bow. It may be set in the rest and supported by the riser or it may be hung from the string. The bow rack arms are plastic coated to prevent marring the finest finish. The balance of the Quiver is finely nickel plated for years of rust free service.

QE1M Shpg. wt. 1 lb. \$2.34

HERTER'S CUSTOM SILENT BOW HUNTERS QUIVER

Herter's Custom Silent Bow Quiver is truly the answer to the bow hunter's problem of carrying arrows in heavy cover or wet weather. The quiver is constructed of vacuum formed ABS material and coated with a rubberized brown leatherette finish to deaden the sound of brush striking the quiver while walking. The quiver is adjustable for any length arrow by merely loosening the wing nuts. The nock end of the arrow is set into a sponge rubber pad and the point on a rubber base which will not dull the sharpest

edge. The quiver can be adjusted so that there is just enough tension on the arrows to firmly hold them in place. The feathers are completely protected from damage by brush, rain and snow and can be carried



all season under any condition with no damage to the arrows. The quiver will hold 24 hunting arrows comfortably and they may be spaced so that the feathers do not touch each other. Due to the fact that the arrows are held firmly in place there is absolutely no arrow rattle at any time.

The quiver is the center back type having four straps that fit over the shoulder, around the waist and are snapped into a large ring in the center of your chest. The quiver may be removed by merely unsnapping one snap. The straps are top grain leather and fully adjustable.

The arrows are removed at waist level by pushing up slightly on the shaft to relieve the tension on the point and the arrow is then brought down and out of the quiver. This method of removal is important to the big game hunter as a minimum amount of movement is required.

QE2C Shpg. wt. 5 lbs. \$11.97

HERTER'S SPECIAL SILENT BOW QUIVERS

EASILY ATTACHED TO ANY BOW WITHOUT THE AID OF SCREWS CLAMPS OR TAPE. WILL NOT HINDER THE CAST OF ANY BOW.

Herter's silent bow quivers are available in two models. Model 1 as illustrated is made of a neutral colored soft pliable plastic which is easily slipped down on the bow limbs from the nock end. It will hold four hunting arrows of any diameter or length. Model 2 has a soft "Cycloc" plastic frame riveted to a neoprene core which will not turn brittle or crack as rubber will. It holds four broadheads. The open end construction of Model 2 simplifies installation by merely slipping the quiver on the bow limb and snapping the spring steel clip into place. The serrated neoprene core grips the bow limb and holds the quiver firmly in place. Broadhead shields are available that guard against personal injury and damage to the

quiver broadhead cutting edge. Herter bow quivers are designed to enable the archer to



Model 1 Model 2
quickly nock arrows for repeat shots at game with a minimum of motion.

Shpg. wt. 1 1/2 lbs.
QE1G Model 1 complete with shield \$3.47

QE1G1 Model 2 complete with shield 4.24

HERTER'S PROFESSIONAL ROTARY BELT QUIVER

For silent hunting Herter's Professional Rotary belt quiver is the answer. This quiver attaches to your belt and can be worn on the right side or directly in the middle of your back. Made of durable green plastic with soft plastic brackets that hold the arrows firmly and silently in place. With these brackets the arrows will not rattle while you move through the woods, yet affords quick, quiet, easy removal of arrows for that next shot.



QE2R Shpg. wt. 3 lbs. \$7.95

HERTER'S HAVE TOMORROW'S PRODUCTS TODAY!

HERTER'S NEW BOW HUNTING QUIVERS



Mod 1 Mod 2

Both of these new quick detachable quivers hold 6 arrows and have been designed for minimum weight. The Model 1 quiver weighs 6 oz.; it is adjustable and will fit all bows. The Model 2 quiver weighs 4 oz. and has been designed specially for the popular Herter's Magnum Takedown Bows. The Model 2 fits these bows only. Both models will fit either right or left hand bows. Shpg. wt. 1 lb.

QE3A Mod 1 \$10.38
QE3B Mod 2 7.75

HERTER'S NEW TREE STAND



The Herter's new tree stand is the ultimate in portable hunting tree stands. This low priced compact stand was designed for all types of big game bow hunting. The stand was designed by several of our veteran bow hunters. The stand folds up to 1 1/2 inches thick and the total weight is 12 lbs.




The tapered platform is 21 inches at the widest by 22 inches deep. The chain has a heavy soft plastic coating for minimum noise. Straps can be attached and the stand carried as a back pack. Shpg. wt. 14 lbs.

QF1F9 \$18.95

HERTER'S NEW TREE CLIMBING AIDS

Herter's new tree steps allow you to safely climb to your chosen tree stand. They will safely put you above the scent line for closer, cleaner, more accurate shots. We recommend, however, that you do not hunt over 10 ft. up as this reduces the proper angle into the vital area of the animal.



Unlike other climbing devices that need noisy, hard to manage chains, cables and hammering to hold them in place, Herter's tree steps can be simply installed with one hand on any size tree by turning the special screw into place. Four of these steps will take you 10 ft. up the tree. Herter's tree steps are the only quick detachable tree steps that will not slip or slide down the tree when you step on them.

QF1F12 climbing aids each \$1.69
Shpg. wt 36 oz.

QF1F12A Extra screws each .89
Per 6-Shpg. Wt. 12 oz.

HERTER'S NEW OCELOT BOW HUNTING COVERALLS

These new coveralls with Ocelot design are made of soft 100% cotton back, water repellent fur and are the ultimate for the bow hunter. The material is so soft and quiet that when stalking game the pants legs rubbing against brush cannot be heard. When hunting from tree stands, the archer can move without making the usual noise from rubbing on the bark of the tree. The coverall is so comfortable you will want to wear it for camping, fishing and other leisure hours. There are 5 roomy pockets. One breast pocket with zipper for hunting li-

censes, two large covered side slash pockets and 2 large hip pockets. The new Ocelot



design makes a tremendous camouflage pattern. Comes in sizes med, large & X-large. Specify. Shpg. wt. 2 lbs.

28-1000-A10\$27.97

HERTER'S MODEL PERFECTION CAMOUFLAGE HUNTING COATS AND PANTS

Herter's new archery hunting set has been tailored from the latest quality cotton material, tightly woven and soft finished

HERTER'S HAVE TOMORROW'S PRODUCTS TODAY!

for a minimum of frictional noise. Nylon garments are worthless for bow hunting as any movement sends out a warning to all approaching game.



Coat has two large slash pockets that will not collect rain, snow and weed seeds and also features a zipper license pocket. Pants have two frontal pockets large enough to carry all your extras. Both coat and pants are zippered for extra convenience. Shpg. wt. 6 lbs. Sizes: Small, Medium, Large and Extra Large. Please specify.

28-1000-A16 Suit complete\$15.95

HERTER'S NEW WATER-RESISTANT CHAP LEGGINGS

These new water-resistant leggings are made from polyurethane coated ripstop poplin. They are made large enough to slip over your boots and are held up with your belt. They are used for early morning hunting



when there is a heavy dew, or just as rain pants. The chaps breathe and because they are open on both top and bottom the air circulates and eliminates perspiration and moisture condensation on the inside. When the grass dries, you simply slip them off over your boots, shake off the water, roll them up and place them in your game bag or hip pocket.

Comes in sizes, med, large & X-large. Specify. Shpg. wt. 1½ lbs. per pair.

28-1000-A18\$4.98

See Clothing Section For Other Hunting Clothing And Rain Wear

HERTER'S HAVE TOMORROW'S PRODUCTS TODAY!

Herter's Fly Tying Tools

HERTER'S MODEL 9 VISE

This famous vise has long been the accepted favorite for durability and top speed operation. This model of vise can be adjusted for height to suit individual tastes. It can be used by both right or left-handed operators.

The jaw is turned from a solid rod of tool steel. Its jaws are correctly shaped to permit perfect work on all sizes of flies.

Through the adjustment of the sleeve and collar, hooks from sizes 22 up to 2/0 can be handled with ease. A single motion of the cammed lever of the vise grasps or releases the hook.

The vise clamp is made of sturdy metal with an oven baked, crackled enamel finish. Nothing has been spared in making this vise the finest quality throughout.



Model 9 Vise With Clamp Mount.

Our pedestal type of mount contains four compartments for storing bottles, head cement, etc. It is by far the most practical pedestal style mount ever made.

T9C — deluxe hand polished chrome finished rod and vise head with blued jaw and clamp style mount.

T9P — deluxe hand polished chrome finished rod and vise head with blued jaw and pedestal style mount.

No.	Each	Shpg. Wt.	Per 3
T9C	\$6.39	2 lbs.	\$17.55
T9P	6.39	3 lbs.	17.55

HERTER'S MODEL 9D VISE

This model of the world famous Model 9 vise is custom made with a special clamp



and a ball socket that allows the vise to be turned in any position desired. This is a wonderful advantage. You can work on and inspect your fly in any position you desire. Makes fly tying easier and quicker. The Model 9D also has a new improved operating lever. We use only the highest quality gray cast iron clamp and machine tool steel in construction. Hand polished and blued vise jaws, lever, stand and ball unit.

TA6 Shpg. wt. 2 lbs.\$6.97

THE "GLH" TABLE TOP VISE

This vise model is preferred by a great many of the leading fly tyers in the United States. During tying operations the vise is easily lifted, and the fly can be inspected from all angles without taking it from the jaw. It is not necessary to have a long overlap on the fly tying table or bench as is required with the clamp models. The "GLH" TABLE TOP VISE has a heavy pedestal base. This, combined with a short



Model 9 Vise With Pedestal Mount Bottled Items Not Included

Bottled Items Not Included

The stand, makes it solid, yet convenient. The top of the jaw is 8½ inches from the top of the table. This is an excellent vise for use by the tyer who does not have a permanent workshop and who must set up and take down his equipment every time he works with it. It "packs" easily and can be carried in the field during trips for those "on the spot" tying operations.

The "GLH" TABLE TOP VISE has a heavy, cast metal base finished with a baked crackled enamel. The bottom of the base is felt covered so that it will not slide, scratch or mar table sur-

faces. The stand, jaw, sleeve and collar are made from finest steel and each part is hand the final finish except the jaw which is blued.

T9GLH Shpg. wt. 3 lbs.\$6.17

HERTER'S MODEL 6 VISE

A great many fly tyers prefer a vise with a large heavy jaw. This type jaw makes it easier to put in and take hooks out of a vise, and gives your hand solid, ample support while you are working on your fly.



Our model 6 vise was developed for tyers working on large hooks, treble hooks, salmon flies, streamer flies, salt-water hooks, etc., and when soldering or wire-forming was necessary on hooks.

The jaw is large and sturdy, made of finest high-carbon steel, hardened. The point of the jaw is shaped so that you can really get your fingers around it comfortably and work with ease on either the smallest hooks or the largest. It will hold any hook you desire as rigid as a rock.

The jaw is opened and closed by an operating knob. Just a fraction of a turn will lock the hook in the jaw. This permits fast operation equal to that found in any model vise, large or small.

The stand is curved so that the jaw is slightly over the table top. This is the most comfortable position for the operator. The center of the jaw is 7¼ inches from the table top. The clamp for fastening the vise to the work table top has an inch more gap than found on most fly vises. The top section of the clamp has a steel peg set in it, and a four-compartment durable cast-metal tray revolves on this peg. You have your fly head cement, enamels, wax, and hooks right at your finger tip.

The vise and tray are cast metal with an oven baked, crackled enamel finish. The jaw sleeve is hand polished and chrome plated steel.

T6H Shpg. wt. 4 lbs. 10 ozs.\$15.67

HERTER'S MODEL 3 AND 4 VISES

Our 3 and 4 vises are the favorites of thousands of professional and amateur fly



This 250 pound field dressed whitetail taken by Bob Barrie of Herter's Archery Division placed first in Minnesota and third nationally in the 1969 American Bowhunters Contest. The buck was taken with Herter's 62 inch Sitka and Herter's Bow Hand Rest.



Steve Gorr of Denver, Colorado, brought down this trophy antelope with Herter's 62 inch Magnum Takedown Bow. Steve has taken many trophies with the 62 inch Takedown Bow, including black bear, elk and coyote.