

TAPES

3-M SUPER 33 VINYL ELECTRICAL TAPE

- Resistant to flame, abrasion, moisture, alkalines, solvents, oil and many acids.
- Wraps and holds in all weather.
- Good to 105°C (220°F).

| J&B # | SIZE | QTY |
|-------|------------|--------|
| 43237 | 3/4" x 20' | EA |
| 43238 | 3/4" x 20' | 10/SLV |
| 9473 | 3/4" x 52' | EA |
| 9483 | 3/4" x 52' | 10/SLV |

* UL listed



3-M SUPER 88 VINYL ELECTRICAL TAPE

- Thicker for heavy-duty use / withstands harsh conditions Super strong adhesion.
- Resistant to flame, abrasion, moisture, alkalines, solvents, oil and many acids.
- Wraps and holds in all weather.
- Good to 105°C (220°F).

| J&B # | SIZE | QTY |
|-------|------------|--------|
| 9587 | 3/4" x 66' | EA |
| 9588 | 3/4" x 66' | 10/SLV |

* UL listed



3-M 1776 TEMFLEX VINYL ELECTRICAL TAPE

- Excellent resistance to abrasion, moisture, acid, copper, corrosion and varying weather conditions.

| J&B # | SIZE | QTY |
|-------|------------|--------|
| 21117 | 3/4" x 60' | EA |
| 21118 | 3/4" x 60' | 10/SLV |

* UL listed



TAPES

COLORED ELECTRICAL TAPE

| J&B # | SIZE | COLOR | QTY |
|-------|------------|--------|-----|
| 21125 | 3/4" x 66' | GREEN | EA |
| 21126 | 3/4" x 66' | WHITE | EA |
| 21127 | 3/4" x 66' | ORANGE | EA |
| 21128 | 3/4" x 66' | RED | EA |
| 21129 | 3/4" x 66' | YELLOW | EA |
| 21130 | 3/4" x 66' | GRAY | EA |
| 21131 | 3/4" x 66' | BLUE | EA |



BRUSH-ON ELECTRICAL TAPE

- Use anywhere a dependable weatherproof connection is required.
- Forms a tough, flexible coating on metal, rubber and plastic.
- Great for hard to tape places.

| J&B # | QTY |
|-------|-----|
| 38818 | EA |




ELECTRICAL MOISTURE SEALANT PADS 3M SCOTCH

- Vinyl mastic pad is one-stop solution for insulating & moisture sealing connections.
- Aggressive mastic seals and pads connection.
- Tough vinyl backing protects connection from abrasion.

| J&B # | SIZE | THICKNESS | QTY |
|-------|-----------------|-----------|-----|
| 20601 | 2-1/2" x 2-1/2" | .045 in. | 25 |


**Cannot break box



TAPES


COLD SHRINK TAPE

- Cold shrink tape is an ideal covering for cable lugs, splices and terminations.
- The tape “welds” itself chemically and mechanically to form a tough seal against weather and moisture.
- Can be used in temperatures from -40°C to 100°C.



| J&B # | SIZE | QTY |
|-------|----------|-----|
| 40880 | 1" x 30' | EA |


TO APPLY COLD SHRINK TAPE:



After stripping off interleaving film, stretch tape about three times normal length. Keep it stretched while wrapping.



Wrap one inch either side of area to be taped, overlapping each wrap at least one-half tape width. Break tape to end wrap.



Finished job should look like this. The cold shrink tape forms a tough watertight skin.

CAUTION TAPE

- Material is plastic.
- Color text is black.

| J&B # | COLOR | LENGTH | WIDTH | QTY |
|-------|--------|--------|-------|-----|
| 59110 | YELLOW | 1000' | 3" | EA |



WHITE DUCT TAPE 3M

- White, multi-purpose duct tape, durable, waterproof backing & tears easily.
- Applies smoothly and holds well on curved surfaces.



| J&B # | WIDTH | COLOR | LENGTH | QTY |
|-------|-------|-------|---------|-----|
| 48000 | 1.88" | WHITE | 60 YDS. | EA |

TAPES

EXTRA HEAVY DUTY DUCT TAPE

3M

- Consists of polyethylene film over a dense cloth scrim with an aggressive rubber adhesive.
- Moisture resistant backing that tears easily by hand.
- 200°F (93°C) temperature rating.
- Tape thickness is 10.7 mil.



| J&B # | WIDTH | COLOR | LENGTH | QTY |
|-------|-------|--------|---------|-----|
| 20556 | 1.88" | SILVER | 60 YDS. | EA |

HEAVY DUTY DUCT TAPE

3M

- Composed of a waterproof polyethylene film over cloth scrim backing with a rubber adhesive.
- Moisture resistant backing that tears easily by hand.
- 200°F (93°C) temperature rating.
- Tape thickness is 9.0 mil.



| J&B # | WIDTH | COLOR | LENGTH | QTY |
|-------|-------|--------|---------|-----|
| 42108 | 1.88" | SILVER | 60 YDS. | EA |

PRO STRENGTH DUCT TAPE

3M

- Multipurpose duct tape, durable, waterproof backing & tears easily.
- Applies smoothly & holds well on curved surfaces.
- Professional grade, for light industrial & HVAC applications.
- Meets 723 standards, HUD & Bocca Codes.



| J&B # | WIDTH | COLOR | LENGTH | QTY |
|-------|-------|--------|---------|-----|
| 47000 | 1.88" | SILVER | 60 YDS. | EA |

TAPES

AUTOMOTIVE REFINISH MASKING TAPE

3M - Scotch

- The superior masking tape designed expressly for the professional auto refinish painter.
- Tape is conformable; hugs curves and contours.
- Goes on quick and easy; sticks at a touch and stays put.



| J&B # | SIZE | SCOTCH# | COLOR | QTY |
|-------|---------------|---------|-------|--------|
| 9469 | 3/4" x 60 yd. | 233+ | GREEN | EA |
| 9479 | 3/4" x 60 yd. | 233+ | GREEN | 12/SLV |
| 41199 | 1" x 60 yd. | 232 | TAN | 9/SLV |
| 9471 | 2" x 60 yd. | 233+ | GREEN | EA |
| 9481 | 2" x 60 yd. | 233+ | GREEN | 3/SLV |

ECONOMY MASKING TAPE

- Used for holding, bundling, sealing, non-critical masking and a vast number of other jobs where a pressure-sensitive tape is needed.
- Do not subject it to outdoor or UV exposure.



| J&B # | SIZE | BRAND | COLOR | QTY |
|-------|-------------|----------|-------|-------|
| 41198 | 1" x 60 yd. | 3M 200 | TAN | 9/SLV |
| *9195 | 2" x 60 yd | SHURTAPE | TAN | EA |

*9195 ordered by the roll (6 come in a sleeve)

GORILLA TAPE

- Double-thick adhesive – grips smooth, rough & uneven surfaces.
- Heavy duty cloth backing – for added strength & heft.
- Rugged outer shell – withstands moisture, UV rays & temperature extremes better than other tapes.
- Sticks to wood, stone, stucco, plaster, brick & more.
- Tape thickness is 10.8 mil.



| J&B # | WIDTH | COLOR | LENGTH | QTY |
|-------|-------|-------|---------|-----|
| 43250 | 1.88" | BLACK | 35 YDS. | EA |

TAPES

BLUE PAINTER'S TAPE 3M - Scotch

- 14 day clean removal leaves behind no damage or sticky residue.
- Designed for use on multiple surfaces.
- Ultra sharp paint lines. Medium adhesive.

| J&B # | SIZE | COLOR | QTY |
|-------|----------------|-------|-------|
| 83000 | 24mm x 50mm | BLUE | EA |
| 83005 | 24mm x 50mm | BLUE | 6/SLV |
| 83010 | 1.88" x 60 yd. | BLUE | EA |
| 83015 | 1.88" x 60 yd. | BLUE | 3/SLV |



TAPES

PVC CARTON SEALING TAPE

Tan

- No annoying tape chatter. Smooth, quiet, even application.
- Natural rubber-based adhesive grips instantly, even in cold Or humid conditions 0°F to 150°F.
- Strong polyvinyl chloride film backing –Less stretch, maximum tear and puncture resistance.



| J&B # | MIL | COLOR | SIZE | QTY |
|-------|-----|-------|--------------|-----|
| 22292 | 2.2 | Tan | 2" x 55 YDS. | EA |

PACKAGING TAPE

3M 3750

- Scotch superior performance packaging tape used for heavy duty packaging applications.
- Temperature rating short term: 151 F 65 C
- Has high strength Scotchpro backing which reduces closure failures during shipping and storage.




| J&B # | WIDTH | COLOR | LENGTH | QTY |
|---------|-------|-------|---------|------|
| * 22296 | 2" | CLEAR | 55 YDS. | 6/SL |

* MUST ORDER BY SLEEVE ONLY

FILAMENT TAPE

"Glass Reinforced"

- Outstanding shear resistance.
- Ideal for:
 - * strapping
 - * bundling
 - * closing
 - * packaging
 - * holding
 - * wrapping
 - * reinforcing
 - * unitizing
 - * palletizing




Polyester film - glass reinforced

| J&B # | WIDTH | LENGTH | QTY |
|-------|-------|---------|-----|
| 20785 | 1" | 60 YDS. | EA |

TAPES

TAPE DISPENSER "Professional Duty"

- Heavy duty construction; metal and tough plastic with special '**Non-Stick**' rubber roller wheel.
- Pistol grip handle and flexible plastic guide for faster more efficient taping.
- Dispenser holds tape rolls up to 60 yards long & 2 inches wide.



| J&B # | QTY |
|-------|-----|
| 22293 | EA |

STRETCH FILM Nifty

- 18" x 1500' "shrink wrap."
- On 3" core for palletizing.



| J&B # | QTY |
|-------|-----|
| 9485 | EA |

STRETCH FILM DISPENSER Nifty

- Portable stretch wrap dispenser.
- Holds 12", 15" or 18" film rolls on 3" core.



| J&B # | PFI # | QTY |
|-----------|-------------|-----|
| NON STOCK | PFI 4915000 | EA |

TAPES

HIGH DENSITY TEFLON TAPE Thread Sealant

- High density, .0035 thick.
- **Designed to combat problems caused by inferior imported tape on the market today.**
- Even seals on stainless or coarse threads.
- Will not dry out in storage or use.



| J&B # | DESCRIPTION | QTY |
|-------|-------------|-----|
| 9702 | 1/2 x 260" | EA |
| 9704 | 3/4 x 260" | EA |
| 38458 | 1/2 x 520" | EA |

BLUE MONSTER PTFE THREAD SEALING TAPE

- Thicker professional grade density.
- Monstrous 1429" roll!
- Easy to apply / no mess / no waste.
- Use on iron, copper, aluminum, stainless steel Galvanized steel, polyethylene, polypropylene, PVC, CPVC, ABC, fiberglass & more.



| J&B # | DESCRIPTION | QTY |
|-------|-------------|-----|
| 70080 | 1/2 x 1429" | EA |

FRICTION TAPE

| J&B # | DESCRIPTION | QTY |
|-------|-------------|-----|
| 40879 | 3/4 x 60' | EA |



TAPES

DOUBLE SIDED MOUNTING TAPE

Loctite

- A permanent, super strong, double sided tape for fast, clean & durable mounting applications, indoors & outdoors.
- An entire roll can mount a 110 LB object.
- Recommended for applications on tiles, metal, wood, stone, glass & plastics including PVC, polyethylene, polypropylene & nylon.
- Ideal for mounting skirting boards, pictures, mailboxes, house numbers, hooks & automobile trim attachments, except for rearview mirrors.
- Waterproof, has high resistance to UV light plasticizers & aging.



| J&B # | SIZE | QTY |
|-------|------------|-----|
| 65000 | 60" x .75" | RL |

MEASURING TAPES

LUFKIN High Visibility


- Rounded design fits hand comfortably.
- Reinforced end hook. Toggle lock button.
- Shock-absorbing bumper.



| J&B # | SIZE | COLOR | QTY |
|----------|----------|--------|-----|
| R2012706 | 1" x 25' | ORANGE | EA |

FLASHLIGHTS

- **BUILT TOOLBOX TOUGH.** Rayovac Industrial lights are encased in water resistant, nonconductive polypropylene that's shock proof, chemical proof and grease proof. The lens is unbreakable and scratch resistant.
- **SUPERIOR LIGHT PERFORMANCE.** Advanced design prismatic reflector projects a concentrated spot for detail work and a powerful long range beam.
- **PERFORMS LONGER.** Unique shock-absorbing design buffers the bulb against impact when dropped, for extended life.



#41871
Magnetic Industrial Flashlight

#39380
Industrial Flashlight

#39382
Orange Safety Industrial Flashlight



#41184
Roughneck
(With Spot-to-Flood-Focus)

| J&B # | BATTERY SIZE | DESCRIPTION | QTY |
|-------|----------------|-------------------------------------|-----|
| 39380 | 2 Cell D-Size | Industrial Flashlight | EA |
| 41871 | 2 Cell D-Size | Magnetic Industrial Flashlight | EA |
| 39382 | 2 Cell D-Size | Orange Safety Industrial Flashlight | EA |
| 41184 | 2 Cell AA-Size | Roughneck with spot/flood focus | EA |

FLASH LIGHTS

SUNLITE PEN FLASHLITE

- 3-watt LED Penlight
- Uses and comes with 2 AAA batteries.



| J&B # | COLOR | MFR. # | QTY |
|--------|-------|------------|-----|
| V46050 | Black | SNLSM3WW13 | EA |

FLASH LIGHTS

L.E.D. FLASHLIGHT

- 3 super bright white L.E.D's
- Resistant to water, chemicals, oil & corrosion
- 7 foot drop tested. Non roll. Hang hook.
- Uses and comes with 2 D batteries.

| J&B # | COLOR | MFR. # | QTY |
|-------|--------|----------|-----|
| 39451 | Yellow | I2DLED-B | EA |



BATTERIES

DURACELL PROCELL

- Contains no added mercury.
- Dependable, long lasting power with up to a 7-year freshness guarantee.
- Lasts up to 10 times longer than super heavy duty and carbon zinc batteries in power demanding applications.

| J&B # | SIZE | TYPE | QTY |
|-------|------|----------|-------|
| 10000 | 9V | Alkaline | 12/BX |
| 10001 | AA | Alkaline | 24/BX |
| 10002 | D | Alkaline | 12/BX |
| 10004 | C | Alkaline | 12/BX |
| 10005 | AAA | Alkaline | 24/BX |



***SOLD IN FULL BOXES ONLY**

BATTERIES



- Rayovac industrial batteries are built to exceed the performance demands of industrial usage.
- The new date-coded package highlights long storage life, up to five years on alkaline and four years on heavy duty.
- Rayovac industrial batteries contain the industry's ultra low mercury content.

| J&B # | SIZE | TYPE | QTY |
|---------|------|--------------------|------|
| * 40348 | AAAA | Alkaline | 2/BX |
| 40350 | AAA | Alkaline | 8/BX |
| 40352 | AA | Alkaline | 8/BX |
| 40354 | 9V | Alkaline | 6/BX |
| 40356 | C | Alkaline | 6/BX |
| 40358 | D | Alkaline | 6/BX |
| 39080 | 6V | Heavy Duty Lantern | EA |



* Energizer

DURACELL

| J&B # | SIZE | TYPE | QTY |
|--------|------|----------|------|
| V56994 | AAA | Alkaline | 8/BX |
| V56995 | AA | Alkaline | 8/BX |
| V56996 | 9V | Alkaline | 2/BX |
| V56997 | C | Alkaline | 4/BX |
| V56998 | D | Alkaline | 4/BX |



ELECTRONIC BATTERIES

- Lithium watch, calculator, remote keyless entry batteries.

| J&B # | SIZE | QTY |
|--------|---------|-------|
| 57047 | A23 | 6/BX |
| 38978 | 303/357 | 6/BX |
| V57040 | 1616 | 10/BX |
| V57041 | 1620 | 6/BX |
| V57045 | 1632 | 6/BX |
| V57042 | 2016 | 6/BX |
| V57043 | 2025 | 6/BX |
| V57044 | 2032 | 6/BX |
| 57049 | 2450 | 6/BX |



ABSORBENTS

OIL DRI Premium Absorbent

- Superior absorption. Strong granules. Less dust.
- Quickly absorbs spills. Pour it on; sweep it off.
- Soaks up oil, grease, water and odors.
- Traction on snow, ice & walkways.
- Spill clean-up, machine based oversprays, traction in aisles & around dock doors, work benches, automotive areas.



APPLICATIONS:

Automotive garages * Workshops *
Clean-ups * Industrial-spill clean-ups *
Control * Containment * Absorbs most
liquids

| J&B # | SIZE | QTY |
|-------|----------|-----|
| 48090 | 32 quart | EA |

OIL SORBENT PAD

- Designed to contain and control petroleum based fluids.
- They repel water while absorbing oil and petroleum based liquids.
- They won't deteriorate, disintegrate or sink – even if left in water for months.
- Dimpled and perforated. 2-PLY. Made of polypropylene.



| J&B # | SIZE | VOLUME ABSORBED RANGE | QTY |
|--------|-----------|------------------------------|--------|
| *48100 | 15" x 19" | 10 to 19 gallons per package | PK/100 |

* No broken boxes

ABSORBENT ROLL

- A tough, universal 2-ply construction – perfect for use as a mat in high traffic areas.
- A durable, abrasion – resistant upper layer.
- Made of polypropylene.
- Perforations to help you use only what you need – reduces waste.



| J&B # | SIZE | VOLUME ABSORBED RANGE | QTY |
|-------|------------|---------------------------|-----|
| 48086 | 30" x 300' | 50 to 59 gallons per roll | RL |

ABSORBENTS

GP™ SORBENTS

- General purpose maintenance pads can be used to clean up virtually all liquid.
- Constructed of high quality dimpled universal polypropylene.
- Grey in color to help hide the dirt.
- Economy weight.



| J&B # | SIZE | ABSORPTION | PLY | QTY |
|--------|-----------|---------------|-----|--------|
| *48105 | 15" x 18" | 27.50 GALLONS | 1 | PK/200 |

* No broken boxes

DRUM TOP COVERS

- Pre-cut to fit 55-gallon drums either with 1 or 2 bungholes.
- Keeps drums, floor and surrounding areas clean.
- For all liquids.
- Color gray.




| J&B # | DIAMETER | QTY |
|--------|----------|-------|
| *48102 | 22" | PK/25 |

* No broken boxes

RAZOR KNIVES

SAFETY SCRAPER

- Holds single edge razor blades. Push-pull action exposes blade for scraping - retracts it when not in use.
- Overall size: 4" x 1-5/8".
- Use for scraping, trimming and cutting.



| J&B # | QTY |
|-------|-----|
| 38970 | EA |

BOX CUTTERS


- Light-weight compact all steel slide cutter with a dual purpose scraper back.
- Inexpensive blade can be reversed or changed in seconds.



| J&B # | QTY |
|-------|-----|
| 38971 | 3 |

SINGLE EDGE BLADES

- Single edge surgical hone for industrial and general shop use.
- Can be used with J&B #38970 & J&B #38971.




| J&B # | QTY |
|-------|-----|
| 20453 | 100 |

RAZOR KNIVES

DISPENSER UNIT For Utility Blades

- Includes 100 H/D blades per dispenser.
- New safety pusher button.
- Ultra Hi-Impact with double track ratchet.

| J&B # | QTY |
|-------|-----|
| 41185 | EA |



UTILITY BLADE DISPENSER Stanley

- Contains 100 heavy duty blades.

| J&B # | QTY |
|--------|-----|
| R20536 | EA |



UTILITY BLADES

- Reversible blades fit all standard & push button handles.

| J&B # | TYPE | QTY |
|-------|------------|-----|
| 20451 | HEAVY DUTY | 30 |
| 20452 | HEAVY DUTY | 10 |



RAZOR KNIVES

RAZOR KNIVES

- 38973 - Furnished with one blade.
- 38974 - Furnished with one blade. Extra blade stores in handle.

| J&B # | TYPE | QTY |
|-------|-------------------|-----|
| 38973 | FIXED BLADE | EA |
| 38974 | RETRACTABLE BLADE | EA |



#38973



#38974

13PT SNAP KNIFE

- 13 point, 9mm plastic snap off utility knife.



| J&B # | QTY |
|-------|-------|
| 8396 | 10/BX |

TARP TIE-DOWN STRAPS

TARP STRAPS



- **TOTALLY WEATHER RESISTANT** - made of special elastomer that prevents cracking, chipping or peeling.
- **TOUGH, RESILIENT CONSTRUCTION** - designed for stretchability with excellent recovery and longer life.
- **ALL WEATHER ELASTICITY** - stretches easily in winter's cold or summer's heat.
- **ROAD RESISTANT** - guards against salt, sun, chemicals, ozone and diesel fumes.

| J&B # | STRAP LENGTH | SPAN RANGE | QTY |
|-------|--------------|------------|-----|
| 39385 | 10" | 15" - 20" | 25 |
| 39386 | 15" | 20" - 30" | 25 |
| 39387 | 21" | 30" - 40" | 25 |
| 39388 | 31" | 40" - 50" | 25 |

* **MADE IN THE USA**

* EACH BOX INCLUDES 50 S-HOOKS

TIE DOWN STRAPS

- 500 LB Working load limit, 1500 LB break strength.
- Engineered to provide a safe efficient method of securing cargo for transport
- Spring loaded release ensures that the ratchet will never open accidentally.
- Vinyl coated S hooks are protected from rust & wear. Webbing resists rot & abrasion.




| J&B # | SIZE | COLOR | QTY |
|--------|----------|-----------|-----|
| *39383 | 1" x 12' | GRAY CAMO | 4 |

*Sold by pack of 4 only.

SHOP SUPPLIES


MECHANICS WIRE

| J&B # | GAUGE | LBS | QTY |
|-------|-------|-----|-----|
| 38890 | 14 GA | 5 | EA |
| 38891 | 16 GA | 5 | EA |
| 38892 | 18 GA | 5 | EA |



PERFORATED STRAPPING

- Can be nailed or bolted.
- Plated steel.
- Hundreds of uses for your shop.




| J&B # | SIZE | QTY |
|-------|------------|-----|
| 21012 | 3/4" x 10' | EA |

SOLDER

ROSIN-CORE SOLDER "Instant Action"


- A 40% tin, 60% lead solder with energized-rosin flux core.
- Flux residue is completely non-corrosive and electrically **non-conductive**.
- Instant wetting action.
- 460 F melting point.



| J&B # | DIAMETER | QTY |
|-------|----------|-------|
| 38886 | .093 | 1 LB. |

ACID-CORE SOLDER

- A 40% tin, 60% lead solder alloy with acid flux core.
- Designed for general purpose soldering.
- Applications include: plumbing, copper tubing, tools, gutters, auto radiators, galvanized iron, copper, steel, nickel plate, nickel alloys, brass and tin plate.
- 460 F melting point.



| J&B # | DIAMETER | QTY |
|-------|----------|-------|
| 38887 | .125 | 1 LB. |

TEMPERATURE CHART

| SOLDER ALLOY CLASSIFICATION | COMPOSITION (WT.%) | | TEMPERATURE (F) MELTING POINT | USES |
|-----------------------------|--------------------|------|-------------------------------|---|
| | TIN | LEAD | | |
| 30/70 | 30 | 70 | 491 | An economical alternative where a torch or sufficient heat are used. |
| 40/60 | 40 | 60 | 460 | This is the most popular general purpose available in acid and rosin flux core. |
| 50/50 | 50 | 50 | 421 | For plumbing, crafts and general purpose soldering. |
| 60/40 | 60 | 40 | 374 | Used in electronic and electrical soldering applications where low soldering temperatures are required. |
| 63/37 | 63 | 37 | 361 | Lowest melting (Eutectic) solder for electronic applications. |


SOLDER

ELECTRICAL REPAIR SOLDER

Low Temperature

- A 60% tin, 40% lead solder with energized rosin flux core.
- 374 F melting point. Use on wires, motors, radios, TV, VCR, stereos.

| J&B # | DIAMETER | QTY |
|-------|----------|-----|
| 38883 | .050 | EA |




FINE ELECTRICAL REPAIR SOLDER

Low Temperature

- A 60% tin, 40% lead solder with energized rosin flux core.
- 374 F melting point. Use on wires, motors, radios, TV, VCR, stereos.

| J&B # | DIAMETER | QTY |
|-------|----------|-----|
| 38884 | .032 | EA |



LEAD FREE SOLDER

- A 95% tin, 5% Antimony.
- For general non-electrical applications.
- 464 F melting point.

| J&B # | DIAMETER | QTY |
|-------|----------|-----|
| 38878 | .125 | EA |



REGULAR FLUX PASTE

- Soldering paste flux is ideal for all common metals except aluminum and magnesium.
- Water soluble, non-toxic, non-acid, flash point 400 degrees.

| J&B # | QTY |
|-------|-----|
| 39041 | EA |



2 oz.

SOLDER

FINE ELECTRICAL REPAIR SOLDER

Low Temperature

- 63% tin 37% lead solder with rosin flux core.
- The wire feeds easily from handy dispenser.
- 361 F melting point.
- Use on wires, motors, radios, TV, VCR and stereos.



| J&B # | DIAMETER | OZS. | QTY |
|-------|----------|------|-----|
| 28464 | .032 | .50 | EA |

FINE ELECTRICAL REPAIR SOLDER

Low Temperature

- 60% tin 40% lead solder with rosin flux core.
- The wire feeds easily from handy dispenser.
- 374 F melting point.
- Use on wires, motors, radios, TV, VCR and stereos.



| J&B # | DIAMETER | OZS. | QTY |
|-------|----------|------|-----|
| 57035 | .032 | .50 | EA |

ELECTRICAL REPAIR SOLDER

Low Temperature

- 60% tin 40% lead solder with rosin flux core.
- The wire feeds easily from handy dispenser.
- 374 F melting point.
- Use on wires, motors, radios, TV, VCR and stereos.



| J&B # | DIAMETER | OZS. | QTY |
|-------|----------|------|-----|
| 57037 | .050 | .75 | EA |

TORCHES

BLAZER TORCH

- **Automatic ignition** in one second with state of the art Piezo Electronic System. Simply press ignition button and your Blazer is fired up.
- The Blazer has a Burn Time Rate of up to **2 hours** before any refueling is required.
- Blazer comes equipped with stand for Free Standing use so that Blazer can be operated while both hands are free. Stand is removable.
- Precise & controlled high temp. flame 1300°C, 2500°F.



| J&B # | QTY |
|-------|-----|
| 9460 | EA |

BUTANE TORCH

- Piezo self-igniting butane torch. Refillable with butane. **90 minutes** of continuous use. Air adjustment switch.
- Comes equipped with stand for Free Standing use so that torch can be operated while both hands are free. Stand is removable.
- Temperature flame 1300°C, 2370°F.



| J&B # | QTY |
|-------|-----|
| 9700 | EA |

BUTANE REFILL Bernzomatic

- Fits all refillable lighters
- 5.5 oz. (156 grams).

| J&B # | QTY |
|-------|-----|
| 9462 | EA |

**CANNOT SHIP
UPS OR FEDEX**



TORCH ACCESSORIES

PROPANE Bernzomatic



Net Wt. 14.1 Oz.

| J&B # | QTY |
|-------|-----|
| 9400 | EA |

12 in a case

MAP/PRO GAS Bernzomatic



Net Wt. 14.1 Oz.

| J&B # | QTY |
|-------|-----|
| 9401 | EA |

4 in a case

PROPANE AND MAP/PRO GAS
ARE
OUR TRUCK ONLY ITEMS.

WILL NOT SHIP
UPS OR FEDEX.

SELF-LIGHTING TORCH Bernzomatic



- * Burns Propane gas only.
- * Trigger button instant start.
- * Adjustable flame.
- * Ergonomically designed comfort grip.

| J&B # | QTY |
|-------|-----|
| 9402 | EA |

SELF-LIGHTING TORCH Bernzomatic



- * Burns both Map/Pro or Propane gas.
- * Auto igniter for instant flame.
- * Trigger lock on button.
- * Suitable for brazing, heating, and soldering.

| J&B # | QTY |
|-------|-----|
| 9403 | EA |

TORCH ACCESSORIES

TORCH TIPS



| J&B # | SIZE | QTY |
|-------|------|-----|
| 63000 | 0 | EA |



| J&B # | SIZE | QTY |
|-------|------|-----|
| 63001 | 2 | EA |

- * Oxy-Acetylene cutting tip, Victor compatible.
 - * Features copper shells machined from solid bar stock not tubing.
 - * Thick shell, extra heavy duty shell end where the tip takes the most abuse.
 - * Larger diameter decreases preheat time & maintains the cut on painted or rusty plates.
 - * Couse "V" splines which cuts better, resists clogs & makes cleaning easier.
-

LIGHT BULBS

TUFF-SKIN LIGHT BULBS Specially Coated Light Bulb

- SHATTER-PROOF: No danger of glass fragments. Easier to comply to sanitation codes.
- WEATHER-PROOF: No premature burn-outs, shattering or danger from thermal shock.
- LASTS LONGER: Specially coated surface; scratch-proof, scuff-proof, and resists oil scorching.
- LESS HAZARDOUS: Prevents personal injury from flying glass; reduces fire hazards. Thoriated filament for rough service.



| J&B # | TYPE | QTY |
|-------|----------|-------|
| 20472 | 75 WATT | 6/PKG |
| 20492 | 100 WATT | 6/PKG |

LIGHT BULBS

BRIGHT FLUORESCENT BULB

- Super bright fluorescent 120 volt (13 Watt)(6500K).
- Plug in PL-13 style.
- Fits most fluorescent work lights and commercial fixtures.

| BAYCO | | |
|-------|----------|-----|
| J&B # | TYPE | QTY |
| 20480 | 120 Volt | EA |



HALOGEN 500

- Q500T3/CL/CD, 500W, Clear, 11100 lumens.
- Halogen quartz bulb, double ended, 2000 hours, 3000 Kelvin.
- Maximum overall length 4-3/4”.

| GE | | |
|-------|-------|-----|
| J&B # | TYPE | QTY |
| 8394 | 500 W | EA |



EXTENSION CORD

- 16/3 SJTW, orange, round vinyl, indoor/outdoor, 10A, 125V UL listed.


| J&B # | GA./COND. | LENGTH | QTY |
|-------|-----------|---------|-----|
| 40000 | 16/3 | 100 FT. | EA |



SHOP SUPPLIES

TROUBLE LIGHTS


- Features a tough vinyl jacket resistant to oil, alkalies, abrasion and high temperatures.
- Rugged handle includes switch and socket.
- 3 strand wire and 3 prong plug including 1 ground.
- 10 amps / 125 volts / 1250 watts.



| J&B # | LENGTH | QTY |
|-------|--------|-----|
| 54035 | 25 FT. | EA |
| 54036 | 50 FT. | EA |

* (UL APPROVED)

PLUGS



| J&B # | CORD HOLE SIZE | QTY |
|-------|----------------|-----|
| 42079 | .25 - .655 | EA |

| J&B # | CORD HOLE SIZE | QTY |
|-------|----------------|-----|
| 42104 | .25 - .655 | EA |

- Solid brass plug blades are firmly embedded in body.
- Terminal screw clamps are designed to contain wire and prevent binding.
- Terminal screws backed out – ready for wiring.
- Terminals in individual chambers to positively insulate conductors.
- Yellow, straight and CSA certified to C22.2 no.42 (file no. LR2081 (6221-02)).
- 15 amps and 125 V/AC.
- Listed UL 498 (file no. E15012).

SHOP SUPPLIES

EXTENSION CORD Yellow Jacket

- SJTW-A. Yellow Jacket commercial cord.
- Super flexible. Power indicator light. Strain relief.
- Won't crack to -58 F or deform to + 140 F.
- Meets OSHA specifications.

| J&B # | GAUGE | AMP | LENGTH | QTY |
|----------|-------|-----|---------|-----|
| R3009032 | 12 | 15 | 50 FT. | EA |
| 50000 | 12 | 15 | 100 FT. | EA |



* (UL APPROVED)

SURE SHOT SPRAYER

- Pressurized sprayer to apply bulk chemicals like cleaners, degreasers, penetrating oils, solvents and lubricants.
- They use readily available compressed air, instead of flammable or dangerous propellants.
- Features relief valve. Holds 1 quart.
- Adjustable from extra fine mist to pin stream.

| J&B # | MODEL# | QTY |
|-------|--------|-----|
| 39429 | 6102 | EA |



SURE SHOT SPRAYER COMPLETE REPAIR KIT

- Complete repair kit for model# 6102 Sure shot sprayer.

| J&B # | QTY |
|-------|-----|
| 45224 | EA |

SHOP SUPPLIES

SPRAY BOTTLE

- Multi-purpose trigger operated spray dispenser.
- Nozzle adjusts from fine mist to heavy spray.

| J&B # | DESCRIPTION | SIZE | QTY |
|-------|-------------|--------|-----|
| 21249 | BOTTLE | 22 OZ. | 1 |



HEAVY DUTY SPRAY BOTTLE

- This heavy duty spray bottle handles cleaners, degreasers weed killers, pesticides, strippers, plus many solvents and acids.
- You can adjust spray pattern from a fine mist to a powerful stream.
- Opaque silver bottle is graduated in oz., cc, and dilution ratios- a clear stripe lets you see liquid level.

NOTE: DO NOT USE WITH CHLORINATED SOLVENTS, PAINTS, OR LIQUIDS THAT COULD HARDEN OR CONGEAL.

| J&B # | DESCRIPTION | SIZE | QTY |
|--------|------------------|--------|-----|
| 42106 | H/D SPRAY BOTTLE | 32 OZ. | EA |
| *41175 | REPLACEMENT HEAD | 12" | EA |



***NOTE:** Replacement head is not spraymaster brand.
Holds ups against harsh chemicals & solvents.
Use will chemicals that cause standard triggers to fail.

BROOMS & BRUSHES

BLACK TAMPICO FLOOR BRUSH



- Fine/Medium.
- Tampico fibers resist heat and chemicals.
- Trim is 2-1/2".

| J&B # | LENGTH | QTY |
|-------|--------|-----|
| 41201 | 18" | EA |
| 41203 | 24" | EA |
| 41206 | 36" | EA |

H/D PLASTIC-TIP THREADED HANDLE



- Aluminum handle.

| J&B # | LENGTH | QTY |
|--------|--------|-----|
| *41208 | 60" | EA |

* Can only UPS in multiples of 2.

24" SOFT SWEEP SUPER BULLDOZER

- 15/16" dia. X 60" metal handle with cushion grip and fine polypropylene fibers that sweep fine debris.
- Tight grip bracket prevents a loose handle.
- Comes with a swivel hang-up cap.

| J&B # | LENGTH | QTY |
|----------|--------|-----|
| R1069228 | 24" | EA |

* Can only UPS in multiples of 4.



18" STIFF PALM BRUSH BROOM

- 18" pushbroom, stiff palmyra fibers, heavy resin block, 54".
- Powder coated steel handle with hang up feature.
- Good for outdoor use.

| J&B # | LENGTH | QTY |
|-------|--------|-----|
| 41215 | 18" | EA |

* Can only UPS in multiples of 6.



BROOMS & BRUSHES

42" CORN BROOM

Heavy Duty

- Lacquered wood handle.
- Heavy metal band with four rows of stitching for strength and durability.



| J&B # | LENGTH | DIA. | QTY |
|---------|--------|--------|-----|
| * 41202 | 42" | 1-1/8" | EA |

* MUST ORDER MULTIPLES OF 6 TO SHIP UPS/FEDEX. OTHERWISE WILL SHIP OUR TRUCK.

DUST PANS

SUPER SCOOPER

Aluminum

- 16" W x 10" D. 9" looping handle
- Lies flat for hands off positioning yet accommodates push broom or lawn rake.

| J&B # | QTY |
|--------|-----|
| R18341 | EA |



PLASTIC

- Charcoal pan with dimensions of 8-1/4" x 12-1/4" x 13-1/4".
- Has a thin lip and deep collection area.


| J&B # | QTY |
|----------|-----|
| R1073634 | EA |



BROOMS & BRUSHES


COUNTER BRUSH

- General shop use.
- Tampico fill; staple-set construction.



| J&B # | TRIM | LENGTH | HANDLE | QTY |
|-------|--------|--------|--------|-----|
| 38618 | 2-1/2" | 8" | 13" | EA |

UTILITY SCRUB BRUSH




- Flared heads made of white tampico.
- Long handle; one-piece solid block.
- Automotive and industrial applications.

| J&B # | BRUSH | LENGTH | QTY |
|-------|-----------|---------|-----|
| 38614 | 4-1/2 x 6 | 21-1/2" | EA |

WHISK BROOM

- Selected natural fiber, double-stitched for extra strength.
- Handle is wire wrapped with ring.



| J&B # | LENGTH | QTY |
|-------|--------|-----|
| 21015 | 10" | EA |

HAND/NAIL BRUSH

- Wood block with plastic bristles.



| J&B # | SIZE | TRIM LENGTH | QTY |
|--------|---------------|-------------|-----|
| R10378 | 4-3/4 x 1-1/2 | 3/4 | EA |

BROOMS & BRUSHES

PARTS CLEANING BRUSH


- Pure black bristle. Bright seamless ferrule. Round tapered handle.



| J&B # | BRISTLES | HANDLE | QTY |
|-------|----------|--------|-----|
| 20963 | 3" | 8" | EA |

ACID CLEANING BRUSH


- Flat face; stiff black horsehair.



| J&B # | TRIM | LENGTH | QTY |
|-------|------|--------|-----|
| 20083 | 7/8" | 6" | 12 |

CHIP BRUSHES

- White bristle epoxy model is made with a plain, natural wood, sanded finish handle.
- All synthetic style for general use.



| J&B # | WIDTH | APPROX. TRIM | QTY |
|-------|--------|--------------|-----|
| 41194 | 1" | 1-1/2" | 6 |
| 41290 | 1-1/2" | 1-1/2" | 6 |
| 41195 | 2" | 1-1/2" | 6 |
| 41291 | 2-1/2" | 1-1/2" | 6 |
| 41196 | 3" | 1-1/2" | 4 |
| 41197 | 4" | 2" | 4 |

TUBE BRUSHES

- Nylon tube brush with wire loop handle. Single stem/ single wire bristles.
- Ideal for cleaning bottles, carburetors, brake cylinders, radiator hose, engine blocks, blocked hoses, drains, etc.



| J&B # | LENGTH x DIA. | BRISTLE LENGTH | QTY |
|-------|---------------|----------------|-----|
| 50325 | 8-1/2" x 1/2" | 3" | EA |
| 50326 | 8-1/2" x 3/4" | 3" | EA |

BROOMS & BRUSHES

ANGLE SASH PAINT BRUSH

- White nylon/gold polyester, chisel trim.
- Brass-plated steel ferrule.
- Pearl-yellow solid plastic handle.



| J&B # | WIDTH | LENGTH | THICK | QTY |
|-------|-------|--------|-------|-----|
| 59112 | 2" | 2-3/16 | 1/2 | EA |

ROLLER COVER

- Proprietary golden yellow fabric for exceptional capacity with all flat or satin paints, stains and waterproofing.
- Copolymer core resists solvents and stops delamination.
- Beveled ends, semi-rough surfaces.



| J&B # | LENGTH | NAP | QTY |
|-------|--------|-----|-----|
| 59104 | 9" | 3/8 | EA |

POLY BLOCK SCRUB BRUSH

- Quality poly block & fiber scrub brush, with convenient hang up feature.

| J&B # | QTY |
|-------|-----|
| 38615 | EA |



FOAM BRUSHES

- Polyurethane foam paint brush with wood handle.

| J&B # | SIZE | QTY |
|-------|------|-----|
| 41287 | 1" | 6 |
| 41288 | 2" | 6 |
| 41289 | 3" | 4 |



BROOMS & BRUSHES

SHOE HANDLE BRUSH

- Hardwood handle.
- Effective for cleaning pipe threads, welds, etc.; popular in the oil & gas industry.



| J&B # | BRISTLE MATERIAL | BLOCK SIZE | BRUSH LENGTH | ROWS OF WIRE | TRIM | QTY |
|-------|------------------|----------------|--------------|--------------|---------|-----|
| 20957 | Carbon Steel | 10-1/4 x 1-1/8 | 5" | 4 x 16 | 1-3/16" | EA |
| 21163 | Stainless Steel | 10-1/4 x 1-1/8 | 5" | 4 x 16 | 1-3/16" | EA |

CURVED HANDLE BRUSH

- Hardwood handle.
- Used for cleaning structural steel, iron works, castings and all types of dirt and rust removal.



| J&B # | BRISTLE MATERIAL | BLOCK SIZE | BRUSH LENGTH | ROWS OF WIRE | TRIM | QTY |
|-------|------------------|--------------|--------------|--------------|---------|-----|
| 20958 | Carbon Steel | 13-3/4 x 7/8 | 6-1/4" | 3 x 19 | 1-3/16" | EA |
| 21166 | Stainless Steel | 13-3/4 x 7/8 | 6-1/4" | 3 x 19 | 1-3/16" | EA |



WELDERS TOOTHBRUSH STYLE

| J&B # | WIRE TYPE | HANDLE TYPE | BLOCK SIZE | BRUSH LENGTH | ROWS OF WIRE | TRIM | QTY |
|---------|-----------|-------------|-------------|--------------|--------------|------|------|
| 41324 | Stainless | Wood | 7-7/8 x 1/2 | 1-1/2 | 3 x 7 | 1/2 | 6/BX |
| 44500 | Stainless | Wood | 7-1/2 x 1/2 | 1-3/8 | 3 x 7 | 1/2 | 6/BX |
| 41325 | Brass | Wood | 7-7/8 x 1/2 | 1-1/2 | 3 x 7 | 1/2 | 6/BX |
| 44502 | Brass | Wood | 7-1/2 x 1/2 | 1-3/8 | 3 x 7 | 1/2 | 6/BX |
| V45587 | Stainless | Plastic | 7-1/2 x 1/2 | 1-1/2 | 3 x 7 | 1/2 | 6/BX |
| *V45586 | Brass | Soft grip | 6-7/8 x 1/2 | 1-1/2 | 2 x 7 | 1/2 | 6/BX |
| 40399 | Nylon | Plastic | 6-1/2 x 1/2 | 1-1/2 | 4 X 15 | 1/2 | 6/BX |



* V45586 has dense fill bristles.



SHOP SUPPLIES

HEAVY DUTY PAINT MARKERS

UNIQUE

Stroke Width: Chisel tip 3/16" (5mm), Bullet tip 1/8" (3.2 mm)

REVERSIBLE TIP: To change tip style, simply remove tip and insert opposite end.

**bullet on one end,
chisel on the other**



| Color | Swatch |
|--------------|--------|
| Black | |
| Blue | |
| Green | |
| Red | |
| White | |
| Yellow | |
| Orange | |
| Light Blue | |
| Bright Green | |
| Silver | |
| Pink | |
| Violet | |
| Gold | |
| Brown | |

- Easy to remove, air-tight cap with clip
- Heavy Duty Aluminum barrel
- Quick drying permanent oil-based paint
- Well suited for industrial and factory environments
- Outstanding value: Up to 30% more paint than standard valve paint markers.



REPLACEABLE TIP

| J&B # | QTY |
|-------|-----|
| 22317 | EA |

| J&B # | COLOR | QTY |
|-------|--------|-----|
| 22308 | BLACK | EA |
| 22309 | BLUE | EA |
| 22310 | GREEN | EA |
| 22311 | RED | EA |
| 22312 | WHITE | EA |
| 22313 | YELLOW | EA |
| 22315 | ORANGE | EA |
| 22316 | SILVER | EA |

SHOP SUPPLIES

PUTTY KNIFE

- Black polypropylene handle is shatterproof and solvent-resistant for safety.
- Stiff blade.

| J&B # | BRAND | WIDTH | QTY |
|--------|---------|--------|-----|
| V42118 | Stanley | 1-1/4" | EA |
| 42117 | Stanley | 2" | EA |
| 42121 | Stanley | 3" | EA |



FINE POINT PAINT MARKERS

Pro-Line



- Two nib sizes for the ultimate in paint marking flexibility.
- Convenient self-storing clip cap.
- Will write on any metal, plastic, glass, ceramic, masonry, wood, cardboard, chipboard and all painted surfaces.
- Dries to a permanent mark in 15-30 seconds depending on the surface.

| J&B # | COLOR | TIP SIZE | QTY |
|-------|--------|----------|-----|
| 22300 | White | 2 mm | EA |
| 22301 | Yellow | 2 mm | EA |
| 22302 | Black | 2 mm | EA |
| 22303 | Red | 2 mm | EA |

SOAPSTONES

- 3/16" Height, 1/2" Width.
- Flat shaped.

| J&B # | COLOR | LENGTH | QTY |
|-------|-------|--------|--------|
| 46390 | White | 5" | 144/BX |

* CANNOT BREAK BOX



TOOLS

LOCKING PLIERS Vise-Grip Curved Jaw

- 1/4 cutting edge.


| J&B # | LENGTH | MFR. # | QTY |
|--------|--------|--------|-----|
| R21706 | 10" | 10R-3 | EA |



C-CLAMP Adjustable

- Iron frame, steel screws and swivels with a sliding pin handle.
- Bright-plated, rust-resistant finish.

| J&B # | DESCRIPTION | QTY |
|--------|-------------------------------|-----|
| R22118 | 1" opening, 1" throat | EA |
| R20518 | 1-1/2" opening, 1-1/2" throat | EA |
| R22119 | 2" opening, 1" throat | EA |
| R22121 | 3" opening, 2" throat | EA |



TOOLS

3 FLINT LIGHTER Bernzomatic

- Features a large flint, round file and bright plated finish.
- When 1 flint is worn down, the slotted screw is released and fresh flint is replaced into position.

| J&B # | QTY |
|----------|-----|
| R2019057 | EA |



REPLACEMENT SPARK LIGHTER FLINTS Bernzomatic

- Use as a refill for Bernzomatic flint lighter.
- 5 flints per pack.

| J&B # | QTY |
|-------|-----|
| 8400 | EA |



DRIVE PIN PUNCHES Extra Long 8"



- For driving out and removing already loosened pins and keys after initial movement by starter or solid punch.
- Made of centerless ground hardened tool steel.

| J&B # | QTY |
|-------|-----|
| 38925 | SET |

SET COMES IN PLASTIC CASE
AND INCLUDES:

1/8", 3/16", 1/4", 5/16", 3/8"

TOOLS

SHOVEL

Round Point Razor Back

- 8-3/4" x 12" #2 blade. Ash handle.
- 11" tab socket. Rolled step.

| J&B # | HANDLE LENGTH | QTY |
|--------|---------------|-----|
| R70020 | 47" | EA |



GENERAL SUPPLIES

COOLANT TESTER

- For permanent anti-freeze.
- Allows inspection for rust and sediment.

| J&B # | QTY |
|--------|-----|
| R83091 | EA |



PERMANENT MARKER

- Sharpie marker comes with fine point and can be used on glass, metal, film, foils and plastic.

| J&B # | COLOR | QTY |
|--------|--------|------|
| R91029 | BLACK | EA |
| * 8401 | SILVER | 2/PK |

* Ordering 1 8401 will get 1 pack of 2.



PAPER

- 92 bright, 20 lb. bond weight, 8.5 x 11.
- White, 500 sheets per ream, 5 reams per carton.

| J&B # | QTY |
|-------|-----|
| 75000 | CT |


* Must buy full cartons.



GENERAL SUPPLIES

4-CAST COMMERCIAL DE-ICER

- Melts effectively down to -15 degree Fahrenheit.
- For use on parking lots, driveways, sidewalks & steps.
- Contains multiple melting agents for both fast & extending melting power.
- Apply less than ordinary ice melters.



| J&B # | WEIGHT | QTY |
|-------|--------|-----|
| 48089 | 50 LBS | EA |

PAINTER'S PLASTIC

- 10' x 100'. 4 Mil, Clear polyethylene film.




| J&B # | QTY |
|--------|-----|
| V46100 | EA |

ROUND BASE MAGNET

- 3.19" diameter, round, 95 LBS. pull.
- Powerfull ceramic ring magnet encased in a durable nickel plated cup with mounting hole in center.
- Add an attachment to the .27 inch center hole to hold, lift or hand objects from any ferrous metal surface.
- Magnetic on one side only.



| J&B # | QTY |
|-------|-----|
| V9707 | EA |



PART # 2292

J&B Fleet - Industrial Supply

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

TAPE

9483



9702



1/2in x 260in


40880




38818



BLACK





J&B Fleet - Industrial Supply






22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411


www.jbfleet.com


PART # 2217

BATTERIES



| | | | |
|---|--|---|---|
| <p style="text-align: center;">40358 1</p>  <p style="text-align: center;">D</p> <p style="text-align: center;">6</p> | <p style="text-align: center;">40356 2</p>  <p style="text-align: center;">C</p> <p style="text-align: center;">6</p> | <p style="text-align: center;">40352 3</p>  <p style="text-align: center;">AA</p> <p style="text-align: center;">8</p> <p style="text-align: center;">40348 5</p>  <p style="text-align: center;">AAAA</p> <p style="text-align: center;">4</p> | <p style="text-align: center;">40354 4</p>  <p style="text-align: center;">9 VOLT</p> <p style="text-align: center;">6</p> <p style="text-align: center;">40350 6</p>  <p style="text-align: center;">AAA</p> <p style="text-align: center;">8</p> |
|---|--|---|---|





J&B Fleet - Industrial Supply

www.jbfleet.com

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

PART # 2302

BATTERIES

10002

1



D

10004

2



C

10001

3



AA

40348

5



AAAA

10000

4



9 VOLT

10005

6



AAA



LET US HELP YOU MAKE THE CONNECTION

PART # 3045

HEAVY DUTY PAINT MARKERS



J & B FLEET-INDUSTRIAL SUPPLY
PHONE: 330-821-6342

22308

22309

22310

22311

22312

22313

BLACK

BLUE

GREEN

RED

WHITE

YELLOW

1

1

1

1

1

1