

# **SAFETY DATA SHEET**

# SECTION 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Dry Granular Winterizer **Product ID**: Dry Granular Winterizer

**Synonyms**: n/a

Date: 02-15-2016 Molecular Formula: Proprietary

**Recommended Use:** Water treatment winter agent for swimming pools.

Manufactured By: Baleco Int'l Inc

3200 State Line Road North Bend, OH 45052

(513) 353-3000

Emergency Phone Number: For leak, fire, spill or accident emergencies call Chemtrec 1-800-424-

9300.

# SECTION 2 HAZARDS IDENTIFICATION

2

**Emergency Overview** 

NFPA:

HMIS:



#### Classification of the Substance or Mixture

Classification (GHS-US) Not classified

**Label Elements** 

GHS-US Labeling No labeling applicable

<u>Other Hazards</u> Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. Prolonged contact with dust can produce mechanical irritation.

Unknown Acute Toxicity (GHS-US) Not available

#### SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3

**Substances** 

Name Sodium Bicarbonate

CAS No.: 144-55-8

| Name               | Product Identifier | % (w/w) | Classification (GHS-US) |
|--------------------|--------------------|---------|-------------------------|
| Sodium bicarbonate | (CAS) 144-55-8     | 100     | Not classified          |

# SECTION 4 FIRST AID MEASURES 4

#### **Description of First Aid Measures**

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice. **Inhalation:** When symptoms occur: go into open air and ventilate suspected area.

Skin Contact: Brush off loose particles from skin. Rinse immediately with plenty of water. Obtain medical

Baleco Int'l Inc. Dry Granular Winterizer SDS Dated: 02/15/2016 Page 1 of 6

attention if irritation develops or persists.

**Eye Contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Obtain medical attention if irritation persists.

Ingestion: Rinse mouth. Do NOT induce vomiting. Seek medical attention if a large amount is swallowed.

## Most Important Symptoms and Effects Both Acute and Delayed

General: None expected under normal conditions of use.

**Inhalation:** Prolonged inhalation of dust may cause respiratory irritation.

**Skin Contact**: Skin contact with large amounts of dust may cause mechanical irritation.

**Eye Contact:** Contact may cause irritation due to mechanical abrasion.

Ingestion: Large doses may produce systemic alkalosis and expansion in extracellular fluid volume with

edema. Chronic Symptoms: None expected under normal conditions of use. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

# SECTION 5 FIRE FIGHTING MEASURES 5

#### **Extinguishing Media**

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: For surrounding fire: Use of heavy stream of water may spread fire.

# Special Hazards Arising from the Substance or Mixture

Fire Hazard: NOT FLAMMABLE. Under fire conditions, hazardous fumes will be preent.

**Explosion Hazard:** Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

## **Advice for Firefighters**

**Precautionary Measures Fire:** Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe.

Firefighting Instructions: Exercise caution when fighting any chemical fire.

**Protection During Firefighting:** Do not enter area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO<sub>2</sub>). Sodium oxides.

#### **Reference to Other Sections**

See heading 8, Exposure Controls and Personal Protection.

#### SECTION 6 ACCIDENTAL RELEASE MEASURES

#### Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Handle in accordance with good industrial hygiene and safety practice. Do not breathe dust or fumes. Avoid skin and eye contact.

#### For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

**Emergency Procedures**: Evacuate unnecessary personnel.

### For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

**Environmental Precautions** Prevent entry to sewers and public waters. Avoid release to the environment. **Methods and Material for Containment and Cleaning Up** 

For Containment: Contain and collect as any solid.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Avoid generation of dust during clean-up of spills. Keep in suitable, closed containers for disposal. Contact competent authorities after a spill.

#### Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

#### SECTION 7 HANDLING AND STORAGE 7

Baleco Int'l Inc. Dry Granular Winterizer Dated: 04/30/2015 Page 2 of 6

#### Precautions for Safe Handling

Additional Hazards When Processed: When heated, material emits irritating fumes.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

#### Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Incompatible Materials: Acids. Water. Lime.

Storage Temperature: < 65 °C (150 °F)

Specific End Use(s) Potable and Recreational Water Treatment

# SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION 8

#### **Control Parameters**

| Particulates not otherwise classified (PNOC) |                              |  |  |  |
|--|------------------------------|--|--|--|
| USA ACGIH                                    | ACGIH TWA (mg/m³)            | 3 mg/m <sup>3</sup> Respirable fraction  |  |  |
|  | Accili TWA (ilig/ili )       | 10 mg/m <sup>3</sup> Total Dust  |  |  |
| USA OSHA                                     | OSHA PEL                     | 5 mg/m <sup>3</sup> Respirable fraction  |  |  |
|  | (TWA)(mg/m <sup>3</sup> )    | 15 mg/m <sup>3</sup> Total Dust  |  |  |
| Alberta                                      | OEL TWA (mg/m <sup>3</sup> ) | 10 mg/m³ (total)   |  |  |
| British Columbia                             | OEL TWA (mg/m <sup>3</sup> ) | 10 mg/m³ (total dust)  |  |  |
| Manitoba                                     | OEL TWA (mg/m <sup>3</sup> ) | 10 mg/m³ (inhalable particles, recommended)  |  |  |
| New Brusnwick                                | OEL TWA (mg/m³)              | 3 mg/m³ (particulate matter containing no asbestos and <1%   |  |  |
|  |                              | Crystalline silica, respirable fraction)   |  |  |
| Newfoundland &                               | OEL TWA (mg/m <sup>3</sup> ) | 10 mg/m³ (inhalable particles, recommended)  |  |  |
| Labrador                                     | 0 == : : : : (g,)            | To mg/m (minalable parables) recommended)  |  |  |
| Nova Scotia                                  | OEL TWA (mg/m <sup>3</sup> ) | 10 mg/m³ (inhalable particles, recommended)  |  |  |
| Nunavut                                      | OEL TWA (mg/m <sup>3</sup> ) | 5 mg/m³ (respirable mass)  |  |  |
| Northwest Territories                        | OEL TWA (mg/m <sup>3</sup> ) | 5 mg/m³ (respirable mass)  |  |  |
| Ontario                                      | OEL TWA (mg/m <sup>3</sup> ) | 10 mg/m <sup>3</sup> (inhalable)   |  |  |
| Prince Edward Island                         | OEL TWA (mg/m <sup>3</sup> ) | 10 mg/m³ (inhalable particles, recommended)  |  |  |
| Quebec                                       | VEMP (mg/m³)                 | 10 mg/m³ (including dust, inert or nuisance particulates; containing no Asbestos and 1% Crystalline silica-total dust) |  |  |
| Saskatchewan                                 | OEL STEL (mg/m³)             | 20 mg/m³ (insoluble or poorly soluble-inhalable fraction)  |  |  |
|  |                              | 6 mg/m3 (insoluble or poorly soluble-inhalable fraction)   |  |  |
| Saskatchewan                                 | OEL TWA (mg/m³)              | 10 mg/m <sup>3</sup> (insoluble or poorly soluble-inhalable fraction)  |  |  |
|  |                              | 3 mg/m <sup>3</sup> (insoluble or poorly soluble-inhalable fraction)   |  |  |

#### **Exposure Controls**

**Appropriate Engineering Controls:** For occupational/workplace settings: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed

**Personal Protective Equipment:** For occupational or bulk quantities: Gloves. Safety glasses. Dust formation: dust mask







Materials for Protective Clothing: For occupational or bulk quantities: Chemically resistant materials and fabrics.

Hand Protection: For occupational or bulk quantities: Wear chemically resistant protective gloves.

Eye Protection: For occupational or bulk quantities: Chemical goggles or safety glasses.

Respiratory Protection: Use a NIOSH-approved respirator or self-contained breathing apparatus

Baleco Int'l Inc. Dry Granular Winterizer Dated: 04/30/2015 Page 3 of 6

whenever exposure may exceed established Occupational Exposure Limits.

Other Information: When using, do not eat, drink or smoke.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9

Information on Basic Physical and Chemical Properties

Physical State Solid

**Appearance:** White Crystalline, powder

Odorless

pH: 8.2 (1% Solution) **Evaporation Rate** Not available **Melting Point** Not available Freezing Point Not available **Boiling Point** No data available Flash Point: Not applicable **Auto-ignition Temperature** Not available **Decomposition Temperature:** Not available Flammability: Not available **Upper/Lower Flammable Limit** Not available Not available

Vapor Pressure:Not availableRelative Vapor Density at 20°CNot available

Specific Gravity 62 lb/ft<sup>3</sup>

**Solubility** Water: 8.6 g/100ml @ 20 °C (68 °F)

Partition Coefficient:N-octanol/water Not available Viscosity Not available

**Explosion Data** 

Sensitivity to Mechanical Impact Not expected to present an explosion hazard due to mechanical

impact.

Sensitivity to Static Discharge Not expected to present an explosion hazard due to static

discharge

SECTION 10 STABILITY AND REACTIVITY

10

11

**Reactivity:** Hazardous reactions will not occur under normal conditions. **Chemical Stability:** Decomposes slowly on exposure to water (moisture).

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

**Conditions to Avoid:** Exposure to moisture or moist air. Temperatures above 150°F

(65 °C).

**Incompatible Materials**: Acids. Water. Lime.

Hazardous Decomposition Products: None known. At high temperature may liberate toxic gases.

# SECTION 11 TOXICOLOGICAL INFORMATION

<u>Information on Toxicological Effects - Product</u> <u>Acute Toxicity:</u> Not classified

LD50 and LC50 Data:

| Sodium Bicarbonate | C50 Oral Rat | 7.3 g/kg | LC50 Inhalation Rat | >4.7 mg/l/4h |

**Skin Corrosion/Irritation:** Not classified [pH: 8.2 (1% Solution)] **Serious Eye Damage/Irritation:** Not classified [pH: 8.2 (1% Solution)]

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Teratogenicity: Not classified Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Baleco Int'l Inc. Dry Granular Winterizer Dated: 04/30/2015 Page 4 of 6

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation**: Prolonged inhalation of dust may cause respiratory irritation. **Symptoms/Injuries After Skin Contact:** Skin contact with large amounts of dust may cause mechanical irritation.

**Symptoms/Injuries After Eye Contact:** Contact may cause irritation due to mechanical abrasion. **Symptoms/Injuries After Ingestion:** Large doses may produce systemic alkalosis and expansion in extracellular fluid volume with edema.

Chronic Symptoms: None expected under normal conditions of use.

#### SECTION 12

#### **ECOLOGICAL INFORMATION**

12

# **Ecotoxicity Effects Acute Toxicity**

- Fishes, Oncorhynchus mykiss, LC50, 96 h, 7,700 mg/l
- Fishes, Oncorhynchus mykiss, NOEC, 96 h, 2,300 mg/l
- Fishes, Lepomis macrochirus, LC50, 96 h, 7,100 mg/l  $\,$
- Fishes, Lepomis macrochirus, NOEC, 96 h, 5,200 mg/l
- Crustaceans, Daphnia magna, EC50, 48 h, 4,100 mg/l
- Crustaceans, Daphnia magna, LOEC, 48 h, 3,100 mg/l

#### **Chronic Toxicity**

- Crustaceans, Daphnia magna, NOEC, 21 Days, > 576 mg/l

**Mobility:** Water, Soil/sediments Remarks: Solubility(ies). Water, Soil/sediments Remarks: high mobility. **Persistence and Degradability** 

**Abiotic Degradation:** Water, hydrolyses Result: acid/base equilibrium as a function of pH Degradation products: carbonic acid/bicarbonate/carbonate

**Biodegradation:** Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

Bioaccumulative Potential: Remarks: Does not bioaccumulate.

Other Adverse Effects: No data available

#### SECTION 13

#### DISPOSAL CONSIDERATIONS

13

**Waste Disposal Recommendations**: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

#### SECTION 14

#### TRANSPORTATION INFORMATION

14

In Accordance with DOT:
In Accordance with IMDG:
In Accordance with IATA:
In Accordance with TDG:

Not regulated for transport
Not regulated for transport
Not regulated for transport

#### SECTION 15

#### REGULATORY INFORMATION

15

**USA Toxic Substances Control Act (TSCA)**: In compliance with inventory.

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A): Not regulated.

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required: Not regulated.

Dated: 04/30/2015

Baleco Int'l Inc. Dry Granular Winterizer

Page 5 of 6

US. EPA CERCLA Hazardous Substances (40 CFR 302): Not regulated.

US. New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5): Not regulated.

US. Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code Chap. 301-323): Not regulated.

**US.** California Safe Drinking Water & Toxic Enforcement Act (Proposition 65): This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SARA Section 302 Extremely Hazardous Substances: Not listed SARA Section 312 Threshold Planning Quantity: Not Listed

SARA Section 313 Reportable Ingredients: Not Listed

CRECLA: Not applicable TSCA Inventory Status: listed

RCRA Identification of Hazardous Waste: Not listed

Clean Water Act (CWA): Not listed as a pollutant, nor as a toxic pollutant

Clean Air Act (CAA): Not regulated under the chemical accident prevention provisions

# SECTION 16 OTHER INFORMATION 16

The information provided in this material safety data sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. This information should be available to all who will use, handles, store, transport, or otherwise be exposed to this product. This Information has been prepared for the guidance of plant engineering, operations and management and for persons working with or handling this product. Baleco believes this information to be reliable and up to date as of the date of publication, but makes no warranty that it is. Additionally, if this safety data sheet is more than three years old, you should contact Baleco at The phone number listed in section 1 to verify the safety data sheet is current.

This SDS is prepared according to the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, Baleco Int'l Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its safety and suitability for their purposes prior to use. In no event will Baleco Int'l Inc. be responsible for damages of any nature whatsoever resulting from the use or reliance upon information.

Reason(s) for Revision: Updates to all sections to bring into compliance.

Prepared By: MSDS/SDS Department

Baleco Int'l Inc. Cinti, OH 45211 (513)353-3000

End of Safety Data Sheet

Baleco Int'l Inc. Dry Granular Winterizer Dated: 04/30/2015 Page 6 of 6