



VISUAL PROCESSING DISORDERS

**WHEN 20/20 VISION
IS NOT ENOUGH!**

What are Visual Processing Disorders?



Visual processing disorders occur when the brain cannot process the information it receives through the eyes...there are many kinds!


Signs of CAPD

- 1. Poor attention skills**
- 2. Balance issues**
- 3. Unable to follow directions**
- 4. Lack social skills / few friends**
- 5. Poor spelling**
- 6. Unusual responses to loud noises (fire alarm)**
- 7. Cannot do other tasks while listening**
- 8. May turn one ear towards listener**


Surprising Things About Visual Processing Problems



Snellen Chart



Tumbling E Chart




Allen Chart

1. Most children will never mention a vision problem
2. Eventually children can lose 3-D vision
3. It is usually **NOT** detected by normal 20/20 tests!

Formal Diagnosis

1. Typical 20/20 vision exam
2. Visual Acuity at Near Distances (Near Point charts)
3. Eye Teaming Ability (Two eyes working together)
4. Eye Movement and Control Ability (Tracking)
5. Eye Focusing Ability (Near → Far and Far → Near)
6. Visual Perceptual Tests (Occupational Therapist)




Examples of "Near Point" Charts

Teaming Issues

Normal



Esotropia (turned in)



Exotropia (turned out)




Treatment Options

- surgery
- vision therapy
- patching


Classroom Strategies for Teaming Issues



**Patching
Compliance**



**Tracking
Activities**



**Double-Vision
Awareness**

Convergence Insufficiency



Distant Objects

- Eyes are parallel
- Eyes move out or diverge



Near Objects


- Eyes point inward
- Eyes move in or converge




Treatment Options

- Surgery (rare)
- vision therapy
- patching or prism glasses

Classroom Strategies for Convergence Insufficiency



**Near-Far
Tracking Activities**



Pencil Pushups



**Focus
Awareness**

Visual Field Cuts (Neglect)



The real scene



What someone with an upper left field cut might see
(the brain just continues the wall)

Treatment Options

- Varies depending on whether it is related to damage to the visual field or developmental habits that stem from other visual problems

Classroom Strategies for Neglect



Provide Cues



Test for Side-Vision



Double-Vision Awareness



Teach Scanning

Classroom Strategies for Neglect




Hidden Pictures



Games Online

<http://www.games.com/hidden-object-games>


Visual Closure Problems




Treatment Options

- vision therapy
- Occupational therapy
- Other assistance as needed

Classroom Strategies for Visual Closure





This block contains two rows of visual closure exercises. The top row features a dashed outline of a chair with arrows indicating the tracing path, followed by four solid red outlines of the same chair with arrows showing the direction of the strokes. The bottom row shows the word "champ" in black text, followed by three blue outlines of the word where the letters are missing, intended for a word completion game.



This block displays a dot-to-dot puzzle of a pharaoh's head in profile. The puzzle consists of numerous small black dots connected by thin lines. A small text box in the lower right corner of the puzzle area reads: "This dot-to-dot is found in Book 3." Below the puzzle, the text "Closure Activities" is written in a large, bold, red font.

Classroom Strategies for Visual Closure



Masking Games



Mirror-Image Work




Object Awareness and Coping Strategies


Classroom Strategies for Teaming Issues




**Space
Awareness**



www.hiddenpicturepuzzles.com





**Hidden Pictures
(simple)**



**Figure-Ground
Activities**

Visual Gestalt Issues



A diagram illustrating 'Treatment Options'. It shows the same complex scene as the previous diagrams, but with a green circle highlighting the 'X' circle and a yellow circle highlighting the triangle with the smiley face. To the right, the padlock with the heart is highlighted in pink. Below the diagram, the text 'Treatment Options' is written in red, followed by a bulleted list of options.

Treatment Options

- vision therapy
- occupational therapy
- other assistance as needed


Classroom Strategies for Gestalt Problems



Have student watch
while you draw the letter
on their forearm or palm



Constructing letter with others
(gross motor and proprioceptive of letter-strokes)



Create letter by moving total body
(gross motor and proprioceptive awareness of total letter form)

Develop Alternative Memory Buffers (not vision)



Have students
close their eyes...



...while a teacher or student
draws the letter on their
back, palm or arm

Prosopagnosia (Face Blindness)




Treatment Options

- coping strategies
- social skills

Irlen Syndrome

The dog ran home.



The dog ran home.



Treatment Options

- colored glasses
- colored overlays
- other assistance and therapy as needed

Classroom Strategies for Irlen Syndrome



**Colored Overlays
(Irlen Filters)**

Visual Contrast Sensitivity

This may be too hard to read

This may be easier to read

- *Adjust *Font* on Computer
- *Reduce **Color** on Display
- *Change Fonts to **Comic Sans**

Awareness of Irlen Triggers

Resources

<http://dev.nclld.org/types-learning-disabilities/adhd-related-issues/visual-processing-disorders>

(National Center for Learning Disabilities; provides resources on many other disabilities as well)

<http://visualperformancecenter.com/vp.html>

(general information on vision and processing)

<http://children.webmd.com/video/vision-therapy-children>

(video on vision therapy)

<http://grantvisioncare.com/vision-therapy/> and

<http://www.optometrists.org/sorkin/index.html>

(resources vision therapy)

<http://irlen.com/distortioneffects.php> and <http://www.hale.ndo.co.uk/scotopic>

(simulations of Irlen Syndrome)

<http://www.vision3d.com/frame.html> and <http://www.eyecanlearn.com/>

(online info and exercises for the eyes)