

CAJUN RED

MSDS Number: 115 Revision Date: 9/22/2015

Page 1 of 5

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Cajun Kleen Products, LLC 101 Royal Street West Monroe, LA 71291

Contact: Cajun Kleen Products

Phone: 318-323-4244 **Fax:** 318-323-4299

Email: info@cajunkleenproducts.com

Web: www.cajunkleen.com

Product Name: CAJUN RED Revision Date: 9/22/2015

Version: 3 MSDS Number: 115 Product Code: CR

Product Use: Industrial Cleaning Product
Emergency Contact: CHEMTEL 1-800-255-3924

2

HAZARDS IDENTIFICATION

Route of Entry: Eyes; Inhalation; Skin;

Inhalation: Minimal respiratory tract irritation may occur with exposure to a large amount of material.

Skin Contact: May cause burning. May cause irritation.

Eye Contact: May cause irritation.

Ingestion: Ingestion is not an applicable route of entry for intended use.

NFPA: Health = 2, Fire = 0, Reactivity = 0





CAJUN RED

MSDS Number: 115 Revision Date: 9/22/2015

Page 2 of 5

Ingredients:

Cas # | Percentage | Chemical Name

1310-73-2 | 0-3% | Caustic soda, etc., see Sodium hydroxide, etc.

111-76-2 | 0-3% | 2-Butoxyethanol

4 FIRST AID MEASURES

Inhalation: If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.

Skin Contact: Promptly flush skin with water until all chemical is removed.

Remove contaminated clothing and wash before reuse.

Wash with soap and water.

Eye Contact: Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate

irrigation. Seek medical attention if problem persist

Ingestion: Do not induce vomiting. Drink large quantities of water. Seek medical attention, if problem persist.

5 FIRE FIGHTING MEASURES

Flash Point: N/A

Dry powder, foam, carbon dioxide. Use any standard agent - choose the one most appropriate for type of surrounding fire.

6 ACCIDENTAL RELEASE MEASURES

Avoid contact with eyes.

Pick up excess with inert absorbant material and place into separate waste container.

Use personal protection recommended in section 8.

Waste Disposal Method

Dispose of in accordance with local, state and federal regulations.

7 HANDLING AND STORAGE

Handling Precautions: Avoid breathing vapors or mist. Avoid contact with eyes, skin, or clothing. Keep material out of reach of

children. Launder contaminated clothing. Use approved containers only.

Wash thoroughly after handling.

Storage Requirements: Keep away from heat, sparks, and flames. Store in cool/dry area.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal Protective Equip: HMIS PP, B | Safety Glasses, Gloves



CAJUN RED

MSDS Number: 115 Revision Date: 9/22/2015

Page 3 of 5

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Red Physical State: Liquid

Odor: Detergent Scent Solubility: Fully miscible

Spec Grav./Density: 1.08

Heat Value: Not determined

Boiling Point: 212 F

Freezing/Melting Pt.: Undetermined Flammability: Not applicable Flash Point: Not applicable **Partition Coefficient:** Not determined Vapor Density: Not determined pH: 11.9 Concentrate VOC: Not determined Evap. Rate: Not determined

Auto-Ignition Temp: Product is not selfigniting

Decomp Temp: No decomposistion if used according to specifications

10 STABILITY AND REACTIVITY

Stability: Product is stable under normal conditions.

Conditions to Avoid: Avoid Extreme Heat

Materials to Avoid: Do not mix with Bleach

11 TOXICOLOGICAL INFORMATION

Acute Toxicity:

Oral (LD 50): 2000 mg/kg (rat)

Inhalation (LC 50):

Skin irritation: Caustic effect on skin and mucous membranes

Eye irritation: Strong caustic effect

Sensitation: None known

Corrosive-Swallowing will lead to a strong caustic effect on mouth and throat and to the danger or perforation of esophagus

and stomach

12 ECOLOGICAL INFORMATION

Readily biodegradable.

Do not allow to reach sewage system, Follow area guidelines



CAJUN RED

MSDS Number: 115 Revision Date: 9/22/2015

Page 4 of 5

13

DISPOSAL CONSIDERATIONS

Recommendation: consultation with the disposal agency and the relevant authorities; cleansing agent is water. Dispose of in accordance with local regulations.

14

TRANSPORT INFORMATION

DOT Class: Corrosive (8) #8

UN #: UN 1760, Class: 8, Proper Shipping Name: Corrosive liquids, n.o.s.

15

REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

- *Caustic soda, etc., see Sodium hydroxide, etc. (1310732 <3%) CERCLA, CSWHS, MASS, OSHAWAC, PA, TSCA, TXAIR
- *Caustic soda, etc., see Sodium hydroxide, etc. (1310732 <3%) CERCLA, CSWHS, MASS, OSHAWAC, PA, TSCA, TXAIR
- *2-Butoxyethanol (111762 <3%) HAP, MASS, OSHAWAC, PA, TSCA, TXAIR
- *Formaldehyde (50000 5%) CERCLA, CSWHS, EHS302, EPCRAWPC, HAP, MASS, NJEHS, NJHS, NRC, OSHAHTS, OSHAPSM, PA, PROP65, SARA313, TOXICRCRA, TSCA, TXAIR, TXHWL

REGULATORY KEY DESCRIPTIONS

CERCLA = Superfund clean up substance

CSWHS = Clean Water Act Hazardous substances

MASS = MA Massachusetts Hazardous Substances List

OSHAWAC = OSHA Workplace Air Contaminants

PA = PA Right-To-Know List of Hazardous Substances

TSCA = Toxic Substances Control Act

TXAIR = TX Air Contaminants with Health Effects Screening Level

HAP = Hazardous Air Pollutants

EHS302 = Extremely Hazardous Substance

EPCRAWPC = EPCRA Water Priority Chemicals

NJEHS = NJ Extraordinarily Hazardous Substances

NJHS = NJ Right-to-Know Hazardous Substances

NRC = Nationally Recognized Carcinogens

OSHAHTS = OSHA Hazardous and Toxic Substances

OSHAPSM = OSHA Chemicals Requiring process safety management

PROP65 = CA Prop 65

SARA313 = SARA 313 Title III Toxic Chemicals

TOXICRCRA = RCRA Toxic Hazardous Wastes (U-List)

TXHWL = TX Hazardous Waste List



CAJUN RED

Revision Date: 9/22/2015 **Page** 5 **of** 5 MSDS Number: 115

Author: JNM

This information is given in good faith and based on our current knowledge of the product. No guarranty of accuracy is made. Purchasers should make their own test to determine the suitability of such products for their particular purpose.