

Procedure Date:	
Arrival Time:	Provided to you by the Endoscopy Center 24-48 hours prior to
your procedure.	The number to the Space Coast Endoscopy Center is 321-504-4440.

Preparing for your Colonoscopy

Dr. Seara has prescribed <u>Colyte</u> to your pharmacy. <u>In addition</u>, you will need to purchase a box of Ducolax found in the laxative aisle.

Golytely, Colyte, Nulytely and Trilyte

• What makes it work? PEG is electrolyte-based. It will force out all contents of the bowel by introducing large amounts of volume into the colon (about four liters). The day before your colonoscopy, you will drink eight ounces of the solution every 10 minutes until bowel contents are clear or the solution is consumed.

Below are the preparation instructions to be followed for your upcoming procedure.

5 Days Before	Stop taking any Aspirin, Plavix, Coumadin, Vitamin E, or any other blood thinning medications, <i>unless instructed by Dr. Seara to continue</i> .
3 Days Before	Stop eating <u>ALL</u> Fruits and Vegetables unless Juiced or in a Smoothie
The Day Before	Remain on a CLEAR LIQUID DIET ALL DAY! ** No breakfast, Lunch, or Dinner of any kind! Regardless of your arrival time!! **
20:0:0	Sometime after 2:00 pm and before 6:00 pm begin drinking the COLYTE.
	COLYTE may be mixed with a clear liquid.
	— Drink an 8 OZ glass every 10-15 minutes. Take a break for an hour if you feel nauseous.
The Day of	5 hours prior to your ARRIVAL TIME - Take 2 Ducolax Tablets.
Colonoscopy All patients	Take <u>critical</u> medications with Clear Liquids up to 4 1/2 hours before your arrival time. This includes medication for Heart, Blood Pressure, Anxiety, Seizure and Pain Medication.
MUST do this the day of the	 ★ TAKE <u>NOTHING</u> BY MOUTH <u>WITHIN 4 HOURS OF YOUR ARRIVAL</u> TIME. (this includes candy and gum)
Procedure.	❖ You MUST have someone drive you home from the facility.

HELPFUL HINTS

- 1. Your exam will only be as good as your colon prep. You will know you have had an effective prep when you have clear/yellow, watery bowel movements.
- 2. Chilling the laxative and drinking through the straw sometimes helps.
- 3. Baby wipes may be helpful. Vaseline can help in case of a sore bottom.
- 4. Remain close to the toilet facilities. The prep often starts working within an hour but may take many hours to start working.
- 5. Diabetics may use sugar free drinks to avoid increases in blood sugar. Monitor and control your blood sugar closely during your prep to prevent low and high blood sugar. Call your primary care doctor if you need help managing your blood sugar

CLEAR LIQUID DIET LIST

- Patients tolerate the prep best when they do not add the flavor pack, and instead fill the bottle to the fill line with lemonade or Gatorade (any color). You may substitute any other clear liquid of your choice.
- Gatorade, Powerade (sports drinks with electrolytes are recommended to help with hydration-*any color including red and purple*)
- Water, tea, or coffee (NO cream or milk; sugar is OK); Lemonade (with no pulp), Iced Tea
- Broth or Boullion
- Jell-O, Popsicles, Italian Ice (no fruit or cream added)
- Juice Apple, Grape or Cranberry (No orange, tomato, grapefruit, prune or any juice with pulp)
- Soda such as Sprite, 7-Up, ginger ale or any cola
- Clear hard candy, gum

** YOU MUST CANCEL YOUR APPOINTMENT 48 HOURS PRIOR TO THE PROCEDURE
OR YOU WILL BE CHARGED A \$75.00 CANCELLATION FEE.**

Francisco Aguilo-Seara, MD., LLC



Colonoscopy

A colonoscopy is an endoscopic examination of the large intestine with a flexible tube that has a light and a camera at the tip. With this instrument doctors are able to examine the inside of the large intestine to diagnose abnormalities such as polyps, biopsy, and treat some bleeding disorders. It is possible that Dr. Seara will need to inject air into your colon, which could cause you to have mild abdominal discomfort and gas. This will pass soon after your colonoscopy and you should be completely pain free. Complications are rare,but can occur. Some may include bleeding, perforation, diagnostic error, and side effects of the medications you will be given. It is important to note that a colonoscopy is not a 100% accurate test. Some small growths, such as polyps or cancer can be missed. This risk increases with stool remaining in the colon from an incomplete prep.

Alternative to colonoscopy: A barium enema can be performed for diagnostic purposes only. It cannot be used to treat any findings. The National Polyp Study found that barium enemas missed approximately 50% of the larger polyps. For removal of polyps the only alternative is surgery. Virtual colonoscopy is also available and is also known as a CT Scan colonoscopy. It is also only a diagnostic test.

Your procedure will be performed at Space Coast Endoscopy Center. This is an outpatient state-of-the-art endoscopy facility that has staff trained to assist you in completing your colonoscopy as comfortably as possible. Please read the information provided to you, about what you can expect once you arrive at Space Coast Endoscopy Center.

Please stop taking any Aspirin, Plavix, Coumadin, Vitamin E, or any other blood thinning medication five (5) days prior to your test. These medications may make the risk of bleeding higher if any biopsies are needed or any growths removed. Please discuss this with the prescribing doctor before stopping these medications to be sure that he/she is aware and in agreement with this recommendation. Your doctor may call Dr. Seara if they have any concerns with you discontinuing any of these medications for a short period of time. You may take Tylenol if necessary for a headache or mild discomfort, prior to your test. It does not alter your bleeding in any way. It is possible that, depending on your medical history, Dr. Seara could recommend that you continue to take your blood thinning medicine.

<u>DIABETICS</u>: Do <u>not</u> take any oral diabetic medications the morning of your colonoscopy. You may take them to the endoscopy center and they will allow you to take your remaining medicine after your test. <u>If you are on insulin</u> please call your doctor managing your insulin and ask them what they would recommend prior to beginning your prep.

You can expect to feel a bit sleepy following your colonoscopy. You may feel full and find that you pass a lot of gas. This is normal as Dr. Seara may need to inject air into your colon to improve visibility. This should pass within a few hours of the procedure and you should be back to normal. If you experience abdominal pain or a fever it is important that you notify Dr. Seara by calling the office at 321-433-3000. A staff member will answer the phone if we are open, or you may leave a message and you will receive a phone call back. If the answering machine says to call the doctor on call, please do so.

Dr. Seara will discuss your colonoscopy with you after he completes your exam and you have woken up. If you have a normal colonoscopy with no biopsy, he will not schedule a follow-up appointment in the office. If you have any abnormal findings he will instruct you on what follow-up will be necessary. If any polyps are found during your colonoscopy, he will tell you and a 1, 3, or 5 year repeat exam will be written on your discharge instructions. If the pathology of your polyp shows any concerning cell changes or colon cancer you will be called by our office for a follow-up appointment. If you have a follow-up appointment at our office for some other reason, please keep that appointment. It is important to remember to notify us if you move or change your phone number.

Follow any instructions given to you by Space Coast Endoscopy Center and be sure to bring all paperwork with you the day of your test. If you need to download a copy of the Patient History Form you may go to https://spacecoastendocenter.com/for-patients/patient-forms. The address for Space Coast Endoscopy is 1974 Rockledge Blvd. Rockledge, FL 32955. They are located about 1 mile south of our office. Eyster Blvd is the closest crossroad. The telephone number is (321)504-4440.